

Yavapai County, AZ

Risk-assessment baseline packet

Unit **County area 04025** Release **2026-10** As of **2026-09-28** Storm Events data through **2026-06-30**

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

A starting point for the plan's risk assessment (FEMA Local Mitigation Plan Review Tool, Element B). It does not replace local data or FEMA review. Section headings say which FEMA review item each table supports; whether an item is satisfied is decided by the plan and its reviewers.

OPENFEMA DISCLAIMER

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Plan clock

Status	Approved, expires 2029-01-02	Plan	Yavapai County (FEMA plan 108225)
Approved	2024-01-03	Expires	2029-01-02
As of	2026-09-28	Days	827 days to expiry

What changed since your last plan (approved 2024-01-03)

New federal declarations	none (0 declaration rows; 0 counted incidents)	Storm Events records since approval	66 (data through 2026-06-30)
Repetitive loss now	FMA RL 3, SRL 5 (44 CFR 77.2); any definition: 27	Repeat-flood change	First release: no prior release to compare.

SOURCES: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API); FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API); NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>; FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

Plan status for every jurisdiction listed in this county

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry <i>negative = days since expiry</i>	Update underway	Notes
Yavapai County	County	Approved, expires 2029-01-02	Yavapai County (FEMA plan 108225)	2024-01-03	2029-01-02	827		member approved 2024-01-02
Camp Verde town	Town	Approved, expires 2029-01-02	Yavapai County (FEMA plan 108225)	2024-01-03	2029-01-02	827		member approved 2024-06-17
Chino Valley town	Town	Approved, expires 2029-01-02	Yavapai County (FEMA plan 108225)	2024-01-03	2029-01-02	827		member approved 2024-02-01
Clarkdale town	Town	Approved, expires 2029-01-02	Yavapai County (FEMA plan 108225)	2024-01-03	2029-01-02	827		member approved 2024-03-11
Cottonwood city	City	Plan 108225 approved 2024-01-03, pending adoption here; not yet eligible	Yavapai County (FEMA plan 108225), pending adoption here	2024-01-03 by FEMA; not yet adopted here	2029-01-02 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry	Update underway	Notes
						<i>negative = days since expiry</i>		
Dewey- Humboldt town	Town	Approved, expires 2029-01-02	Yavapai County (FEMA plan 108225)	2024-01-03	2029-01-02	827		member approved 2024-02-23
Jerome town	Town	Approved, expires 2029-01-02	Yavapai County (FEMA plan 108225)	2024-01-03	2029-01-02	827		member approved 2024-03-21
Peoria city	City	Approved, expires 2027-05-10	Maricopa County (FEMA plan 107585)	2022-05-11	2027-05-10	224		
Prescott city	City	Approved, expires 2029-01-02	Yavapai County (FEMA plan 108225)	2024-01-03	2029-01-02	827		member approved 2024-02-20
Prescott Valley town	Town	Approved, expires 2029-01-02	Yavapai County (FEMA plan 108225)	2024-01-03	2029-01-02	827		member approved 2024-04-29
Sedona city	City	Approved, expires 2029-01-02	Yavapai County (FEMA plan 108225)	2024-01-03	2029-01-02	827		member approved 2025-07-07
Wickenburg town	Town	Approved, expires 2027-05-10	Maricopa County (FEMA plan 107585)	2022-05-11	2027-05-10	224		

Plan 108225 lists 1 other participant not on this page. Not covered by it yet: Yavapai-Prescott Indian Tribe (approvable pending adoption, not yet adopted).

SOURCE: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

State plan status and tribal plans in this state: see the state page.

CONTENTS

1. Plan clock, page 1	7. Supports B1-e: probability, page 12
2. What changed since your last plan (approved 2024-01-03), page 1	8. Supports B1-f: variation across the planning area, page 15
3. Supports B1-a: hazards, page 3	9. Supports B2-a and B2-b: assets and impacts, page 17
4. Supports B1-b: location, page 4	10. Supports B2-a: context, page 19
5. Supports B1-c: extent, page 5	11. Supports B2-c: repetitive loss, page 19
6. Supports B1-d: previous occurrences, page 8	12. Sources and OpenFEMA disclaimer, page 21

Supports B1-a: hazards

Hazards NRI does not cover: check locally

- dam failure (incl. upstream dams)
 - levee failure
 - flash flood as its own subtype
 - ice jams
- debris flows
 - erosion (riverine and coastal)
 - land subsidence and sinkholes
 - expansive soils

The 18 National Risk Index hazards, ranked by expected annual loss (EAL)

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings modeled dollars per year	EAL agriculture modeled dollars per year	EAL population equivalence statistical value of life and injury, \$13.7M per life, not property damage	EAL total (see note) modeled dollars per year	Storm Events records since 1996 count	Evidence for an omission NRI Not Applicable, no declaration and no Storm Events record since 1996	Storm Events coverage note
1	Inland Flooding	Relatively High	Relatively High	\$61,359,714	\$204,447	\$8,108,886	\$69,673,046	357		
2	Wildfire	Relatively High	Relatively High	\$27,409,250	\$332	\$1,297,878	\$28,707,460	28		
3	Lightning	Very High	Very High	\$31,208		\$3,140,045	\$3,171,253	14		
4	Earthquake	Relatively Low	Relatively Low	\$1,846,556		\$337,526	\$2,184,081			Not in Storm Events. Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
5	Heat Wave	Relatively Moderate	Relatively Moderate	\$80	\$7,513	\$1,515,638	\$1,523,232	6		
6	Hail	Relatively Moderate	Relatively Moderate	\$862,650	\$5	\$415,061	\$1,277,715	161		
7	Winter Weather	Relatively High	Relatively High	\$4,938	under \$1	\$456,325	\$461,262	74		
8	Tornado	Relatively Low	Relatively Low	\$254,775	\$615	\$195,697	\$451,087	17		
9	Strong Wind	Relatively Low	Relatively Low	\$143,602	\$170	\$179,686	\$323,458	173		Includes 37 High Wind records and 5 Strong Wind records, event types the NRI definition of this hazard leaves out.
10	Drought	Very Low	Very Low		\$17,333		\$17,333	0		Declared 1 time; no Storm Events record of this type.

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records since 1996 <i>count</i>	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
11	Landslide	Relatively Low	Very Low	\$499		\$4,024	\$4,523	10		
12	Avalanche	Very Low	Very Low	\$2		\$558	\$560	0		No recorded events in Storm Events since 1996 (data through 2026-06-30).
13	Volcanic Activity	Very Low	Very Low	under \$1		\$16	\$16	0		No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
14	Cold Wave	Very Low	Very Low	\$1	\$0	\$4	\$5	2		
15	Hurricane	No Rating	No Expected Annual Losses	\$0	\$0	\$0	\$0	0		No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Coastal Flooding	Not Applicable	Not Applicable					0	NRI rates coastal flooding Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Ice Storm	Not Applicable	Not Applicable					0	NRI rates ice storm Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Tsunami	Not Applicable	Not Applicable					0	NRI rates tsunami Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Check your state hazard mitigation plan's hazard list for this county; explain any hazard you drop.

Supports B1-b: location

Where each hazard occurs

Hazard	Location	Census tracts rated <i>rated of all tracts</i>
Avalanche	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	23 of 72

Hazard	Location	Census tracts rated <i>rated of all tracts</i>
Coastal Flooding	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 72
Cold Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	4 of 72
Drought	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	16 of 72
Earthquake	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	72 of 72
Hail	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	72 of 72
Heat Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	72 of 72
Hurricane	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 72
Ice Storm	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	0 of 72
Inland Flooding	The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (https://msc.fema.gov) for this county.	72 of 72
Landslide	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	72 of 72
Lightning	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	72 of 72
Strong Wind	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	72 of 72
Tornado	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	72 of 72
Tsunami	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 72
Volcanic Activity	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	24 of 72
Wildfire	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	72 of 72
Winter Weather	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	72 of 72

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B1-c: extent

Extent: scale, observed range and worst recorded event per hazard

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Avalanche	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Coastal Flood, Storm Surge/ Tide	none in data (FIRM for depth)	0					Flood depth: see the FEMA Flood Insurance Rate Map.
Cold/Wind Chill, Extreme Cold/Wind Chill	wind chill	2, 2011 to 2013 (2 zone-level)	1 day to 2 days (median 1.5 days); 2 with a recorded value	2 consecutive days, 2013-12-08 to 2013-12-09, zone-level	Cold/Wind Chill, 2011-01-01, \$70,000 property; \$0 crops, reported for the zone (2011 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	Wind chill: in event narratives only; local data required.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Frost/Freeze (outside NRI Cold Wave definition)	crop damage	0					Temperature: in event narratives only; local data required.
Drought	US Drought Monitor D- scale	0					Storm Events enters a drought at D2 or worse east of the Rockies and D3 or worse from the Rockies west (NWS Instruction 10-1605); NRI drought counts D3 and D4 only.
Earthquake	Modified Mercalli (local data)	0					No Storm Events record; local data required (e.g., USGS).
Hail	hail size (inches)	183, 1962 to 2025	0.25 in to 4.5 in (median 1 in); 183 with a recorded value	4.5 in hail, 1995-09-28	Hail, 1999-09-15, \$18,000,000 property; \$0 crops (1999 dollars)	Event records naming member places: Prescott city (33 records), Camp Verde town (11 records), Prescott Valley town (6 records), Cottonwood city (5 records), Clarkdale town (2 records), Sedona city (2 records), Chino Valley town (1 record).	
Excessive Heat, Heat	heat index (narratives)	6, 2013 to 2017 (6 zone- level)	1 day to 9 days (median 1.5 days); 4 with a recorded value	9 consecutive days, 2017-06-16 to 2017-06-24, zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Heat index: in event narratives only; local data required.
Hurricane, Tropical Storm, Tropical Depression	Saffir-Simpson	0					Storm Events files every zone of a storm's episode under the storm's event type and category, so a Hurricane (Typhoon) record, especially an inland or remnant one, does not by itself mean hurricane-force winds here; read the damage and wind columns.
Ice Storm	Sperry-Piltz (local data)	0					Ice thickness: in event narratives only; local data required.
Flash Flood, Flood, Lakeshore Flood	damage and flood days (FIRM for depth)	357, 1996 to 2026 (5 zone- level)		Flash Flood, 2017-07-19, \$7,000,000 property; \$0 crops (2017 dollars)		Event records naming member places: Camp Verde town (13 records), Prescott city (11 records), Clarkdale town (5 records), Cottonwood city (5 records), Prescott Valley town (2 records). Zone-level records (5) apply countywide.	Flood depth: see the FEMA Flood Insurance Rate Map. Storm Events damage can be \$0 or blank even for a major flood, so the worst record here may not be the worst flood; compare FEMA Public Assistance by declaration in B1-d.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Debris Flow	none (count and damage)	10, 2004 to 2011 (10 zone-level)		Debris Flow, 2011-07-11, \$10,000 property; \$0 crops, reported for the zone (2011 dollars); NWS zone AZZ037 (YAVAPAI COUNTY VALLEYS AND BASINS), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Physical measure: in event narratives only; local data required.
Lightning	annualized frequency (the measure FEMA's Local Mitigation Planning Handbook names)	14, 1996 to 2018		Lightning, 2004-08-18, \$100,000 property; crops not reported (2004 dollars)		Event records naming member places: Prescott city (5 records), Cottonwood city (2 records), Prescott Valley town (1 record).	Storm Events lists lightning with damage or casualties; physical measure in event narratives only; local data required.
High Wind and Strong Wind (outside NRI Strong Wind definition)	wind speed (kt and mph)	42, 1996 to 2026 (42 zone-level)	35 kt (40 mph) to 77 kt (89 mph) (median 54 kt (62 mph)); 41 with a recorded value	77 kt (89 mph) measured, High Wind, 2000-11-18; NWS zone AZZ008 (YAVAPAI COUNTY MOUNTAINS), zone-level: may include parts of neighboring counties	High Wind, 2009-12-07, \$400,000 property; \$0 crops, reported for the zone (2009 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	
Thunderstorm Wind	wind speed (kt and mph)	163, 1961 to 2025	40 kt (46 mph) to 100 kt (115 mph) (median 52 kt (60 mph)); 139 with a recorded value	100 kt (115 mph), measurement type not recorded, Thunderstorm Wind, 1996-07-04	Thunderstorm Wind, 2015-08-23, \$1,000,000 property; \$0 crops (2015 dollars)	Event records naming member places: Camp Verde town (12 records), Prescott city (8 records), Cottonwood city (5 records), Chino Valley town (1 record), Clarkdale town (1 record), Sedona city (1 record).	
Tornado	Enhanced Fujita (F before Feb 2007)	29, 1952 to 2025	F/EF0 to F/EF3 (median F/EF0); 25 with a recorded value	F3 tornado, 1972-08-10, 33 yd wide, \$30 property; crops not recorded (1972 dollars)	Tornado, 2014-09-27, \$500,000 property; \$0 crops (2014 dollars)	Event records naming member places: Prescott city (2 records), Camp Verde town (1 record), Jerome town (1 record).	From 1996 on, tornado records are per-county segments and length is the path length within this county (NWS Instruction 10-1605); records before 1996 may give the whole path length, including the path outside this county, and before 1996 a tornado is listed once, under the county where it began, with the whole path's rating; counties farther along the path may not list it. Length is not used to rank tornadoes.
Tsunami	none (count and damage)	0					Physical measure: in event narratives only; local data required.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Volcanic Ash, Volcanic Ashfall	Volcanic Explosivity Index (local data)	0					Physical measure: in event narratives only; local data required.
Wildfire	acres burned (local data)	28, 1996 to 2022 (25 zone- level)		Wildfire, 2014-05-20, \$7,000,000 property; \$0 crops, reported for the zone (2014 dollars); NWS zone AZZ038 (OAK CREEK AND SYCAMORE CANYONS), zone-level: may include parts of neighboring counties		Event records naming member places: Prescott city (1 record). Zone-level records (25) apply countywide.	Acres burned: in event narratives only; local data required.
Winter Storm, Heavy Snow, Blizzard, Lake- Effect Snow, Winter Weather, Sleet	none in data (snowfall local)	74, 1997 to 2026 (74 zone- level)		No damage reported in 74 records.		Zone-level records: applies countywide; national data do not locate these events within the county.	Snow depth: in event narratives only; local data required.

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Supports B1-d: previous occurrences

Declaration rows26Counted incidents23

Federal disaster declarations for this county

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance <i>federal share obligated, nominal dollars</i>	Flags	Notes
2022-04-19	2022-04-18	FM-5435-AZ	Fire management	CROOKS FIRE	Wildfire	none found	within last 5 years	
2021-05-27	2021-05-27	FM-5387-AZ	Fire management	SPUR FIRE	Wildfire	none found		
2020-04-04	2020-01-20	DR-4524-AZ	Major disaster	COVID-19 PANDEMIC	Non-natural, not counted	\$4,292,048.23		
2020-03-13	2020-01-20	EM-3442-AZ	Emergency	COVID-19	Non-natural, not counted	none found		same incident as DR-4524
2018-05-11	2018-05-11	FM-5238-AZ	Fire management	89 EAST FIRE	Wildfire	none found		

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance	Flags	Notes
						<i>federal share obligated, nominal dollars</i>		
2017-06-25	2017-06-24	FM-5186-AZ	Fire management	GOODWIN FIRE	Wildfire	none found		
2016-06-08	2016-06-08	FM-5125-AZ	Fire management	TENDERFOOT FIRE	Wildfire	none found		
2013-06-30	2013-06-30	FM-5032-AZ	Fire management	YARNELL HILL FIRE	Wildfire	none found		
2013-06-19	2013-06-18	FM-5029-AZ	Fire management	DOCE FIRE	Wildfire	none found		
2010-03-18	2010-01-18	DR-1888-AZ	Major disaster	SEVERE WINTER STORMS AND FLOODING	Inland Flooding; Winter Weather	\$131,314.57		
2008-06-29	2008-06-29	FM-2779-AZ	Fire management	LANE 2 FIRE	Wildfire	none found		
2006-06-02	2006-06-01	FM-2640-AZ	Fire management	LA BARRANCA FIRE	Wildfire	none found		
2005-09-12	2005-08-29	EM-3241-AZ	Emergency	HURRICANE KATRINA EVACUATION	Hurricane: evacuation support, not a local hazard event; not counted	none found		
2005-06-23	2005-06-22	FM-2562-AZ	Fire management	AZ-HUMBUG FIRE 06-23--2005	Wildfire	none found		
2005-06-22	2005-06-21	FM-2561-AZ	Fire management	CAVE CREEK FIRE COMPLEX	Wildfire	none found		
2005-04-14	2005-02-10	DR-1586-AZ	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	\$2,590,019.08		
2005-02-17	2004-12-28	DR-1581-AZ	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	\$1,719,103.49		
2004-06-28	2004-06-24	FM-2523-AZ	Fire management	WILLOW FIRE	Wildfire	none found		
2002-05-15	2002-05-15	FM-2406-AZ	Fire management	AZ - INDIAN FIRE - 5/15/2002	Wildfire	none found		
2000-10-27	2000-10-21	DR-1347-AZ	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	PA not declared for this county		
1993-01-19	1993-01-05	DR-977-AZ	Major disaster	SEVERE STORMS, TORNADOES & FLOODING	Inland Flooding (primary); also designated: Tornado	none found		
1990-12-06	1990-07-08	DR-884-AZ	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	none found		
1983-10-05	1983-09-23	DR-691-AZ	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	none found		
1980-02-19	1980-02-19	DR-614-AZ	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	none found		
1978-03-04	1978-03-04	DR-551-AZ	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	none found		
1977-04-15	1977-04-15	EM-3038-AZ	Emergency	DROUGHT	Drought	none found		

County Public Assistance: applicants the FEMA record places in this county, including any state agencies FEMA files there; statewide rows are listed on the state page; federal share obligated, nominal dollars. Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Previous occurrences by hazard, with explicit no-event rows

Hazard	Storm Events records <i>full period</i>	Since plan approval records	During plan review records	Last 5 years records	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Avalanche	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Coastal Flooding	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Cold Wave	2	0	0	0	0	0	1996 to 2026-06-30	
Drought	0	0	0	0	1	0	1996 to 2026-06-30	No Storm Events records of this type; 1 federal declared incident (see declarations table)
Earthquake	0	0	0	0	0	0		No Storm Events record; local data required (e.g., USGS).
Hail	183	9	4	19	0	0	1955 to 2026-06-30	
Heat Wave	6	0	0	0	0	0	1996 to 2026-06-30	
Hurricane	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Ice Storm	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Inland Flooding	357	39	17	102	9	0	1996 to 2026-06-30	
Landslide	10	0	0	0	0	0	1996 to 2026-06-30	
Lightning	14	0	0	0	0	0	1996 to 2026-06-30	
Strong Wind	205	11	8	38	0	0	1955 to 2026-06-30	Includes 37 High Wind records and 5 Strong Wind records, event types the NRI definition of this hazard leaves out.
Tornado	29	1	2	4	1	0	1950 to 2026-06-30	
Tsunami	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Volcanic Activity	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Wildfire	28	0	0	3	13	0	1996 to 2026-06-30	
Winter Weather	74	6	6	17	1	0	1996 to 2026-06-30	

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Notable Storm Events records

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Direct deaths, injuries <i>indirect not counted</i>	Location	Flags	Why listed
2025-11-18	Flash Flood		\$0 property; \$0 crops (2025 dollars)	1, 0	CORDES	new since last plan; within last 5 years	deaths or injuries recorded
2021-07-24	Flash Flood		\$0 property; \$0 crops (2021 dollars)	1, 0	SMELTER CITY		deaths or injuries recorded
2017-07-19	Flash Flood		\$7,000,000 property; \$0 crops (2017 dollars)	0, 0	MAYER to CORDES		B1-c worst recorded: Flash Flood, Flood, Lakeshore Flood
2017-06-16	Excessive Heat		\$0 property; \$0 crops, reported for the zone (2017 dollars)	0, 0	NWS zone AZZ008 (YAVAPAI COUNTY MOUNTAINS), zone-level: may include parts of neighboring counties		B1-c worst recorded: Excessive Heat, Heat
2014-05-20	Wildfire		\$7,000,000 property; \$0 crops, reported for the zone (2014 dollars)	0, 0	NWS zone AZZ038 (OAK CREEK AND SYCAMORE CANYONS), zone-level: may include parts of neighboring counties		B1-c worst recorded: Wildfire
2013-06-28	Wildfire		\$0 property; \$0 crops, reported for the zone (2013 dollars)	19, 0	NWS zone AZZ008 (YAVAPAI COUNTY MOUNTAINS), zone-level: may include parts of neighboring counties		deaths or injuries recorded
2011-07-11	Debris Flow		\$10,000 property; \$0 crops, reported for the zone (2011 dollars)	0, 0	NWS zone AZZ037 (YAVAPAI COUNTY VALLEYS AND BASINS), zone-level: may include parts of neighboring counties		B1-c worst recorded: Debris Flow
2004-08-18	Lightning		\$100,000 property; crops not reported (2004 dollars)	0, 0	MONTEZUMA CASTLE		B1-c worst recorded: Lightning
2000-11-18	High Wind	77 kt (89 mph) measured	damage not reported	0, 0	NWS zone AZZ008 (YAVAPAI COUNTY MOUNTAINS), zone-level: may include parts of neighboring counties		B1-c worst recorded: High Wind and Strong Wind (outside NRI Strong Wind definition)
1996-07-04	Thunderstorm Wind	100 kt (115 mph), measurement type not recorded	\$500 property; \$0 crops (1996 dollars)	0, 0	COTTONWOOD		B1-c worst recorded: Thunderstorm Wind
1995-09-28	Hail	4.5 in	damage not recorded (pre-1996 record)	0, 0	Mayer		B1-c worst recorded: Hail
1972-08-10	Tornado	F3, 33 yd wide	\$30 property; crops not recorded (1972 dollars)	0, 0	location not recorded		B1-c worst recorded: Tornado

The full list is in the **XLSX file, sheet "B1-d Storm Events history" (908 rows)**.

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
 NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
 FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

15 Fire Management declarations (1990-06-27 to 1996-06-24) FEMA filed as Statewide with no county; each names one local fire. Listed on the state page.

State-declared emergencies are not in federal data. Add them from your state emergency management agency.

Tribal and special-area declarations in this state are listed on the state page.

Supports B1-e: probability

Probability: FEMA annualized frequency and descriptor per hazard

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Avalanche	0.01	events per year	about 1 in 100 years	Possible	FEMA annualized frequency (modeled)	0	1994 to 2023 (30 years)	see B1-f	0.01 is NRI's minimum avalanche frequency for a county in an avalanche susceptibility zone; NRI records no avalanche here, so the descriptor reflects the floor, not local events.
Coastal Flooding		events per year at a location (modeled)				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Cold Wave	0.00000352	event-days per year	about 0.00000352 days per year	Possible	event-days in 2 of 30 years, 1996 to 2025 (6.67%)	0.0000668	2005-11-12 to 2024-11-12 (19 years)	countywide	Frost/Freeze records are not counted in this descriptor: they record crop freezes, not cold waves.
Drought	67.7	event-days per year	about 67.7 days per year		event-days in 0 of 30 years, 1996 to 2025 (0%)	2,989	2000 to 2025 (25.25 years; D3 and D4 only)	countywide	No recorded event-days, 1996 to 2025; descriptor not assigned
Earthquake	0.00333	annual probability at a location	chance a given location in the county has at least minor-damage shaking in a year: 0.333%			not shown	modeled	see B1-f	Descriptor not assigned: the NRI value is the chance at a location in the county, not how often the hazard affects the county, and Storm Events does not record earthquakes.
Hail	0.432	events per year	about 1 in 2 years	Likely	FEMA annualized frequency (modeled)	16.4 (modeled)	1986 to 2023 (38 years)	countywide	
Heat Wave	3.82	event-days per year	about 3.82 days per year	Possible	event-days in 2 of 30 years, 1996 to 2025 (6.67%)	25.2	2005-11-12 to 2024-11-12 (19 years)	countywide	NRI gives about 3.82 heat wave event-days a year here (its annualized frequency over 19 years; not its event count divided by the years), but Storm Events has a record in only 2 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Hurricane	0	events per year	none modeled	Unlikely	FEMA annualized frequency (modeled)	0	1851 to 2024 (Atlantic); 1949 to 2024 (Pacific)	see B1-f	NRI counts hurricane and tropical storm tracks passing within storm-force wind range; federal declarations are counted separately in B1-d and need not match.
Ice Storm		event-days per year					1946-12-31 to 2014-02-12 (67 years)	countywide	Not Applicable in NRI for this county; no descriptor.
Inland Flooding	7.25	event-days per year	about 7.25 days per year	Highly likely	event-days in 30 of 30 years, 1996 to 2025 (100%)	203	1996 to 2023 (28 years)	see B1-f	
Landslide	4.41	events per year (modeled)	about 4.41 per year	Highly likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Lightning	47.9	days per year with a strike	about 47.9 days per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1995 to 2023 (29 years; CONUS)	countywide	
Strong Wind	0.56	events per year	about 0.56 per year	Likely	FEMA annualized frequency (modeled)	22	1986 to 2023 (38 years)	countywide	
Tornado	0.507	events per year	about 0.51 per year	Likely	FEMA annualized frequency (modeled)	not shown	1950 to 2023 (EF2+); 1986 to 2023 (EF0-1)	see B1-f	
Tsunami		annual probability at the most exposed location (used in place of a county value)				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Volcanic Activity	0.0002	annual probability	about 1 in 5,000 years	Unlikely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Wildfire	0.00544	annual probability at a location	chance a given location in the county burns in a year: 0.544%	Likely	Storm Events records in 13 of 30 years, 1996 to 2025 (43.3%)	not shown	modeled	see B1-f	Descriptor from Storm Events, not NRI: the NRI value is the chance at a location in the county, not how often the hazard affects the county.
Winter Weather	4.46	event-days per year	about 4.46 days per year	Highly likely	event-days in 28 of 30 years, 1996 to 2025 (93.3%)	84.6	2005-11-12 to 2024-11-12 (19 years)	countywide	

FEMA annualized frequency (modeled) comes from the National Risk Index v1.20 (December 2025). It is not recorded events divided by years, and what it measures depends on the hazard. For most hazards it estimates how often the hazard affects this county each year: it counts events or event-days (drought, heat wave, cold wave, winter weather, ice storm and inland flooding are in days per year; lightning is the number of days per year with a recorded cloud-to-ground strike, from the NOAA Storm Prediction Center daily lightning climatology); it may count events in the surrounding area (hail, strong wind, tornado, hurricane and ice storm use a 49 km grid and buffers) and is averaged over the county's area; and some hazards use a minimum value for places with no recorded event. Earthquake, wildfire and coastal flooding are different: FEMA computes them for each census block and averages them over the county, so the value is the chance (for coastal flooding, the modeled number of floods per year) at a location in the county, which is lower than the chance that the hazard strikes somewhere in the county. Earthquake is the chance of at least minor-damage shaking (U.S. Geological Survey model); wildfire is the chance that a location burns in a large fire (U.S. Forest Service burn probability); coastal flooding comes from FEMA flood zones and NOAA high-tide flooding, so it can be above 1 where high-tide flooding is frequent. Tsunami is the value at the county's most exposed location, from recorded events and modeled return periods. For these four hazards the packet gives no "1 in N years" and takes the descriptor from Storm Events (none for earthquake) unless the value is 1 or more a year. Landslide is a U.S. Geological Survey modeled county rate spread by slope susceptibility. Volcanic activity is the chance that a volcano affecting the county erupts in a year. Drought counts only extreme and exceptional drought (D3 and D4). Source: FEMA, National Risk Index Technical Documentation v1.20, sections 5.2.2 (Table 5), 5.2.3, 7.4, 10.4, 16.5, 17.1, 17.3.1, 17.5, 20.3.1, 21.4, 22.4 and 6 to 23.

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Descriptor scale used in this packet (defined per unit)

Unit	Descriptor	Definition
events per year	Highly likely	1 or more per year
events per year	Likely	about once in 1 to 10 years
events per year	Possible	about once in 10 to 100 years
events per year	Unlikely	less than once in 100 years
annual probability	Likely	10% to under 100% chance in a given year
annual probability	Possible	1% to under 10% chance in a given year
annual probability	Unlikely	under 1% chance in a given year
event-days (share of years)	Highly likely	event-days recorded in 90% or more of years
event-days (share of years)	Likely	event-days recorded in 10% to under 90% of years
event-days (share of years)	Possible	event-days recorded in some years but under 10% of years
lightning strike-days	Highly likely	cloud-to-ground strikes on 1 or more days per year

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Intensity bands: historical frequency (Storm Events)

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Hail	1.00-1.99 in	1996 to 2025	96	30	3.2
Hail	2.00 in+	1996 to 2025	5	30	0.167
Strong Wind (Thunderstorm Wind records)	50-64 kt	1996 to 2025	115	30	3.83
Strong Wind (Thunderstorm Wind records)	65 kt+	1996 to 2025	7	30	0.233
Strong Wind (Thunderstorm Wind records)	unmeasured or below 50 kt	1996 to 2025	9	30	0.3

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Tornado	EF0-1	1996 to 2025	17	30	0.567
Tornado	EF2-3	1996 to 2025	0	30	0
Tornado	EF4-5	1996 to 2025	0	30	0
Tornado	unrated (EFU)	1996 to 2025	0	30	0

Hail smaller than 1 inch is not counted: on 2010-01-05 the National Weather Service raised its severe-hail threshold from 3/4 inch to 1 inch, so smaller reports became less common after 2009 (NWS Service Change Notice 09-52). NRI hail frequency uses a 0.75 inch threshold.

SOURCE
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Optional: future conditions. Not a required item in the 2025 FEMA Local Mitigation Planning Policy Guide; some states ask for it. The federal Climate Mapping for Resilience and Adaptation (CMRA) site gives county exposure to future climate conditions.

Supports B1-f: variation across the planning area

Range of census tract risk within the county

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>	Median	Max	Tracts by rating	Note
Avalanche	23 of 72	36.5	40.9	44.7	Very Low 23, Not Applicable 49	
Coastal Flooding	0 of 72				Not Applicable 72	
Cold Wave	4 of 72	15.4	15.5	15.6	Very Low 4, No Rating 68	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Drought	16 of 72	67.0	77.6	88.7	Relatively Low 7, Very Low 9, No Rating 56	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. Agriculture is all of NRI's expected annual loss for this hazard in the county, so the tract range above mostly reflects where crop and livestock value is, not where buildings and people are. Confirm locally.
Earthquake	72 of 72	16.8	48.4	75.0	Relatively Low 48, Very Low 24	
Hail	72 of 72	38.9	69.8	84.1	Relatively Moderate 37, Relatively Low 35	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Heat Wave	72 of 72	3.6	23.3	83.4	Relatively Moderate 15, Relatively Low 27, Very Low 30	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Hurricane	0 of 72				No Rating 72	
Ice Storm	0 of 72				Not Applicable 72	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Inland Flooding	72 of 72	1.0	71.4	99.8	Very High 9, Relatively High 22, Relatively Moderate 19, Relatively Low 12, Very Low 10	
Landslide	72 of 72	8.7	41.7	95.4	Relatively Low 9, Very Low 63	

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>	Median	Max	Tracts by rating	Note
Lightning	72 of 72	58.4	92.9	99.4	Very High 22, Relatively High 31, Relatively Moderate 19	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Strong Wind	72 of 72	8.1	22.4	63.3	Relatively Moderate 1, Relatively Low 39, Very Low 32	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Tornado	72 of 72	3.7	17.7	32.6	Relatively Low 1, Very Low 71	
Tsunami	0 of 72				Not Applicable 72	
Volcanic Activity	24 of 72	40.5	59.9	77.2	Very Low 24, No Rating 48	
Wildfire	72 of 72	75.7	97.2	99.9	Very High 7, Relatively High 33, Relatively Moderate 25, Relatively Low 7	
Winter Weather	72 of 72	38.3	72.7	95.2	Relatively High 22, Relatively Moderate 42, Relatively Low 8	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.

Rated tracts only: No Rating (score 0.0), Not Applicable and Insufficient Data tracts are counted but not used for the minimum, median and maximum.

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Per-member block (Starter, confirm locally)

Member	Type	Plan status	Repetitive loss <i>FMA RL and SRL (44 CFR 77.2); repeat- flood, any definition</i>	Public Assistance matched <i>federal share obligated, nominal dollars</i>	Event records naming this place <i>all years; since the member's plan</i>	Notes
Yavapai County	County	Approved, expires 2029-01-02	FMA RL 2, SRL 3; any 19	\$3,848,439.26	0; 0	Includes \$102,125.61 for declarations not counted as hazard incidents (DR-4524-AZ).
Camp Verde town	Town	Approved, expires 2029-01-02	FMA RL 0, SRL 1; any 4	\$23,361.31	37; 1	Includes \$6,163.29 for declarations not counted as hazard incidents (DR-4524-AZ).
Chino Valley town	Town	Approved, expires 2029-01-02	FMA RL 0, SRL 0; any 0	\$39,546.35	2; 0	Includes \$26,437.85 for declarations not counted as hazard incidents (DR-4524-AZ).
Clarkdale town	Town	Approved, expires 2029-01-02	FMA RL 0, SRL 0; any 0	\$11,204.32	8; 0	Includes \$3,181.90 for declarations not counted as hazard incidents (DR-4524-AZ).
Cottonwood city	City	Plan 108225 approved 2024-01-03, pending adoption here; not yet eligible	FMA RL 0, SRL 0; any 0	\$24,816.09	17; no approved plan	Includes \$16,331.77 for declarations not counted as hazard incidents (DR-4524-AZ).
Dewey-Humboldt town	Town	Approved, expires 2029-01-02	FMA RL 0, SRL 0; any 0	\$15,608.41	0; 0	
Jerome town	Town	Approved, expires 2029-01-02	FMA RL 0, SRL 0; any 0	\$83,337.51	1; 0	Includes \$13,362.06 for declarations not counted as hazard incidents (DR-4524-AZ).

Member	Type	Plan status	Repetitive loss	Public Assistance matched	Event records naming this place	Notes
			<i>FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition</i>	<i>federal share obligated, nominal dollars</i>	<i>all years; since the member's plan</i>	
Peoria city	City	Approved, expires 2027-05-10	FMA RL 0, SRL 0; any 1	none found	0; 0	Whole community, including the part in Maricopa County; none of its repeat-flood properties are in this county.
Prescott city	City	Approved, expires 2029-01-02	FMA RL 1, SRL 1; any 3	\$590,557.05	60; 0	Includes \$105,295.97 for declarations not counted as hazard incidents (DR-4524-AZ).
Prescott Valley town	Town	Approved, expires 2029-01-02	FMA RL 0, SRL 0; any 0	\$57,952.95	9; 0	Includes \$16,804.04 for declarations not counted as hazard incidents (DR-4524-AZ).
Sedona city	City	Approved, expires 2029-01-02	FMA RL 0, SRL 1; any 12	none found	3; 0	Whole community, including the part in Coconino County; in-county portion (county table): FMA RL 0, FMA SRL 0, NFIP RL 1, NFIP SRL 0, any category 1.
Wickenburg town	Town	Approved, expires 2027-05-10	FMA RL 0, SRL 0; any 4	none found	0; 0	Whole community, including the part in Maricopa County; none of its repeat-flood properties are in this county.

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

School districts and special districts get a plan clock row only.

SOURCES

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Supports B2-a and B2-b: assets and impacts

Local data required

County-level starter. The plan must describe impacts for each participant and its own assets.

- Critical facilities and lifelines per hazard
 - A problem statement per participant per hazard
- Changes in development in hazard-prone areas since the last approval, or a statement of none (E1-a)
 - Future assets

County-level starter: exposure, expected annual loss and damage since the plan

Hazard	Building exposure	Agriculture exposure	Population exposed	EAL buildings	EAL agriculture	EAL population equivalence	EAL as % of exposure	Storm Events damage since 2024-01-03	Zone-level damage since plan	Public Assistance since plan	Note
	<i>modeled dollars</i>	<i>modeled dollars</i>	<i>people</i>	<i>modeled dollars per year</i>	<i>modeled dollars per year</i>	<i>statistical value of life and injury, \$13.7M per life, not property damage</i>	<i>buildings; agriculture where noted</i>	<i>county-coded records, property plus crops, nominal dollars</i>	<i>property plus crops, reported for the zone</i>	<i>nominal dollars; see note</i>	
Avalanche	\$2,863,991		1	\$2		\$558	under 0.0001%				
Coastal Flooding											Not Applicable in NRI for this county

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2024-01-03 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Cold Wave	\$29,851,860	\$0	42	\$1	\$0	\$4	under 0.0001%				
Drought		\$13,152,740			\$17,333		0.132% (agriculture)				NRI has no building exposure for this hazard; agriculture shown
Earthquake	\$85,393,162,499		236,209	\$1,846,556		\$337,526	0.00216%				
Hail	\$50,148,189,709	\$46,005,007	235,830	\$862,650	\$5	\$415,061	0.00172%	\$0			
Heat Wave	\$50,148,189,709	\$46,005,007	235,830	\$80	\$7,513	\$1,515,638	under 0.0001%				
Hurricane	\$50,148,189,709	\$46,005,007	235,830	\$0	\$0	\$0	0%				
Ice Storm											Not Applicable in NRI for this county
Inland Flooding	\$50,134,838,145	\$30,266,120	9,691	\$61,359,714	\$204,447	\$8,108,886	n/a (see note)	\$0			NRI counts the full building value of any census block with some flood loss; this is not the value of buildings in the floodplain. Use local FIRM overlays for B2-a/B2-b. EAL as % of exposure: n/a.
Landslide	\$3,387,319,519		12,201	\$499		\$4,024	under 0.0001%				
Lightning	\$50,148,189,709		235,830	\$31,208		\$3,140,045	under 0.0001%				
Strong Wind	\$50,148,189,709	\$46,005,007	235,830	\$143,602	\$170	\$179,686	0.000286%	\$75,000	\$0		
Tornado	\$50,148,189,709	\$46,005,007	235,830	\$254,775	\$615	\$195,697	0.000508%	\$0			
Tsunami											Not Applicable in NRI for this county
Volcanic Activity	\$50,148,189,709		235,830	under \$1		\$16	under 0.0001%				
Wildfire	\$14,820,122,448	\$35,850,251	88,990	\$27,409,250	\$332	\$1,297,878	0.185%				
Winter Weather	\$50,148,189,709	\$46,005,007	235,830	\$4,938	under \$1	\$456,325	under 0.0001%		\$0		

Totals since 2024-01-03 (Storm Events through 2026-06-30): 57 county-coded records, 57 with a damage value recorded (including \$0), \$75,000; 9 zone-level records, 9 with a damage value recorded (including \$0), \$0 reported for the zone; Public Assistance on counted declarations none found (0 declarations, 0 with PA).

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

FEMA does not split Public Assistance by hazard. A declaration mapped to several hazards is listed under each of them with its full amount, so the per-hazard column must not be added up; the unit total counts each declaration once.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Supports B2-a: context

County context

Measure	Value
Population	235,830
Building value (total, not at risk)	\$50,148,189,709
Agriculture value (total, not at risk)	\$46,005,007
NRI risk rating (all hazards)	Relatively Moderate
Expected annual loss, buildings and agriculture, all hazards	\$92,143,688
Expected annual loss, population equivalence, all hazards (NRI values each statistical life at \$13.7M; a modeled value of expected deaths and injuries, not property damage)	\$15,651,344
Social vulnerability rating	Relatively High
Community resilience rating	Very Low
NRI version	December 2025

FEMA's all-hazard expected annual loss total adds buildings, agriculture and population equivalence; the two parts are shown separately so the property figure is not read as including the statistical value of life.

SOURCE
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B2-c: repetitive loss

Repetitive loss in this county, both definitions

Definition	Properties	Severe repetitive loss	Properties
Repetitive loss, FMA definition (44 CFR 77.2)	3	Severe repetitive loss, FMA definition (44 CFR 77.2)	5
Repetitive loss, NFIP insurance definition	24	Severe repetitive loss, NFIP insurance definition	3

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

SOURCES
FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Repeat-flood properties: county and state-level rows

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
County total	3	5	24	3	27	0	14
YAVAPAI COUNTY *	2	3	16	1	19	0	9

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
PRESCOTT, CITY OF	1	1	3	1	3	0	1
SEDONA, CITY OF	0	0	1	0	1	0	1
CAMP VERDE, TOWN OF	0	1	4	1	4	0	3
State level, not in this county: county not reported	0	1	0	0	1	1	0

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Repeat-flood properties by plan member (NFIP community)

Member	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>	Note
Yavapai County	040093	2	3	16	1	19	0	9	
Camp Verde town	040131	0	1	4	1	4	0	3	
Chino Valley town	040094	0	0	0	0	0	0	0	
Clarkdale town	040095	0	0	0	0	0	0	0	
Cottonwood city	040096	0	0	0	0	0	0	0	
Dewey-Humboldt town	040061	0	0	0	0	0	0	0	
Jerome town	040138	0	0	0	0	0	0	0	
Peoria city	040050	0	0	1	0	1	0	0	Whole community, including the part in Maricopa County; none of its repeat-flood properties are in this county.
Prescott city	040098	1	1	3	1	3	0	1	
Prescott Valley town	040121	0	0	0	0	0	0	0	
Sedona city	040130	0	1	12	1	12	0	7	Whole community, including the part in Coconino County; in-county portion (county table): FMA RL 0, FMA SRL 0, NFIP RL 1, NFIP SRL 0, any category 1.
Wickenburg town	040056	0	0	4	0	4	0	0	Whole community, including the part in Maricopa County; none of its repeat-flood properties are in this county.

Per-member types: XLSX sheet 'B2-c Members'.

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

County repeat-flood properties by occupancy group

Occupancy group	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
single-family residential	2	3	24	3	25	0	14
2 to 4 unit residential	0	0	0	0	0	0	0
other residential	0	0	0	0	0	0	0
non-residential	1	2	0	0	2	0	0
not reported	0	0	0	0	0	0	0

Institutional properties cannot be separated in this data: FEMA's occupancy groups have no institutional class, so they fall in non-residential or other residential in the table by occupancy group.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FMA RL and FMA SRL are the Flood Mitigation Assistance definitions (44 CFR 77.2), the ones the FEMA Local Mitigation Planning Policy Guide cites; OpenFEMA's fmaRI field description omits the Increased Cost of Compliance clause of 44 CFR 77.2(i). NFIP repetitive loss (FEMA insurance definition, nfipRI) is 2 or more claims over \$1,000 in 10 years and can drop to false when a property is mitigated. Also shown: NFIP severe repetitive loss, any category, mitigated and currently insured.

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

Counts are aggregates of FEMA's public NFIP Multiple Loss Properties file (as of 2026-08-02). No property is identified. County assignment is FEMA's geocode.

Counts may differ from your state NFIP coordinator's list, which is the source the Handbook names.

In this county 1 property is FMA repetitive loss but not NFIP repetitive loss, and 22 properties are NFIP repetitive loss but not FMA repetitive loss.

Exact counts; no count suppression.

Sources

Every table above lists its own sources. The full list, for the plan's bibliography (FEMA review item A4-a):

1. FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
2. FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
3. FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
4. FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
5. FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
6. NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
7. NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
8. U.S. Census Bureau, Census 2024 Gazetteer, 2020 place by county, CT county-to-cousub crosswalk, version 2024-gazetteer, pulled 2026-09-28, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_counties_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_cousubs_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_place_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_unsd_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_elsd_national.zip

gazetteer/2024_Gazetteer/2024_Gaz_scsd_national.zip, https://www2.census.gov/geo/docs/reference/codes2020/national_place_by_county2020.txt, https://www2.census.gov/geo/docs/reference/ct_change/ct_cou_to_cousub_crosswalk.xlsx

OpenFEMA disclaimer

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

Reuse, citation and corrections

Reuse and citation: Hazard Plain text and tables are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0, <https://creativecommons.org/licenses/by/4.0/>); credit Hazard Plain and the release. The underlying federal data are public domain; OpenFEMA data are also subject to the OpenFEMA terms and conditions.

Cite this: Hazard Plain (2026). Yavapai County, AZ: risk-assessment baseline packet, release 2026-10 (data as of 2026-09-28; County area 04025). Preview: automated baseline. Built from FEMA OpenFEMA, the FEMA National Risk Index and NOAA NCEI Storm Events; source versions in the packet's Sources list.

Corrections: to report an error, name the packet, the table and what your records show. Contact: to be added

Hazard Plain release 2026-10. As of 2026-09-28; Storm Events data through 2026-06-30. File hazard-plain_2026-10_AZ_04025. Preview: automated baseline.