

El Dorado County, CA

Risk-assessment baseline packet

Unit **County area 06017** Release **2026-10** As of **2026-09-28** Storm Events data through **2026-06-30**

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

A starting point for the plan's risk assessment (FEMA Local Mitigation Plan Review Tool, Element B). It does not replace local data or FEMA review. Section headings say which FEMA review item each table supports; whether an item is satisfied is decided by the plan and its reviewers.

OPENFEMA DISCLAIMER

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Plan clock

Status	Approved, expires 2029-10-31	Plan	El Dorado County (FEMA plan 110060)
Approved	2024-11-01	Expires	2029-10-31
As of	2026-09-28	Days	1,129 days to expiry

What changed since your last plan (approved 2024-11-01)

New federal declarations	none (0 declaration rows; 0 counted incidents)	Storm Events records since approval	118 (data through 2026-06-30)
Repetitive loss now	FMA RL 1, SRL 1 (44 CFR 77.2); any definition: 12	Repeat-flood change	First release: no prior release to compare.

SOURCES: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API); FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API); NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>; FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

Plan status for every jurisdiction listed in this county

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry <i>negative = days since expiry</i>	Update underway	Notes
El Dorado County	County	Approved, expires 2029-10-31	El Dorado County (FEMA plan 110060)	2024-11-01	2029-10-31	1,129		
Placerville city	City	Approved, expires 2029-10-31	El Dorado County (FEMA plan 110060)	2024-11-01	2029-10-31	1,129		member approved 2024-11-21
South Lake Tahoe city	City	Approved, expires 2028-01-23	South Lake Tahoe, City of (FEMA plan 108502)	2023-01-24	2028-01-23	482		
Tahoe-Truckee Unified School District	School/School District	No approved plan on record. Approvable pending adoption, not yet eligible	none	none	none		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.
Cameron Park Community Services District	Community Services District	Approved, expires 2029-10-31	El Dorado County (FEMA plan 110060)	2024-11-01	2029-10-31	1,129		member approved 2025-06-02

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry <i>negative = days since expiry</i>	Update underway	Notes
El Dorado County Office of Education	School/School District	Approved, expires 2029-10-31	El Dorado County (FEMA plan 110060)	2024-11-01	2029-10-31	1,129		
El Dorado Irrigation District	Flood Control District	Approved, expires 2029-03-25	El Dorado Irrigation District (FEMA plan 109671)	2024-03-26	2029-03-25	909		
Georgetown Divide Public Utility District	Other	Approved, expires 2029-10-31	El Dorado County (FEMA plan 110060)	2024-11-01	2029-10-31	1,129		member approved 2025-01-16
Lake Valley Fire Protection District	Fire/EMS District	Expired on 2025-07-19	Lake Valley Fire Protection District (FEMA plan 106383)	2020-07-20	2025-07-19	-436		
Tahoe Resource Conservation District	Conservation District	Plan 109672 approved 2024-04-17, pending adoption here; not yet eligible	Tahoe Resource Conservation District, Tahoe Transportation District (FEMA plan 109672), pending adoption here	2024-04-17 by FEMA; not yet adopted here	2029-04-16 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.
Tahoe Transportation District	Transit/Airport	Approved, expires 2029-04-16	Tahoe Resource Conservation District, Tahoe Transportation District (FEMA plan 109672)	2024-04-17	2029-04-16	931		

SOURCE: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

State plan status and tribal plans in this state: see the state page.

CONTENTS

1. Plan clock, page 1	7. Supports B1-e: probability, page 13
2. What changed since your last plan (approved 2024-11-01), page 1	8. Supports B1-f: variation across the planning area, page 17
3. Supports B1-a: hazards, page 3	9. Supports B2-a and B2-b: assets and impacts, page 18
4. Supports B1-b: location, page 5	10. Supports B2-a: context, page 20
5. Supports B1-c: extent, page 5	11. Supports B2-c: repetitive loss, page 21
6. Supports B1-d: previous occurrences, page 9	12. Sources and OpenFEMA disclaimer, page 22

Supports B1-a: hazards

Hazards NRI does not cover: check locally

- dam failure (incl. upstream dams)
 - levee failure
 - flash flood as its own subtype
 - ice jams
- debris flows
 - erosion (riverine and coastal)
 - land subsidence and sinkholes
 - expansive soils

The 18 National Risk Index hazards, ranked by expected annual loss (EAL)

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings modeled dollars per year	EAL agriculture modeled dollars per year	EAL population equivalence statistical value of life and injury, \$13.7M per life, not property damage	EAL total (see note) modeled dollars per year	Storm Events records since 1996 count	Evidence for an omission NRI Not Applicable, no declaration and no Storm Events record since 1996	Storm Events coverage note
1	Inland Flooding	Relatively Moderate	Relatively Moderate	\$55,803,604	\$29,034	\$51,082	\$55,883,720	75		
2	Wildfire	Relatively High	Relatively High	\$52,552,592	\$641	\$2,651,844	\$55,205,076	43		
3	Earthquake	Relatively Moderate	Relatively Moderate	\$7,274,222		\$982,187	\$8,256,410			Not in Storm Events. Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
4	Avalanche	Relatively High	Relatively Moderate	\$81		\$1,309,526	\$1,309,607	21		
5	Heat Wave	Relatively Low	Relatively Low	\$798	\$9,777	\$994,250	\$1,004,825	50		
6	Drought	Relatively Moderate	Relatively Moderate		\$932,778		\$932,778	56		
7	Lightning	Relatively Moderate	Relatively Moderate	\$9,950		\$567,301	\$577,251	0		No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
8	Winter Weather	Relatively High	Relatively High	\$2,405	under \$1	\$342,864	\$345,269	964		
9	Landslide	Relatively Moderate	Relatively Moderate	\$302,648		\$33,425	\$336,074	15		

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings modeled dollars per year	EAL agriculture modeled dollars per year	EAL population equivalence statistical value of life and injury, \$13.7M per life, not property damage	EAL total (see note) modeled dollars per year	Storm Events records since 1996 count	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
10	Strong Wind	Relatively Low	Relatively Low	\$54,927	\$167	\$142,967	\$198,062	267		Includes 214 High Wind records and 48 Strong Wind records, event types the NRI definition of this hazard leaves out.
11	Tornado	Very Low	Very Low	\$107,891	\$633	\$34,660	\$143,184	4		
12	Hail	Very Low	Very Low	\$4,495	\$4,826	\$71,654	\$80,975	19		
13	Volcanic Activity	Very Low	Very Low	under \$1		\$40	\$40	0		No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
14	Cold Wave	No Rating	No Expected Annual Losses	\$0	\$0	\$0	\$0	42		Includes 8 Frost/Freeze records, event types the NRI definition of this hazard leaves out.
	Coastal Flooding	Not Applicable	Not Applicable					0	NRI rates coastal flooding Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Hurricane	Not Applicable	Not Applicable					0	NRI rates hurricane Not Applicable for this county, and no counted federal declaration for this county names it (EM-3248-CA names it but is not counted as a local occurrence; see B1-d).	No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Ice Storm	Not Applicable	Not Applicable					0		Declared 1 time; no Storm Events record of this type.
	Tsunami	Not Applicable	Not Applicable					0	NRI rates tsunami Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
 NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Check your state hazard mitigation plan's hazard list for this county; explain any hazard you drop.

Supports B1-b: location

Where each hazard occurs

Hazard	Location	Census tracts rated <i>rated of all tracts</i>
Avalanche	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	23 of 54
Coastal Flooding	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 54
Cold Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	0 of 54
Drought	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	2 of 54
Earthquake	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	54 of 54
Hail	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	54 of 54
Heat Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	54 of 54
Hurricane	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 54
Ice Storm	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	0 of 54
Inland Flooding	The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (https://msc.fema.gov) for this county.	54 of 54
Landslide	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	54 of 54
Lightning	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	54 of 54
Strong Wind	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	54 of 54
Tornado	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	54 of 54
Tsunami	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 54
Volcanic Activity	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	47 of 54
Wildfire	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	54 of 54
Winter Weather	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	54 of 54

SOURCE
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B1-c: extent

Extent: scale, observed range and worst recorded event per hazard

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Avalanche	none (count and damage)	21, 1996 to 2026 (21 zone-level)		No damage reported in 21 records.		Zone-level records: applies countywide; national data do not locate these events within the county.	Physical measure: in event narratives only; local data required.
Coastal Flood, Storm Surge/ Tide	none in data (FIRM for depth)	0					Flood depth: see the FEMA Flood Insurance Rate Map.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Cold/Wind Chill, Extreme Cold/Wind Chill	wind chill	34, 1997 to 2025 (34 zone-level)	1 day to 5 days (median 1 day); 11 with a recorded value	5 consecutive days, 2020-04-24 to 2020-04-28, zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Wind chill: in event narratives only; local data required. Cold/Wind Chill records from May to September (a frost night, not a cold wave) are counted but not used for the longest run.
Frost/Freeze (outside NRI Cold Wave definition)	crop damage	8, 2005 to 2024 (8 zone-level)		Frost/Freeze, 2007-01-14, \$5,000,000 crop damage, reported for the zone (2007 dollars); NWS zone CAZ017 (SOUTHERN SACRAMENTO VALLEY), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Temperature: in event narratives only; local data required.
Drought	US Drought Monitor D-scale	56, 2014 to 2023 (56 zone-level)	31 days to 460 days (median 146 days); 8 with a recorded value	460 days (about 15.1 months), 2021-10-08 to 2023-01-10, a run of 16 consecutive Storm Events drought records, zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Storm Events enters a drought at D2 or worse east of the Rockies and D3 or worse from the Rockies west (NWS Instruction 10-1605); NRI drought counts D3 and D4 only.
Earthquake	Modified Mercalli (local data)	0					No Storm Events record; local data required (e.g., USGS).
Hail	hail size (inches)	22, 1972 to 2025	0.25 in to 1.75 in (median 0.88 in); 22 with a recorded value	1.75 in hail, 2017-08-20; same size also recorded on 2015-07-08	Hail, 2019-05-21, \$0 property; \$286,000 crops (2019 dollars)	Event records naming member places: South Lake Tahoe city (5 records).	
Excessive Heat, Heat	heat index (narratives)	50, 1999 to 2025 (50 zone-level)	1 day to 31 days (median 3 days); 37 with a recorded value	31 days, 2005-07-01 to 2005-07-31, from 1 monthly summary record (a monthly summary record covers most or all of a month; it does not count days at wave conditions), zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Heat index: in event narratives only; local data required. Heat records from November to March (unseasonable warmth, not a heat wave) are counted but not used for the longest run.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Hurricane, Tropical Storm, Tropical Depression	Saffir-Simpson	0					Storm Events files every zone of a storm's episode under the storm's event type and category, so a Hurricane (Typhoon) record, especially an inland or remnant one, does not by itself mean hurricane-force winds here; read the damage and wind columns.
Ice Storm	Sperry-Piltz (local data)	0					Ice thickness: in event narratives only; local data required.
Flash Flood, Flood, Lakeshore Flood	damage and flood days (FIRM for depth)	75, 1996 to 2026 (21 zone- level)		Flood, 1998-02-02, \$4,300,000 property; \$7,800,000 crops, reported for the zone (1998 dollars); NWS zone CAZ017 (SOUTHERN SACRAMENTO VALLEY), zone-level: may include parts of neighboring counties		Event records naming member places: South Lake Tahoe city (4 records), Placerville city (3 records). Zone-level records (21) apply countywide.	Flood depth: see the FEMA Flood Insurance Rate Map. Storm Events damage can be \$0 or blank even for a major flood, so the worst record here may not be the worst flood; compare FEMA Public Assistance by declaration in B1-d.
Debris Flow	none (count and damage)	15, 1998 to 2021 (4 zone- level)		Debris Flow, 2017-02-21, \$6,500,000 property; \$0 crops (2017 dollars)		No event record names a member place. Zone-level records (4) apply countywide.	Physical measure: in event narratives only; local data required.
Lightning	annualized frequency (the measure FEMA's Local Mitigation Planning Handbook names)	0					Storm Events lists lightning with damage or casualties; physical measure in event narratives only; local data required.
High Wind and Strong Wind (outside NRI Strong Wind definition)	wind speed (kt and mph)	262, 1996 to 2026 (262 zone-level)	22 kt (25 mph) to 173 kt (199 mph) (median 60 kt (69 mph)); 260 with a recorded value	173 kt (199 mph) measured gust, High Wind, 2017-02-20; NWS zone CAZ069 (WEST SLOPE NORTHERN SIERRA NEVADA), zone- level: may include parts of neighboring counties	High Wind, 2008-01-04, \$7,407,000 property; crops not reported, reported for the zone (2008 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	Speeds under 20 kt (likely entry errors) are left out of the observed range.
Thunderstorm Wind	wind speed (kt and mph)	6, 1981 to 2026	39 kt (45 mph) to 62 kt (71 mph) (median 42 kt (48 mph)); 6 with a recorded value	62 kt (71 mph), measurement type not recorded, Thunderstorm Wind, 1981-11-13	Thunderstorm Wind, 2023-01-10, \$11,000 property; \$0 crops (2023 dollars)	No event record names a member place.	

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Tornado	Enhanced Fujita (F before Feb 2007)	5, 1972 to 2020	F/EF0 to F/EF1 (median F/EF0); 5 with a recorded value	EF1 tornado, 2015-12-24, 6.21 mi within this county, 100 yd wide, \$1,000,000 property; \$0 crops (2015 dollars)		No event record names a member place.	From 1996 on, tornado records are per-county segments and length is the path length within this county (NWS Instruction 10-1605); records before 1996 may give the whole path length, including the path outside this county, and before 1996 a tornado is listed once, under the county where it began, with the whole path's rating; counties farther along the path may not list it. Length is not used to rank tornadoes.
Tsunami	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Volcanic Ash, Volcanic Ashfall	Volcanic Explosivity Index (local data)	0					Physical measure: in event narratives only; local data required.
Wildfire	acres burned (local data)	43, 1998 to 2025 (42 zone-level)		Wildfire, 2007-06-24, \$500,000,000 property; crops not reported, reported for the zone (2007 dollars), 3 direct injuries (reported for the zone); NWS zone CAZ072 (GREATER LAKE TAHOE AREA), zone-level: may include parts of neighboring counties		No event record names a member place. Zone-level records (42) apply countywide.	Acres burned: in event narratives only; local data required.
Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet	none in data (snowfall local)	964, 1996 to 2026 (964 zone-level)		Heavy Snow, 2019-02-04, \$1,000,000 property; \$0 crops, reported for the zone (2019 dollars); NWS zone CAZ067 (MOTHERLODE/ CAMPTONVILLE TO GROVELAND), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Snow depth: in event narratives only; local data required.

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Supports B1-d: previous occurrences

Declaration rows 27 Counted incidents 20

Federal disaster declarations for this county

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance <i>federal share obligated, nominal dollars</i>	Flags	Notes
2023-04-03	2023-02-21	DR-4699-CA	Major disaster	SEVERE WINTER STORMS, STRAIGHT-LINE WINDS, FLOODING, LANDSLIDES, AND MUDSLIDES	Ice Storm; Inland Flooding; Landslide; Strong Wind; Winter Weather	\$1,734,926.76	within last 5 years	
2023-03-10	2023-03-09	EM-3592-CA	Emergency	SEVERE WINTER STORMS, FLOODING, LANDSLIDES, AND MUDSLIDES	Inland Flooding (primary); also designated: Landslide, Winter Weather	none found	within last 5 years	same incident as DR-4699
2023-01-14	2022-12-27	DR-4683-CA	Major disaster	SEVERE WINTER STORMS, FLOODING, LANDSLIDES, AND MUDSLIDES	Inland Flooding (primary); also designated: Landslide, Winter Weather	\$3,889,089.65	within last 5 years	
2023-01-09	2023-01-08	EM-3591-CA	Emergency	SEVERE WINTER STORMS, FLOODING, AND MUDSLIDES	Inland Flooding (primary); also designated: Landslide, Winter Weather	none found	within last 5 years	same incident as DR-4683
2022-09-09	2022-09-09	FM-5453-CA	Fire management	MOSQUITO FIRE	Wildfire	none found	within last 5 years	
2021-09-12	2021-08-14	DR-4619-CA	Major disaster	WILDFIRES	Wildfire	\$16,515,245.34		
2021-09-01	2021-08-14	EM-3571-CA	Emergency	CALDOR FIRE	Wildfire	none found		same incident as DR-4619
2021-08-17	2021-08-14	FM-5413-CA	Fire management	CALDOR FIRE	Wildfire	none found		same incident as DR-4619
2020-03-22	2020-01-20	DR-4482-CA	Major disaster	COVID-19 PANDEMIC	Non-natural, not counted	\$1,738,151.19		
2020-03-13	2020-01-20	EM-3428-CA	Emergency	COVID-19	Non-natural, not counted	none found		same incident as DR-4482
2019-05-17	2019-02-24	DR-4434-CA	Major disaster	SEVERE WINTER STORMS, FLOODING, LANDSLIDES, AND MUDSLIDES	Inland Flooding; Landslide; Winter Weather	none found		
2017-04-01	2017-02-01	DR-4308-CA	Major disaster	SEVERE WINTER STORMS, FLOODING, AND MUDSLIDES	Inland Flooding (primary); also designated: Landslide, Winter Weather	\$6,776,758.33		
2017-03-16	2017-01-18	DR-4305-CA	Major disaster	SEVERE WINTER STORMS, FLOODING, AND MUDSLIDES	Inland Flooding (primary); also designated: Landslide, Winter Weather	\$1,571,409.62		

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance <i>federal share obligated, nominal dollars</i>	Flags	Notes
2017-02-14	2017-01-03	DR-4301-CA	Major disaster	SEVERE WINTER STORMS, FLOODING, AND MUDSLIDES	Inland Flooding; Landslide; Winter Weather	\$6,704,602.86		
2014-09-17	2014-09-13	FM-5081-CA	Fire management	KING FIRE	Wildfire	none found		
2007-06-24	2007-06-24	FM-2700-CA	Fire management	ANGORA FIRE	Wildfire	none found		
2006-06-05	2006-03-29	DR-1646-CA	Major disaster	SEVERE STORMS, FLOODING, LANDSLIDES, AND MUDSLIDES	Inland Flooding; Landslide	\$1,446,726.35		
2006-02-03	2005-12-17	DR-1628-CA	Major disaster	SEVERE STORMS, FLOODING, MUDSLIDES, AND LANDSLIDES	Inland Flooding; Landslide	\$3,406,163.14		
2005-09-13	2005-08-29	EM-3248-CA	Emergency	HURRICANE KATRINA EVACUATION	Hurricane: evacuation support, not a local hazard event; not counted	none found		
2004-07-14	2004-07-14	FM-2532-CA	Fire management	CA-HOLLOW FIRE-07-14-2004	Wildfire	none found		
1997-01-04	1996-12-28	DR-1155-CA	Major disaster	SEVERE STORMS, FLOODING, MUD AND LANDSLIDES	Inland Flooding; Landslide	none found		
1995-03-12	1995-02-13	DR-1046-CA	Major disaster	SEVERE WINTER STORMS, FLOODING LANDSLIDES, MUD FLOW	Inland Flooding; Landslide; Winter Weather	none found		
1995-01-10	1995-01-03	DR-1044-CA	Major disaster	SEVERE WINTER STORMS, FLOODING, LANDSLIDES, MUD FLOWS	Inland Flooding; Landslide; Winter Weather	none found		
1986-02-21	1986-02-12	DR-758-CA	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	none found		
1977-01-20	1977-01-20	EM-3023-CA	Emergency	DROUGHT	Drought	none found		
1969-01-26	1969-01-26	DR-253-CA	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	none found		
1964-12-24	1964-12-24	DR-183-CA	Major disaster	HEAVY RAINS & FLOODING	Inland Flooding	none found		

School districts and special districts in this county: \$6,437,174.61 (included in the county total above). Public Assistance matched by applicant name to the school districts and special districts FEMA lists as plan members in this county. They are not shown as member blocks, so their total is listed here. These dollars are already included in the county PA column of the declarations table (the FEMA record places each applicant in this county); do not add this line to the county total.

County Public Assistance: applicants the FEMA record places in this county, including any state agencies FEMA files there; statewide rows are listed on the state page; federal share obligated, nominal dollars.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Statewide declarations

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	Flags	Notes
1964-04-01	1964-04-01	DR-169-CA	Major disaster	SEISMIC SEA WAVE	Tsunami		
1963-12-21	1963-12-21	DR-161-CA	Major disaster	FLOOD DUE TO BROKEN DAM	Other, not an NRI hazard; not counted		
1963-02-25	1963-02-25	DR-145-CA	Major disaster	SEVERE STORMS, HEAVY RAINS & FLOODING	Inland Flooding		

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	Flags	Notes
1962-10-24	1962-10-24	DR-138-CA	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding		
1962-03-06	1962-03-06	DR-122-CA	Major disaster	FLOODS	Inland Flooding		
1961-11-16	1961-11-16	DR-119-CA	Major disaster	FIRE (LOS ANGELES COUNTY)	Wildfire		
1958-04-04	1958-04-04	DR-82-CA	Major disaster	HEAVY RAINSTORMS & FLOOD	Inland Flooding		
1956-12-29	1956-12-29	DR-65-CA	Major disaster	FOREST FIRE	Wildfire		
1955-12-23	1955-12-23	DR-47-CA	Major disaster	FLOOD	Inland Flooding		
1954-02-05	1954-02-05	DR-15-CA	Major disaster	FLOOD & EROSION	Inland Flooding		

FEMA recorded these with designated area Statewide and no county. Listed on every county page in the state; not counted with county rows.

5 Fire Management declarations (1977-08-07 to 1988-09-13) FEMA filed as Statewide with no county; each names one local fire. Listed on the state page.

SOURCE

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

Previous occurrences by hazard, with explicit no-event rows

Hazard	Storm Events records <i>full period</i>	Since plan approval <i>records</i>	During plan review <i>records</i>	Last 5 years <i>records</i>	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Avalanche	21	2	0	4	0	0	1996 to 2026-06-30	
Coastal Flooding	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Cold Wave	42	4	6	14	0	0	1996 to 2026-06-30	Includes 8 Frost/Freeze records, event types the NRI definition of this hazard leaves out.
Drought	56	0	0	16	1	0	1996 to 2026-06-30	
Earthquake	0	0	0	0	0	0		No Storm Events record; local data required (e.g., USGS).
Hail	22	3	0	3	0	0	1955 to 2026-06-30	
Heat Wave	50	1	2	10	0	0	1996 to 2026-06-30	
Hurricane	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Ice Storm	0	0	0	0	1	0	1996 to 2026-06-30	No Storm Events records of this type; 1 federal declared incident (see declarations table)
Inland Flooding	75	11	4	35	14	0	1996 to 2026-06-30	
Landslide	15	0	0	1	11	0	1996 to 2026-06-30	
Lightning	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Strong Wind	268	38	26	114	1	0	1955 to 2026-06-30	Includes 214 High Wind records and 48 Strong Wind records, event types the NRI definition of this hazard leaves out.

Hazard	Storm Events records <i>full period</i>	Since plan approval <i>records</i>	During plan review <i>records</i>	Last 5 years <i>records</i>	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Tornado	5	0	0	0	0	0	1950 to 2026-06-30	
Tsunami	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Volcanic Activity	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Wildfire	43	1	2	11	5	0	1996 to 2026-06-30	
Winter Weather	964	58	48	212	8	0	1996 to 2026-06-30	

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Notable Storm Events records

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Direct deaths, injuries <i>indirect not counted</i>	Location	Flags	Why listed
2026-02-15	Avalanche		\$0 property; \$0 crops, reported for the zone (2026 dollars)	9, 0	NWS zone CAZ072 (GREATER LAKE TAHOE AREA), zone-level: may include parts of neighboring counties	new since last plan; within last 5 years	deaths or injuries recorded
2025-06-21	Thunderstorm Wind	39 kt (45 mph) measured gust	property not reported; \$0 crops (2025 dollars)	8, 0	FALLEN LEAF	new since last plan; within last 5 years	deaths or injuries recorded
2025-06-18	Cold/Wind Chill		\$0 property; \$0 crops, reported for the zone (2025 dollars)	3, 0	NWS zone CAZ069 (WEST SLOPE NORTHERN SIERRA NEVADA), zone-level: may include parts of neighboring counties	new since last plan; within last 5 years	deaths or injuries recorded
2021-10-08	Drought		\$0 property; \$0 crops, reported for the zone (2021 dollars)	0, 0	NWS zone CAZ017 (SOUTHERN SACRAMENTO VALLEY), zone-level: may include parts of neighboring counties	within last 5 years	B1-c worst recorded: Drought
2019-02-04	Heavy Snow		\$1,000,000 property; \$0 crops, reported for the zone (2019 dollars)	0, 0	NWS zone CAZ067 (MOTHERLODE/CAMPTONVILLE TO GROVELAND), zone-level: may include parts of neighboring counties		B1-c worst recorded: Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet
2017-02-21	Debris Flow		\$6,500,000 property; \$0 crops (2017 dollars)	0, 0	PACIFIC		B1-c worst recorded: Debris Flow
2017-02-20	High Wind	173 kt (199 mph) measured gust	property not reported; \$0 crops, reported for the zone (2017 dollars)	0, 0	NWS zone CAZ069 (WEST SLOPE NORTHERN SIERRA NEVADA), zone-level: may include parts of neighboring counties		B1-c worst recorded: High Wind and Strong Wind (outside NRI Strong Wind definition)
2015-12-24	Tornado	EF1, 6.21 mi within this county, 100 yd wide	\$1,000,000 property; \$0 crops (2015 dollars)	0, 0	CLARKSVILLE to SHINGLE SPGS ARPT		B1-c worst recorded: Tornado

				Direct deaths, injuries			
Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	<i>indirect not counted</i>	Location	Flags	Why listed
2007-06-24	Wildfire		\$500,000,000 property; crops not reported, reported for the zone (2007 dollars)	0, 3	NWS zone CAZ072 (GREATER LAKE TAHOE AREA), zone-level: may include parts of neighboring counties		B1-c worst recorded: Wildfire
2005-07-01	Heat		damage not reported	0, 0	NWS zone CAZ017 (YOLO T W/NE SOLANO/ SACRAMENTO T X SW/X W PLACER/X W AMADOR/S SUTTER), zone-level: may include parts of neighboring counties		B1-c worst recorded: Excessive Heat, Heat
1998-02-02	Flood		\$4,300,000 property; \$7,800,000 crops, reported for the zone (1998 dollars)	0, 0	NWS zone CAZ017 (SOUTHERN SACRAMENTO VALLEY), zone-level: may include parts of neighboring counties		B1-c worst recorded: Flash Flood, Flood, Lakeshore Flood
1981-11-13	Thunderstorm Wind	62 kt (71 mph), measurement type not recorded	damage not recorded (pre-1996 record)	0, 0	location not recorded		B1-c worst recorded: Thunderstorm Wind

The full list is in the XLSX file, sheet "B1-d Storm Events history" (1,561 rows).

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

State-declared emergencies are not in federal data. Add them from your state emergency management agency.

Tribal and special-area declarations in this state are listed on the state page.

Supports B1-e: probability

Probability: FEMA annualized frequency and descriptor per hazard

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Avalanche	0.333	events per year	about 1 in 3 years	Likely	FEMA annualized frequency (modeled)	10	1994 to 2023 (30 years)	see B1-f	
Coastal Flooding		events per year at a location (modeled)				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Cold Wave	0	event-days per year	none modeled	Likely	event-days in 13 of 30 years, 1996 to 2025 (43.3%)	0	2005-11-12 to 2024-11-12 (19 years)	countywide	NRI models no cold wave event-days here (2005-11-12 to 2024-11-12, 19 years), but Storm Events has a record in 13 of 30 years. The descriptor comes from Storm Events, which records events NRI's definition leaves out, so the two use different thresholds; read them together. Frost/Freeze records are not counted in this descriptor: they record crop freezes, not cold waves.
Drought	62.6	event-days per year	about 62.6 days per year	Likely	event-days in 8 of 30 years, 1996 to 2025 (26.7%)	2,149	2000 to 2025 (25.25 years; D3 and D4 only)	countywide	NRI gives about 62.6 drought event-days a year here (its annualized frequency over 25.25 years; not its event count divided by the years), but Storm Events has a record in only 8 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.
Earthquake	0.0201	annual probability at a location	chance a given location in the county has at least minor-damage shaking in a year: 2.01%			not shown	modeled	see B1-f	Descriptor not assigned: the NRI value is the chance at a location in the county, not how often the hazard affects the county, and Storm Events does not record earthquakes.
Hail	0.156	events per year	about 1 in 6 years	Likely	FEMA annualized frequency (modeled)	5.9 (modeled)	1986 to 2023 (38 years)	countywide	
Heat Wave	4.45	event-days per year	about 4.45 days per year	Likely	event-days in 14 of 30 years, 1996 to 2025 (46.7%)	51.1	2005-11-12 to 2024-11-12 (19 years)	countywide	NRI gives about 4.45 heat wave event-days a year here (its annualized frequency over 19 years; not its event count divided by the years), but Storm Events has a record in only 14 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.
Hurricane		events per year					1851 to 2024 (Atlantic); 1949 to 2024 (Pacific)	see B1-f	Not Applicable in NRI for this county; no descriptor.
Ice Storm		event-days per year					1946-12-31 to 2014-02-12 (67 years)	countywide	Not Applicable in NRI for this county; no descriptor.
Inland Flooding	1.14	event-days per year	about 1.14 days per year	Likely	event-days in 17 of 30 years, 1996 to 2025 (56.7%)	32	1996 to 2023 (28 years)	see B1-f	
Landslide	3.11	events per year (modeled)	about 3.11 per year	Highly likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Lightning	14.4	days per year with a strike	about 14.4 days per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1995 to 2023 (29 years; CONUS)	countywide	
Strong Wind	0.0738	events per year	about 1 in 14 years	Possible	FEMA annualized frequency (modeled)	3	1986 to 2023 (38 years)	countywide	
Tornado	0.152	events per year	about 1 in 7 years	Likely	FEMA annualized frequency (modeled)	not shown	1950 to 2023 (EF2+); 1986 to 2023 (EF0-1)	see B1-f	
Tsunami		annual probability at the most exposed location (used in place of a county value)				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Volcanic Activity	0.0001	annual probability	about 1 in 10,000 years	Unlikely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Wildfire	0.012	annual probability at a location	chance a given location in the county burns in a year: 1.2%	Likely	Storm Events records in 17 of 30 years, 1996 to 2025 (56.7%)	not shown	modeled	see B1-f	Descriptor from Storm Events, not NRI: the NRI value is the chance at a location in the county, not how often the hazard affects the county.
Winter Weather	28.5	event-days per year	about 28.5 days per year	Highly likely	event-days in 30 of 30 years, 1996 to 2025 (100%)	544	2005-11-12 to 2024-11-12 (19 years)	countywide	

FEMA annualized frequency (modeled) comes from the National Risk Index v1.20 (December 2025). It is not recorded events divided by years, and what it measures depends on the hazard. For most hazards it estimates how often the hazard affects this county each year: it counts events or event-days (drought, heat wave, cold wave, winter weather, ice storm and inland flooding are in days per year; lightning is the number of days per year with a recorded cloud-to-ground strike, from the NOAA Storm Prediction Center daily lightning climatology); it may count events in the surrounding area (hail, strong wind, tornado, hurricane and ice storm use a 49 km grid and buffers) and is averaged over the county's area; and some hazards use a minimum value for places with no recorded event. Earthquake, wildfire and coastal flooding are different: FEMA computes them for each census block and averages them over the county, so the value is the chance (for coastal flooding, the modeled number of floods per year) at a location in the county, which is lower than the chance that the hazard strikes somewhere in the county. Earthquake is the chance of at least minor-damage shaking (U.S. Geological Survey model); wildfire is the chance that a location burns in a large fire (U.S. Forest Service burn probability); coastal flooding comes from FEMA flood zones and NOAA high-tide flooding, so it can be above 1 where high-tide flooding is frequent. Tsunami is the value at the county's most exposed location, from recorded events and modeled return periods. For these four hazards the packet gives no "1 in N years" and takes the descriptor from Storm Events (none for earthquake) unless the value is 1 or more a year. Landslide is a U.S. Geological Survey modeled county rate spread by slope susceptibility. Volcanic activity is the chance that a volcano affecting the county erupts in a year. Drought counts only extreme and exceptional drought (D3 and D4). Source: FEMA, National Risk Index Technical Documentation v1.20, sections 5.2.2 (Table 5), 5.2.3, 7.4, 10.4, 16.5, 17.1, 17.3.1, 17.5, 20.3.1, 21.4, 22.4 and 6 to 23.

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Descriptor scale used in this packet (defined per unit)

Unit	Descriptor	Definition
events per year	Highly likely	1 or more per year
events per year	Likely	about once in 1 to 10 years
events per year	Possible	about once in 10 to 100 years
events per year	Unlikely	less than once in 100 years
annual probability	Likely	10% to under 100% chance in a given year
annual probability	Possible	1% to under 10% chance in a given year
annual probability	Unlikely	under 1% chance in a given year
event-days (share of years)	Highly likely	event-days recorded in 90% or more of years
event-days (share of years)	Likely	event-days recorded in 10% to under 90% of years
event-days (share of years)	Possible	event-days recorded in some years but under 10% of years
lightning strike-days	Highly likely	cloud-to-ground strikes on 1 or more days per year

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Intensity bands: historical frequency (Storm Events)

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Hail	1.00-1.99 in	1996 to 2025	8	30	0.267
Hail	2.00 in+	1996 to 2025	0	30	0
Strong Wind (Thunderstorm Wind records)	50-64 kt	1996 to 2025	0	30	0
Strong Wind (Thunderstorm Wind records)	65 kt+	1996 to 2025	0	30	0
Strong Wind (Thunderstorm Wind records)	unmeasured or below 50 kt	1996 to 2025	4	30	0.133
Tornado	EF0-1	1996 to 2025	4	30	0.133
Tornado	EF2-3	1996 to 2025	0	30	0
Tornado	EF4-5	1996 to 2025	0	30	0
Tornado	unrated (EFU)	1996 to 2025	0	30	0

Hail smaller than 1 inch is not counted: on 2010-01-05 the National Weather Service raised its severe-hail threshold from 3/4 inch to 1 inch, so smaller reports became less common after 2009 (NWS Service Change Notice 09-52). NRI hail frequency uses a 0.75 inch threshold.

SOURCE

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Optional: future conditions. Not a required item in the 2025 FEMA Local Mitigation Planning Policy Guide; some states ask for it. The federal Climate Mapping for Resilience and Adaptation (CMRA) site gives county exposure to future climate conditions.

Supports B1-f: variation across the planning area

Range of census tract risk within the county

Hazard	Tracts rated of all	Risk score min NRI score, 0 to 100	Median	Max	Tracts by rating	Note
Avalanche	23 of 54	79.8	83.4	86.7	Relatively Moderate 23, Not Applicable 31	
Coastal Flooding	0 of 54				Not Applicable 54	
Cold Wave	0 of 54				No Rating 54	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Drought	2 of 54	98.4	98.5	98.6	Relatively High 2, No Rating 52	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. Agriculture is all of NRI's expected annual loss for this hazard in the county, so the tract range above mostly reflects where crop and livestock value is, not where buildings and people are. Confirm locally.
Earthquake	54 of 54	29.5	67.5	91.1	Relatively High 1, Relatively Moderate 12, Relatively Low 37, Very Low 4	
Hail	54 of 54	2.8	24.6	38.1	Relatively Low 1, Very Low 53	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Heat Wave	54 of 54	1.8	25.1	59.6	Relatively Moderate 1, Relatively Low 31, Very Low 22	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Hurricane	0 of 54				Not Applicable 54	
Ice Storm	0 of 54				Not Applicable 54	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Inland Flooding	54 of 54	2.1	70.7	97.3	Very High 2, Relatively High 19, Relatively Moderate 21, Relatively Low 11, Very Low 1	
Landslide	54 of 54	15.5	93.3	99.7	Relatively High 2, Relatively Moderate 19, Relatively Low 19, Very Low 14	
Lightning	54 of 54	4.2	44.6	74.7	Relatively Moderate 18, Relatively Low 33, Very Low 3	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Strong Wind	54 of 54	8.5	16.6	34.9	Relatively Low 17, Very Low 37	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Tornado	54 of 54	0.5	4.5	20.9	Very Low 54	
Tsunami	0 of 54				Not Applicable 54	
Volcanic Activity	47 of 54	41.0	54.4	74.6	Very Low 47, No Rating 7	
Wildfire	54 of 54	48.1	97.9	99.9	Very High 19, Relatively High 14, Relatively Moderate 16, Relatively Low 4, Very Low 1	

Hazard	Tracts	Risk score min	Median	Max	Tracts by rating	Note
	rated of all	NRI score, 0 to 100				
Winter Weather	54 of 54	13.2	65.3	94.2	Relatively High 15, Relatively Moderate 25, Relatively Low 10, Very Low 4	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.

Rated tracts only: No Rating (score 0.0), Not Applicable and Insufficient Data tracts are counted but not used for the minimum, median and maximum.

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Per-member block (Starter, confirm locally)

Member	Type	Plan status	Repetitive loss	Public Assistance matched	Event records naming this place	Notes
			FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition	federal share obligated, nominal dollars	all years; since the member's plan	
El Dorado County	County	Approved, expires 2029-10-31	FMA RL 1, SRL 0; any 7	\$29,221,411.31	0; 0	Includes \$1,208,484.38 for declarations not counted as hazard incidents (DR-4482-CA).
Placerville city	City	Approved, expires 2029-10-31	FMA RL 0, SRL 0; any 0	\$383,182.24	3; 1	Includes \$8,174.13 for declarations not counted as hazard incidents (DR-4482-CA).
South Lake Tahoe city	City	Approved, expires 2028-01-23	FMA RL 0, SRL 1; any 5	\$604,553.94	9; 0	Includes \$183,594.22 for declarations not counted as hazard incidents (DR-4482-CA).

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

School districts and special districts get a plan clock row only.

SOURCES

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Supports B2-a and B2-b: assets and impacts

Local data required

County-level starter. The plan must describe impacts for each participant and its own assets.

- Critical facilities and lifelines per hazard
- A problem statement per participant per hazard
- Changes in development in hazard-prone areas since the last approval, or a statement of none (E1-a)
- Future assets

County-level starter: exposure, expected annual loss and damage since the plan

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2024-11-01 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Avalanche	\$2,327,406		10	\$81		\$1,309,526	0.0035%		\$0		
Coastal Flooding											Not Applicable in NRI for this county
Cold Wave	\$0	\$0	0	\$0	\$0	\$0			\$0		building exposure is 0 in NRI
Drought		\$23,613,505			\$932,778		3.95% (agriculture)				NRI has no building exposure for this hazard; agriculture shown
Earthquake	\$81,749,738,130		191,185	\$7,274,222		\$982,187	0.0089%				
Hail	\$50,079,734,515	\$31,587,543	190,978	\$4,495	\$4,826	\$71,654	under 0.0001%	\$0			
Heat Wave	\$50,079,720,578	\$31,587,543	190,978	\$798	\$9,777	\$994,250	under 0.0001%		\$0		
Hurricane											Not Applicable in NRI for this county
Ice Storm											Not Applicable in NRI for this county
Inland Flooding	\$50,006,760,587	\$12,784,910	1,370	\$55,803,604	\$29,034	\$51,082	n/a (see note)	\$0			NRI counts the full building value of any census block with some flood loss; this is not the value of buildings in the floodplain. Use local FIRM overlays for B2-a/B2-b. EAL as % of exposure: n/a.
Landslide	\$6,376,673,857		26,263	\$302,648		\$33,425	0.00475%				
Lightning	\$50,079,734,515		190,978	\$9,950		\$567,301	under 0.0001%				
Strong Wind	\$50,079,734,515	\$31,587,543	190,978	\$54,927	\$167	\$142,967	0.00011%	\$0	\$51,000		Storm Events damage since the plan includes 1 zone-level High Wind record (\$5,000) and 3 zone-level Strong Wind records (\$46,000), event types the NRI definition of this hazard leaves out.
Tornado	\$50,079,734,515	\$31,587,543	190,978	\$107,891	\$633	\$34,660	0.000215%				
Tsunami											Not Applicable in NRI for this county
Volcanic Activity	\$50,079,734,515		190,978	under \$1		\$40	under 0.0001%				
Wildfire	\$17,295,795,116	\$20,860,297	90,578	\$52,552,592	\$641	\$2,651,844	0.304%		\$25,005,000		

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2024-11-01 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Winter Weather	\$50,079,720,578	\$31,587,543	190,978	\$2,405	under \$1	\$342,864	under 0.0001%		\$100,000		

Details since 2024-11-01 (Storm Events through 2026-06-30): 16 county-coded records, 16 with a damage value recorded (including \$0), \$0; 102 zone-level records, 96 with a damage value recorded (including \$0), \$25,156,000 reported for the zone; Public Assistance on counted declarations none found (0 declarations, 0 with PA).

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

FEMA does not split Public Assistance by hazard. A declaration mapped to several hazards is listed under each of them with its full amount, so the per-hazard column must not be added up; the unit total counts each declaration once.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Supports B2-a: context

County context

Measure	Value
Population	190,978
Building value (total, not at risk)	\$50,079,734,515
Agriculture value (total, not at risk)	\$31,587,543
NRI risk rating (all hazards)	Relatively Moderate
Expected annual loss, buildings and agriculture, all hazards	\$117,091,472
Expected annual loss, population equivalence, all hazards (NRI values each statistical life at \$13.7M; a modeled value of expected deaths and injuries, not property damage)	\$7,181,800
Social vulnerability rating	Very Low
Community resilience rating	Relatively High
NRI version	December 2025

FEMA's all-hazard expected annual loss total adds buildings, agriculture and population equivalence; the two parts are shown separately so the property figure is not read as including the statistical value of life.

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B2-c: repetitive loss

Repetitive loss in this county, both definitions

Definition	Properties	Severe repetitive loss	Properties
Repetitive loss, FMA definition (44 CFR 77.2)	1	Severe repetitive loss, FMA definition (44 CFR 77.2)	1
Repetitive loss, NFIP insurance definition	11	Severe repetitive loss, NFIP insurance definition	0

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Repeat-flood properties: county and state-level rows

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
County total	1	1	11	0	12	0	2
EL DORADO COUNTY*	1	0	7	0	7	0	2
SOUTH LAKE TAHOE, CITY OF	0	1	4	0	5	0	0
State level, not in this county: county not reported	0	1	3	0	4	1	0

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Repeat-flood properties by plan member (NFIP community)

Member	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>	Note
El Dorado County	060040	1	0	7	0	7	0	2	
Placerville city	060041	0	0	0	0	0	0	0	
South Lake Tahoe city	065060	0	1	4	0	5	0	0	

Per-member types: XLSX sheet 'B2-c Members'.

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

County repeat-flood properties by occupancy group

Occupancy group	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
single-family residential	0	1	7	0	8	0	1

Occupancy group	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
2 to 4 unit residential	0	0	1	0	1	0	0
other residential	0	0	0	0	0	0	0
non-residential	1	0	3	0	3	0	1
not reported	0	0	0	0	0	0	0

Institutional properties cannot be separated in this data: FEMA's occupancy groups have no institutional class, so they fall in non-residential or other residential in the table by occupancy group.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FMA RL and FMA SRL are the Flood Mitigation Assistance definitions (44 CFR 77.2), the ones the FEMA Local Mitigation Planning Policy Guide cites; OpenFEMA's fmaRI field description omits the Increased Cost of Compliance clause of 44 CFR 77.2(i). NFIP repetitive loss (FEMA insurance definition, nfipRI) is 2 or more claims over \$1,000 in 10 years and can drop to false when a property is mitigated. Also shown: NFIP severe repetitive loss, any category, mitigated and currently insured.

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

Counts are aggregates of FEMA's public NFIP Multiple Loss Properties file (as of 2026-08-02). No property is identified. County assignment is FEMA's geocode.

Counts may differ from your state NFIP coordinator's list, which is the source the Handbook names.

In this county 0 properties are FMA repetitive loss but not NFIP repetitive loss, and 10 properties are NFIP repetitive loss but not FMA repetitive loss.

Exact counts; no count suppression.

Sources

Every table above lists its own sources. The full list, for the plan's bibliography (FEMA review item A4-a):

1. FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
2. FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
3. FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
4. FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
5. FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
6. NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
7. NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
8. U.S. Census Bureau, Census 2024 Gazetteer, 2020 place by county, CT county-to-cousub crosswalk, version 2024-gazetteer, pulled 2026-09-28, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_counties_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_cousubs_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_place_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_unsd_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_elsd_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_scsd_national.zip, https://www2.census.gov/geo/docs/reference/codes2020/national_place_by_county2020.txt, https://www2.census.gov/geo/docs/reference/ct_change/ct_cou_to_cousub_crosswalk.xlsx

OpenFEMA disclaimer

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

Reuse, citation and corrections

Reuse and citation: Hazard Plain text and tables are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0, <https://creativecommons.org/licenses/by/4.0/>); credit Hazard Plain and the release. The underlying federal data are public domain; OpenFEMA data are also subject to the OpenFEMA terms and conditions.

Cite this: Hazard Plain (2026). El Dorado County, CA: risk-assessment baseline packet, release 2026-10 (data as of 2026-09-28; County area 06017). Preview: automated baseline. Built from FEMA OpenFEMA, the FEMA National Risk Index and NOAA NCEI Storm Events; source versions in the packet's Sources list.

Corrections: to report an error, name the packet, the table and what your records show. Contact: to be added

Hazard Plain release 2026-10. As of 2026-09-28; Storm Events data through 2026-06-30. File hazard-plain_2026-10_CA_06017. Preview: automated baseline.