

Napa County, CA

Risk-assessment baseline packet

Unit **County area 06055** Release **2026-10** As of **2026-09-28** Storm Events data through **2026-06-30**

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

A starting point for the plan's risk assessment (FEMA Local Mitigation Plan Review Tool, Element B). It does not replace local data or FEMA review. Section headings say which FEMA review item each table supports; whether an item is satisfied is decided by the plan and its reviewers.

OPENFEMA DISCLAIMER

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Plan clock

Status	No approved plan on record	Plan	none
Approved	none	Expires	none
As of	2026-09-28	Update underway	FEMA tracker shows a plan in review

FEMA's plan status data lists no approved plan for this jurisdiction.

What changed since your last plan

Not available. No approved plan on record, so there is no approval date to count from.

SOURCES: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API); FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API); NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>; FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

Plan status for every jurisdiction listed in this county

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry <i>negative = days since expiry</i>	Update underway	Notes
Napa County	County	No approved plan on record	none	none	none		FEMA tracker shows a plan in review	
American Canyon city	City	No approved plan on record	none	none	none		FEMA tracker shows a plan in review	
Calistoga city	City	No approved plan on record	none	none	none		FEMA tracker shows a plan in review	
Napa city	City	Approved, expires 2027-06-14	Napa, City of (FEMA plan 108089)	2022-06-15	2027-06-14	259		
St. Helena city	City	No approved plan on record	none	none	none		FEMA tracker shows a plan in review	
Yountville city	City	No approved plan on record	none	none	none		FEMA tracker shows a plan in review	

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry	Update underway	Notes
						<i>negative = days since expiry</i>		
American Canyon Fire Protection District	Fire/EMS District	No approved plan on record	none	none	none		FEMA tracker shows a plan in review	
Howell Mountain Mutual Water Co	Water/Sewer Authority	No approved plan on record	none	none	none		FEMA tracker shows a plan in review	
Napa County flood Control and Water Conservation District	Flood Control District	No approved plan on record	none	none	none		FEMA tracker shows a plan in review	
Napa County Office of Education	School/School District	No approved plan on record	none	none	none		FEMA tracker shows a plan in review	
Napa Valley College	College/University	No approved plan on record	none	none	none		FEMA tracker shows a plan in review	
Napa Valley Transportation Authority	Transit/Airport	Approved, expires 2027-11-09	Metropolitan Transportation Commission (FEMA plan 110161)	2022-11-10	2027-11-09	407	FEMA tracker shows a plan in review	member approved 2022-11-16

SOURCE: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

State plan status and tribal plans in this state: see the state page.

CONTENTS

1. Plan clock, page 1	7. Supports B1-e: probability, page 14
2. What changed since your last plan, page 1	8. Supports B1-f: variation across the planning area, page 17
3. Supports B1-a: hazards, page 3	9. Supports B2-a and B2-b: assets and impacts, page 19
4. Supports B1-b: location, page 5	10. Supports B2-a: context, page 21
5. Supports B1-c: extent, page 5	11. Supports B2-c: repetitive loss, page 21
6. Supports B1-d: previous occurrences, page 9	12. Sources and OpenFEMA disclaimer, page 23

Supports B1-a: hazards

Hazards NRI does not cover: check locally

- dam failure (incl. upstream dams)
 - levee failure
 - flash flood as its own subtype
 - ice jams
- debris flows
 - erosion (riverine and coastal)
 - land subsidence and sinkholes
 - expansive soils

The 18 National Risk Index hazards, ranked by expected annual loss (EAL)

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings modeled dollars per year	EAL agriculture modeled dollars per year	EAL population equivalence statistical value of life and injury, \$13.7M per life, not property damage	EAL total (see note) modeled dollars per year	Storm Events records since 1996 count	Evidence for an omission NRI Not Applicable, no declaration and no Storm Events record since 1996	Storm Events coverage note
1	Inland Flooding	Relatively High	Relatively High	\$88,847,896	\$347,477	\$564,652	\$89,760,025	51		
2	Earthquake	Relatively High	Relatively High	\$50,103,399		\$16,666,266	\$66,769,665			Not in Storm Events. Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
3	Drought	Very High	Very High		\$21,364,139		\$21,364,139	0		Declared 1 time; no Storm Events record of this type.
4	Wildfire	Relatively Moderate	Relatively Moderate	\$4,681,586	\$1,518	\$167,427	\$4,850,532	22		
5	Landslide	Relatively High	Relatively Moderate	\$580,057		\$528,555	\$1,108,613	23		
6	Coastal Flooding	Relatively Moderate	Relatively Moderate	\$985,471		\$1,949	\$987,421	16		
7	Heat Wave	Relatively Low	Relatively Low	\$31	\$10,720	\$783,366	\$794,117	23		
8	Tornado	Very Low	Very Low	\$173,701	\$4,757	\$32,178	\$210,636	1		
9	Lightning	Relatively Low	Relatively Low	\$14,713		\$95,630	\$110,343	1		

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings modeled dollars per year	EAL agriculture modeled dollars per year	EAL population equivalence statistical value of life and injury, \$13.7M per life, not property damage	EAL total (see note) modeled dollars per year	Storm Events records since 1996 count	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
10	Strong Wind	Very Low	Very Low	\$22,129	\$5,063	\$33,989	\$61,180	168		Includes 61 High Wind records and 105 Strong Wind records, event types the NRI definition of this hazard leaves out.
11	Hail	Very Low	Very Low	\$6,105	\$5,659	\$13,018	\$24,782	4		
12	Tsunami	Very Low	Very Low	\$3,259		\$0	\$3,259	0		No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
13	Winter Weather	Very Low	Very Low	\$47	under \$1	\$2,872	\$2,920	1		
14	Volcanic Activity	Very Low	Very Low	under \$1		\$33	\$33	0		No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
15	Avalanche	Very Low	Very Low	under \$1		\$6	\$7	0		No recorded events in Storm Events since 1996 (data through 2026-06-30).
16	Cold Wave	No Rating	No Expected Annual Losses	\$0	\$0	\$0	\$0	12		Includes 10 Frost/Freeze records, event types the NRI definition of this hazard leaves out.
	Hurricane	Not Applicable	Not Applicable					0	NRI rates hurricane Not Applicable for this county, and no counted federal declaration for this county names it (EM-3248-CA names it but is not counted as a local occurrence; see B1-d).	No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Ice Storm	Not Applicable	Not Applicable					0		Declared 1 time; no Storm Events record of this type.

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
 NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Check your state hazard mitigation plan's hazard list for this county; explain any hazard you drop.

Supports B1-b: location

Where each hazard occurs

Hazard	Location	Census tracts rated <i>rated of all tracts</i>
Avalanche	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	6 of 40
Coastal Flooding	The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (https://msc.fema.gov) for this county.	11 of 40
Cold Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	0 of 40
Drought	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	24 of 40
Earthquake	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	40 of 40
Hail	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	40 of 40
Heat Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	40 of 40
Hurricane	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 40
Ice Storm	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	0 of 40
Inland Flooding	The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (https://msc.fema.gov) for this county.	40 of 40
Landslide	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	36 of 40
Lightning	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	40 of 40
Strong Wind	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	40 of 40
Tornado	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	40 of 40
Tsunami	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	1 of 40
Volcanic Activity	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	40 of 40
Wildfire	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	34 of 40
Winter Weather	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	40 of 40

SOURCE
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B1-c: extent

Extent: scale, observed range and worst recorded event per hazard

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Avalanche	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Coastal Flood, Storm Surge/ Tide	none in data (FIRM for depth)	16, 2010 to 2026 (16 zone-level)		No damage reported in 16 records.		Zone-level records: applies countywide; national data do not locate these events within the county.	Flood depth: see the FEMA Flood Insurance Rate Map.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Cold/Wind Chill, Extreme Cold/Wind Chill	wind chill	2, 2013 to 2017 (2 zone-level)	1 day; 2 with a recorded value	1 consecutive day, 2017-04-08, zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Wind chill: in event narratives only; local data required.
Frost/Freeze (outside NRI Cold Wave definition)	crop damage	10, 2007 to 2023 (10 zone-level)		Frost/Freeze, 2007-01-06, \$3,000,000 crop damage, reported for the zone (2007 dollars); NWS zone CAZ506 (NORTH BAY INTERIOR VALLEYS), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Temperature: in event narratives only; local data required.
Drought	US Drought Monitor D-scale	0					Storm Events enters a drought at D2 or worse east of the Rockies and D3 or worse from the Rockies west (NWS Instruction 10-1605); NRI drought counts D3 and D4 only.
Earthquake	Modified Mercalli (local data)	0					No Storm Events record; local data required (e.g., USGS).
Hail	hail size (inches)	7, 1958 to 2017	0.25 in to 1.75 in (median 0.75 in); 7 with a recorded value	1.75 in hail, 1983-08-19	Hail, 2014-09-26, \$0 property; \$500 crops (2014 dollars)	Event records naming member places: Yountville city (2 records), Calistoga city (1 record), Napa city (1 record).	
Excessive Heat, Heat	heat index (narratives)	23, 1999 to 2026 (23 zone-level)	1 day to 6 days (median 1 day); 14 with a recorded value	6 consecutive days, 2024-10-02 to 2024-10-07, zone-level	Heat, 2023-07-16, \$0 property; \$10 crops, reported for the zone (2023 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	Heat index: in event narratives only; local data required. Heat records from November to March (unseasonable warmth, not a heat wave) are counted but not used for the longest run.
Hurricane, Tropical Storm, Tropical Depression	Saffir-Simpson	0					Storm Events files every zone of a storm's episode under the storm's event type and category, so a Hurricane (Typhoon) record, especially an inland or remnant one, does not by itself mean hurricane-force winds here; read the damage and wind columns.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Ice Storm	Sperry-Piltz (local data)	0					Ice thickness: in event narratives only; local data required.
Flash Flood, Flood, Lakeshore Flood	damage and flood days (FIRM for depth)	51, 1996 to 2026 (2 zone-level)		Flood, 2006-01-01, \$115,000,000 property; \$32,500,000 crops (2006 dollars)		Event records naming member places: Yountville city (5 records), Napa city (2 records), Calistoga city (1 record). Zone-level records (2) apply countywide.	Flood depth: see the FEMA Flood Insurance Rate Map. Storm Events damage can be \$0 or blank even for a major flood, so the worst record here may not be the worst flood; compare FEMA Public Assistance by declaration in B1-d.
Debris Flow	none (count and damage)	23, 2006 to 2021 (4 zone-level)		Debris Flow, 2006-04-01, \$14,400,000 property; \$20,000,000 crops, reported for the zone (2006 dollars), 1 direct death (reported for the zone); NWS zone CAZ506 (NORTH BAY INTERIOR VALLEYS), zone-level: may include parts of neighboring counties		Event records naming member places: Yountville city (2 records), Calistoga city (1 record), St. Helena city (1 record). Zone-level records (4) apply countywide.	Physical measure: in event narratives only; local data required.
Lightning	annualized frequency (the measure FEMA's Local Mitigation Planning Handbook names)	1, 2017 to 2017		No damage or casualties reported in 1 records.		Event records naming member places: Napa city (1 record).	Storm Events lists lightning with damage or casualties; physical measure in event narratives only; local data required.
High Wind and Strong Wind (outside NRI Strong Wind definition)	wind speed (kt and mph)	166, 1997 to 2026 (166 zone-level)	22 kt (25 mph) to 89 kt (102 mph) (median 45 kt (52 mph)); 162 with a recorded value	89 kt (102 mph) measured gust, High Wind, 2019-10-27; NWS zone CAZ507 (NORTH BAY MOUNTAINS), zone-level: may include parts of neighboring counties	Strong Wind, 2010-01-20, \$435,000 property; \$0 crops, reported for the zone (2010 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	Speeds under 20 kt (likely entry errors) are left out of the observed range.
Thunderstorm Wind	wind speed (kt and mph)	4, 1977 to 2024	50 kt (58 mph) to 57 kt (66 mph) (median 50 kt (58 mph)); 3 with a recorded value	57 kt (66 mph) measured gust, Thunderstorm Wind, 2020-08-16	Thunderstorm Wind, 2024-02-19, \$10 property; \$0 crops (2024 dollars)	Event records naming member places: Yountville city (1 record).	

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Tornado	Enhanced Fujita (F before Feb 2007)	1, 2016 to 2016	F/EF0; 1 with a recorded value	EF0 tornado, 2016-04-27, 0.19 mi within this county, 10 yd wide, damage not reported		No event record names a member place.	From 1996 on, tornado records are per-county segments and length is the path length within this county (NWS Instruction 10-1605); records before 1996 may give the whole path length, including the path outside this county, and before 1996 a tornado is listed once, under the county where it began, with the whole path's rating; counties farther along the path may not list it. Length is not used to rank tornadoes.
Tsunami	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Volcanic Ash, Volcanic Ashfall	Volcanic Explosivity Index (local data)	0					Physical measure: in event narratives only; local data required.
Wildfire	acres burned (local data)	22, 2013 to 2025 (22 zone-level)		Wildfire, 2013-05-01, \$500,000 property; \$0 crops, reported for the zone (2013 dollars); NWS zone CAZ507 (NORTH BAY MOUNTAINS), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Acres burned: in event narratives only; local data required.
Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet	none in data (snowfall local)	1, 2011 to 2011 (1 zone-level)		No damage reported in 1 records.		Zone-level records: applies countywide; national data do not locate these events within the county.	Snow depth: in event narratives only; local data required.

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Supports B1-d: previous occurrences

Declaration rows

39

Counted incidents

29

No approved plan on record, so there is no approval date to count from.

Federal disaster declarations for this county

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance <i>federal share obligated, nominal dollars</i>	Flags	Notes
2023-04-03	2023-02-21	DR-4699-CA	Major disaster	SEVERE WINTER STORMS, STRAIGHT-LINE WINDS, FLOODING, LANDSLIDES, AND MUDSLIDES	Ice Storm; Inland Flooding; Landslide; Strong Wind; Winter Weather	none found	within last 5 years	
2023-03-10	2023-03-09	EM-3592-CA	Emergency	SEVERE WINTER STORMS, FLOODING, LANDSLIDES, AND MUDSLIDES	Inland Flooding (primary); also designated: Landslide, Winter Weather	none found	within last 5 years	same incident as DR-4699
2023-01-14	2022-12-27	DR-4683-CA	Major disaster	SEVERE WINTER STORMS, FLOODING, LANDSLIDES, AND MUDSLIDES	Inland Flooding (primary); also designated: Landslide, Winter Weather	\$320,692.59	within last 5 years	
2023-01-09	2023-01-08	EM-3591-CA	Emergency	SEVERE WINTER STORMS, FLOODING, AND MUDSLIDES	Inland Flooding (primary); also designated: Landslide, Winter Weather	none found	within last 5 years	same incident as DR-4683
2020-10-16	2020-09-04	DR-4569-CA	Major disaster	WILDFIRES	Wildfire	\$5,894,534.55		
2020-09-27	2020-09-27	FM-5376-CA	Fire management	GLASS FIRE	Wildfire	none found		same incident as DR-4569
2020-08-22	2020-08-14	DR-4558-CA	Major disaster	WILDFIRES	Wildfire	\$3,038,584.33		
2020-08-18	2020-08-17	FM-5331-CA	Fire management	LNU LIGHTNING FIRE COMPLEX	Wildfire	none found		same incident as DR-4558
2020-03-22	2020-01-20	DR-4482-CA	Major disaster	COVID-19 PANDEMIC	Non-natural, not counted	\$9,699,639.12		
2020-03-13	2020-01-20	EM-3428-CA	Emergency	COVID-19	Non-natural, not counted	none found		same incident as DR-4482
2019-05-17	2019-02-24	DR-4434-CA	Major disaster	SEVERE WINTER STORMS, FLOODING, LANDSLIDES, AND MUDSLIDES	Inland Flooding; Landslide; Winter Weather	\$2,334,717.83		
2019-05-01	2019-02-13	DR-4431-CA	Major disaster	SEVERE WINTER STORMS, FLOODING, LANDSLIDES, AND MUDSLIDES	Inland Flooding; Landslide; Winter Weather	none found		
2017-10-10	2017-10-08	DR-4344-CA	Major disaster	WILDFIRES	Wildfire	\$6,643,034.62		
2017-10-09	2017-10-09	FM-5222-CA	Fire management	PARTRICK FIRE	Wildfire	none found		same incident as DR-4344
2017-10-09	2017-10-08	FM-5215-CA	Fire management	TUBBS FIRE	Wildfire	none found		same incident as DR-4344
2017-10-09	2017-10-09	FM-5214-CA	Fire management	ATLAS FIRE	Wildfire	none found		same incident as DR-4344

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance	Flags	Notes
						<i>federal share obligated, nominal dollars</i>		
2017-04-01	2017-02-01	DR-4308-CA	Major disaster	SEVERE WINTER STORMS, FLOODING, AND MUDSLIDES	Inland Flooding (primary); also designated: Landslide, Winter Weather	\$3,106,140.72		
2017-03-16	2017-01-18	DR-4305-CA	Major disaster	SEVERE WINTER STORMS, FLOODING, AND MUDSLIDES	Inland Flooding (primary); also designated: Landslide, Winter Weather	\$984,784.85		
2017-02-14	2017-01-03	DR-4301-CA	Major disaster	SEVERE WINTER STORMS, FLOODING, AND MUDSLIDES	Inland Flooding; Landslide; Winter Weather	\$4,369,941.40		
2015-09-13	2015-09-12	FM-5112-CA	Fire management	VALLEY FIRE	Wildfire	none found		
2015-07-23	2015-07-22	FM-5091-CA	Fire management	WRAGG FIRE	Wildfire	none found		
2014-09-11	2014-08-24	DR-4193-CA	Major disaster	EARTHQUAKE	Earthquake	\$21,048,661.99		
2014-07-02	2014-07-01	FM-5057-CA	Fire management	BUTTS FIRE	Wildfire	none found		
2008-06-22	2008-06-21	FM-2776-CA	Fire management	WILD FIRE	Wildfire	none found		
2006-06-05	2006-03-29	DR-1646-CA	Major disaster	SEVERE STORMS, FLOODING, LANDSLIDES, AND MUDSLIDES	Inland Flooding; Landslide	\$1,660,382.02		
2006-02-03	2005-12-17	DR-1628-CA	Major disaster	SEVERE STORMS, FLOODING, MUDSLIDES, AND LANDSLIDES	Inland Flooding; Landslide	\$14,588,152.64		
2005-09-13	2005-08-29	EM-3248-CA	Emergency	HURRICANE KATRINA EVACUATION	Hurricane: evacuation support, not a local hazard event; not counted	none found		
2000-09-14	2000-09-03	DR-1342-CA	Major disaster	EARTHQUAKE	Earthquake	PA not declared for this county		
1999-09-01	1999-08-24	EM-3140-CA	Emergency	CA-WILDFIRES-08/25/1999	Wildfire	none found		
1998-02-09	1998-02-02	DR-1203-CA	Major disaster	SEVERE WINTER STORMS AND FLOODING	Inland Flooding; Winter Weather	none found		
1997-01-04	1996-12-28	DR-1155-CA	Major disaster	SEVERE STORMS, FLOODING, MUD AND LANDSLIDES	Inland Flooding; Landslide	none found		
1995-03-12	1995-02-13	DR-1046-CA	Major disaster	SEVERE WINTER STORMS, FLOODING LANDSLIDES, MUD FLOW	Inland Flooding; Landslide; Winter Weather	none found		
1995-01-10	1995-01-03	DR-1044-CA	Major disaster	SEVERE WINTER STORMS, FLOODING, LANDSLIDES, MUD FLOWS	Inland Flooding; Landslide; Winter Weather	none found		
1993-02-03	1993-01-05	DR-979-CA	Major disaster	SEVERE WINTER STORM, MUD & LAND SLIDES, & FLOODING	Inland Flooding (primary); also designated: Landslide, Winter Weather	none found		
1991-02-11	1990-12-19	DR-894-CA	Major disaster	SEVERE FREEZE	Cold Wave	PA not declared for this county		
1986-02-21	1986-02-12	DR-758-CA	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	none found		
1983-02-09	1983-01-21	DR-677-CA	Major disaster	COASTAL STORMS, FLOODS, SLIDES & TORNADOES	Coastal Flooding; Inland Flooding; Landslide; Tornado	none found		
1977-01-20	1977-01-20	EM-3023-CA	Emergency	DROUGHT	Drought	none found		

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance	Flags	Notes
						<i>federal share obligated, nominal dollars</i>		
1964-12-24	1964-12-24	DR-183-CA	Major disaster	HEAVY RAINS & FLOODING	Inland Flooding	none found		

School districts and special districts in this county: \$10,412.49 (included in the county total above). Public Assistance matched by applicant name to the school districts and special districts FEMA lists as plan members in this county. They are not shown as member blocks, so their total is listed here. These dollars are already included in the county PA column of the declarations table (the FEMA record places each applicant in this county); do not add this line to the county total.

County Public Assistance: applicants the FEMA record places in this county, including any state agencies FEMA files there; statewide rows are listed on the state page; federal share obligated, nominal dollars. Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Statewide declarations

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	Flags	Notes
1964-04-01	1964-04-01	DR-169-CA	Major disaster	SEISMIC SEA WAVE	Tsunami		
1963-12-21	1963-12-21	DR-161-CA	Major disaster	FLOOD DUE TO BROKEN DAM	Other, not an NRI hazard; not counted		
1963-02-25	1963-02-25	DR-145-CA	Major disaster	SEVERE STORMS, HEAVY RAINS & FLOODING	Inland Flooding		
1962-10-24	1962-10-24	DR-138-CA	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding		
1962-03-06	1962-03-06	DR-122-CA	Major disaster	FLOODS	Inland Flooding		
1961-11-16	1961-11-16	DR-119-CA	Major disaster	FIRE (LOS ANGELES COUNTY)	Wildfire		
1958-04-04	1958-04-04	DR-82-CA	Major disaster	HEAVY RAINSTORMS & FLOOD	Inland Flooding		
1956-12-29	1956-12-29	DR-65-CA	Major disaster	FOREST FIRE	Wildfire		
1955-12-23	1955-12-23	DR-47-CA	Major disaster	FLOOD	Inland Flooding		
1954-02-05	1954-02-05	DR-15-CA	Major disaster	FLOOD & EROSION	Inland Flooding		

FEMA recorded these with designated area Statewide and no county. Listed on every county page in the state; not counted with county rows.
5 Fire Management declarations (1977-08-07 to 1988-09-13) FEMA filed as Statewide with no county; each names one local fire. Listed on the state page.

SOURCE

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

Previous occurrences by hazard, with explicit no-event rows

Hazard	Storm Events records <i>full period</i>	Since plan approval <i>records</i>	During plan review <i>records</i>	Last 5 years <i>records</i>	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Avalanche	0			0	0		1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Coastal Flooding	16			8	1		1996 to 2026-06-30	
Cold Wave	12			1	1		1996 to 2026-06-30	Includes 10 Frost/Freeze records, event types the NRI definition of this hazard leaves out.

Hazard	Storm Events records <i>full period</i>	Since plan approval <i>records</i>	During plan review <i>records</i>	Last 5 years <i>records</i>	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Drought	0			0	1		1996 to 2026-06-30	No Storm Events records of this type; 1 federal declared incident (see declarations table)
Earthquake	0			0	2			No Storm Events record; local data required (e.g., USGS).
Hail	7			0	0		1955 to 2026-06-30	
Heat Wave	23			14	0		1996 to 2026-06-30	
Hurricane	0			0	0		1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Ice Storm	0			0	1		1996 to 2026-06-30	No Storm Events records of this type; 1 federal declared incident (see declarations table)
Inland Flooding	51			8	17		1996 to 2026-06-30	
Landslide	23			0	14		1996 to 2026-06-30	
Lightning	1			0	0		1996 to 2026-06-30	
Strong Wind	170			24	1		1955 to 2026-06-30	Includes 61 High Wind records and 105 Strong Wind records, event types the NRI definition of this hazard leaves out.
Tornado	1			0	1		1950 to 2026-06-30	
Tsunami	0			0	0		1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Volcanic Activity	0			0	0		1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Wildfire	22			2	8		1996 to 2026-06-30	
Winter Weather	1			0	11		1996 to 2026-06-30	

SOURCES
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Notable Storm Events records

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Direct deaths, injuries <i>indirect not counted</i>	Location	Flags	Why listed
2024-10-02	Heat		\$0 property; \$0 crops, reported for the zone (2024 dollars)	0, 19	NWS zone CAZ506 (NORTH BAY INTERIOR VALLEYS), zone-level: may include parts of neighboring counties	within last 5 years	B1-c worst recorded: Excessive Heat, Heat

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Direct deaths, injuries <i>indirect not counted</i>	Location	Flags	Why listed
2020-08-17	Wildfire		damage not reported	3, 5	NWS zone CAZ507 (NORTH BAY MOUNTAINS), zone-level: may include parts of neighboring counties		deaths or injuries recorded
2020-08-16	Thunderstorm Wind	57 kt (66 mph) measured gust	\$0 property; \$0 crops (2020 dollars)	0, 0	YOUNTVILLE		B1-c worst recorded: Thunderstorm Wind
2019-10-27	High Wind	89 kt (102 mph) measured gust	\$0 property; \$0 crops, reported for the zone (2019 dollars)	0, 0	NWS zone CAZ507 (NORTH BAY MOUNTAINS), zone-level: may include parts of neighboring counties		B1-c worst recorded: High Wind and Strong Wind (outside NRI Strong Wind definition)
2017-04-08	Extreme Cold/ Wind Chill		\$0 property; \$0 crops, reported for the zone (2017 dollars)	0, 0	NWS zone CAZ507 (NORTH BAY MOUNTAINS), zone-level: may include parts of neighboring counties		B1-c worst recorded: Cold/Wind Chill, Extreme Cold/Wind Chill
2016-04-27	Tornado	EF0, 0.19 mi within this county, 10 yd wide	damage not reported	0, 0	OAK KNOLL		B1-c worst recorded: Tornado
2013-05-01	Wildfire		\$500,000 property; \$0 crops, reported for the zone (2013 dollars)	0, 0	NWS zone CAZ507 (NORTH BAY MOUNTAINS), zone-level: may include parts of neighboring counties		B1-c worst recorded: Wildfire
2011-03-19	High Wind	66 kt (76 mph) estimated gust	\$35,000 property; \$0 crops, reported for the zone (2011 dollars)	1, 0	NWS zone CAZ506 (NORTH BAY INTERIOR VALLEYS), zone-level: may include parts of neighboring counties		deaths or injuries recorded
2009-02-22	Strong Wind	45 kt (52 mph) estimated gust	\$5,000 property; \$0 crops, reported for the zone (2009 dollars)	1, 0	NWS zone CAZ506 (NORTH BAY INTERIOR VALLEYS), zone-level: may include parts of neighboring counties		deaths or injuries recorded
2006-04-01	Debris Flow		\$14,400,000 property; \$20,000,000 crops, reported for the zone (2006 dollars)	1, 0	NWS zone CAZ506 (NORTH BAY INTERIOR VALLEYS), zone-level: may include parts of neighboring counties		B1-c worst recorded: Debris Flow
2006-01-01	Flood		\$115,000,000 property; \$32,500,000 crops (2006 dollars)	0, 0	COUNTYWIDE		B1-c worst recorded: Flash Flood, Flood, Lakeshore Flood
1983-08-19	Hail	1.75 in	damage not recorded (pre-1996 record)	0, 0	location not recorded		B1-c worst recorded: Hail

The full list is in the XLSX file, sheet "B1-d Storm Events history" (327 rows).

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

State-declared emergencies are not in federal data. Add them from your state emergency management agency.

Tribal and special-area declarations in this state are listed on the state page.

Supports B1-e: probability

Probability: FEMA annualized frequency and descriptor per hazard

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Avalanche	0.01	events per year	about 1 in 100 years	Possible	FEMA annualized frequency (modeled)	0	1994 to 2023 (30 years)	see B1-f	0.01 is NRI's minimum avalanche frequency for a county in an avalanche susceptibility zone; NRI records no avalanche here, so the descriptor reflects the floor, not local events.
Coastal Flooding	3.61	events per year at a location (modeled)	about 3.6 per year at a given location in the county	Highly likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	Descriptor from NRI: the rate at a location is 1 or more a year, so the county rate is at least that.
Cold Wave	0	event-days per year	none modeled	Possible	event-days in 2 of 30 years, 1996 to 2025 (6.67%)	0	2005-11-12 to 2024-11-12 (19 years)	countywide	NRI models no cold wave event-days here (2005-11-12 to 2024-11-12, 19 years), but Storm Events has a record in 2 of 30 years. The descriptor comes from Storm Events, which records events NRI's definition leaves out, so the two use different thresholds; read them together. Frost/Freeze records are not counted in this descriptor: they record crop freezes, not cold waves.
Drought	60	event-days per year	about 60 days per year		event-days in 0 of 30 years, 1996 to 2025 (0%)	2,037	2000 to 2025 (25.25 years; D3 and D4 only)	countywide	No recorded event-days, 1996 to 2025; descriptor not assigned
Earthquake	0.119	annual probability at a location	chance a given location in the county has at least minor- damage shaking in a year: 11.9%			not shown	modeled	see B1-f	Descriptor not assigned: the NRI value is the chance at a location in the county, not how often the hazard affects the county, and Storm Events does not record earthquakes.
Hail	0.0425	events per year	about 1 in 24 years	Possible	FEMA annualized frequency (modeled)	1.6 (modeled)	1986 to 2023 (38 years)	countywide	
Heat Wave	7.65	event-days per year	about 7.65 days per year	Likely	event-days in 9 of 30 years, 1996 to 2025 (30%)	101	2005-11-12 to 2024-11-12 (19 years)	countywide	NRI gives about 7.65 heat wave event-days a year here (its annualized frequency over 19 years; not its event count divided by the years), but Storm Events has a record in only 9 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Hurricane		events per year					1851 to 2024 (Atlantic); 1949 to 2024 (Pacific)	see B1-f	Not Applicable in NRI for this county; no descriptor.
Ice Storm		event-days per year					1946-12-31 to 2014-02-12 (67 years)	countywide	Not Applicable in NRI for this county; no descriptor.
Inland Flooding	1.11	event-days per year	about 1.11 days per year	Likely	event-days in 19 of 30 years, 1996 to 2025 (63.3%)	31	1996 to 2023 (28 years)	see B1-f	
Landslide	41.6	events per year (modeled)	about 41.6 per year	Highly likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Lightning	4.22	days per year with a strike	about 4.22 days per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1995 to 2023 (29 years; CONUS)	countywide	
Strong Wind	0.0289	events per year	about 1 in 35 years	Possible	FEMA annualized frequency (modeled)	2	1986 to 2023 (38 years)	countywide	
Tornado	0.0906	events per year	about 1 in 11 years	Possible	FEMA annualized frequency (modeled)	not shown	1950 to 2023 (EF2+); 1986 to 2023 (EF0-1)	see B1-f	
Tsunami	0.331	annual probability at the most exposed location (used in place of a county value)	chance at the county's most exposed location in a year: 33.1%		Storm Events records in 0 of 30 years, 1996 to 2025 (0%)	not shown	modeled	see B1-f	No Storm Events record of this hazard, 1996 to 2025; descriptor not assigned (the NRI value is the chance at a location in the county, not how often the hazard affects the county)
Volcanic Activity	0.0001	annual probability	about 1 in 10,000 years	Unlikely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Wildfire	0.00456	annual probability at a location	chance a given location in the county burns in a year: 0.456%	Likely	Storm Events records in 8 of 30 years, 1996 to 2025 (26.7%)	not shown	modeled	see B1-f	Descriptor from Storm Events, not NRI: the NRI value is the chance at a location in the county, not how often the hazard affects the county.

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Winter Weather	1.14	event-days per year	about 1.14 days per year	Possible	event-days in 1 of 30 years, 1996 to 2025 (3.33%)	21.8	2005-11-12 to 2024-11-12 (19 years)	countywide	NRI gives about 1.14 winter weather event-days a year here (its annualized frequency over 19 years; not its event count divided by the years), but Storm Events has a record in only 1 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.

FEMA annualized frequency (modeled) comes from the National Risk Index v1.20 (December 2025). It is not recorded events divided by years, and what it measures depends on the hazard. For most hazards it estimates how often the hazard affects this county each year: it counts events or event-days (drought, heat wave, cold wave, winter weather, ice storm and inland flooding are in days per year; lightning is the number of days per year with a recorded cloud-to-ground strike, from the NOAA Storm Prediction Center daily lightning climatology); it may count events in the surrounding area (hail, strong wind, tornado, hurricane and ice storm use a 49 km grid and buffers) and is averaged over the county's area; and some hazards use a minimum value for places with no recorded event. Earthquake, wildfire and coastal flooding are different: FEMA computes them for each census block and averages them over the county, so the value is the chance (for coastal flooding, the modeled number of floods per year) at a location in the county, which is lower than the chance that the hazard strikes somewhere in the county. Earthquake is the chance of at least minor-damage shaking (U.S. Geological Survey model); wildfire is the chance that a location burns in a large fire (U.S. Forest Service burn probability); coastal flooding comes from FEMA flood zones and NOAA high-tide flooding, so it can be above 1 where high-tide flooding is frequent. Tsunami is the value at the county's most exposed location, from recorded events and modeled return periods. For these four hazards the packet gives no "1 in N years" and takes the descriptor from Storm Events (none for earthquake) unless the value is 1 or more a year. Landslide is a U.S. Geological Survey modeled county rate spread by slope susceptibility. Volcanic activity is the chance that a volcano affecting the county erupts in a year. Drought counts only extreme and exceptional drought (D3 and D4). Source: FEMA, National Risk Index Technical Documentation v1.20, sections 5.2.2 (Table 5), 5.2.3, 7.4, 10.4, 16.5, 17.1, 17.3.1, 17.5, 20.3.1, 21.4, 22.4 and 6 to 23.

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Descriptor scale used in this packet (defined per unit)

Unit	Descriptor	Definition
events per year	Highly likely	1 or more per year
events per year	Likely	about once in 1 to 10 years
events per year	Possible	about once in 10 to 100 years
events per year	Unlikely	less than once in 100 years
annual probability	Likely	10% to under 100% chance in a given year
annual probability	Possible	1% to under 10% chance in a given year
annual probability	Unlikely	under 1% chance in a given year
event-days (share of years)	Highly likely	event-days recorded in 90% or more of years
event-days (share of years)	Likely	event-days recorded in 10% to under 90% of years
event-days (share of years)	Possible	event-days recorded in some years but under 10% of years
lightning strike-days	Highly likely	cloud-to-ground strikes on 1 or more days per year

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Intensity bands: historical frequency (Storm Events)

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Hail	1.00-1.99 in	1996 to 2025	0	30	0
Hail	2.00 in+	1996 to 2025	0	30	0
Strong Wind (Thunderstorm Wind records)	50-64 kt	1996 to 2025	2	30	0.0667
Strong Wind (Thunderstorm Wind records)	65 kt+	1996 to 2025	0	30	0
Strong Wind (Thunderstorm Wind records)	unmeasured or below 50 kt	1996 to 2025	0	30	0
Tornado	EF0-1	1996 to 2025	1	30	0.0333
Tornado	EF2-3	1996 to 2025	0	30	0
Tornado	EF4-5	1996 to 2025	0	30	0
Tornado	unrated (EFU)	1996 to 2025	0	30	0

Hail smaller than 1 inch is not counted: on 2010-01-05 the National Weather Service raised its severe-hail threshold from 3/4 inch to 1 inch, so smaller reports became less common after 2009 (NWS Service Change Notice 09-52). NRI hail frequency uses a 0.75 inch threshold.

SOURCE
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Optional: future conditions. Not a required item in the 2025 FEMA Local Mitigation Planning Policy Guide; some states ask for it. The federal Climate Mapping for Resilience and Adaptation (CMRA) site gives county exposure to future climate conditions.

Supports B1-f: variation across the planning area

Range of census tract risk within the county

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>	Median	Max	Tracts by rating	Note
Avalanche	6 of 40	2.9	3.2	3.6	Very Low 6, Not Applicable 34	
Coastal Flooding	11 of 40	76.1	90.3	99.2	Very High 1, Relatively Moderate 5, Relatively Low 4, Very Low 1, No Rating 29	
Cold Wave	0 of 40				No Rating 40	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Drought	24 of 40	80.2	97.4	99.9	Very High 4, Relatively High 8, Relatively Moderate 8, Relatively Low 4, No Rating 16	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. Agriculture is all of NRI's expected annual loss for this hazard in the county, so the tract range above mostly reflects where crop and livestock value is, not where buildings and people are. Confirm locally.
Earthquake	40 of 40	80.5	93.5	99.6	Very High 7, Relatively High 22, Relatively Moderate 11	
Hail	40 of 40	1.8	14.6	33.8	Very Low 40	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>	Median	Max	Tracts by rating	Note
Heat Wave	40 of 40	1.9	24.6	57.2	Relatively Moderate 1, Relatively Low 29, Very Low 10	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Hurricane	0 of 40				Not Applicable 40	
Ice Storm	0 of 40				Not Applicable 40	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Inland Flooding	40 of 40	5.5	94.5	99.9	Very High 18, Relatively High 13, Relatively Moderate 6, Relatively Low 2, Very Low 1	
Landslide	36 of 40	10.7	78.8	99.9	Very High 1, Relatively High 5, Relatively Moderate 4, Relatively Low 6, Very Low 20, No Rating 4	
Lightning	40 of 40	0.7	15.4	33.8	Relatively Low 14, Very Low 26	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Strong Wind	40 of 40	4.4	11.2	20.3	Relatively Low 1, Very Low 39	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Tornado	40 of 40	3.5	9.0	37.5	Relatively Low 1, Very Low 39	
Tsunami	1 of 40	37.9	37.9	37.9	Very Low 1, No Rating 1, Not Applicable 38	
Volcanic Activity	40 of 40	40.7	51.5	74.9	Very Low 40	
Wildfire	34 of 40	21.1	85.6	99.3	Very High 1, Relatively High 9, Relatively Moderate 5, Relatively Low 8, Very Low 11, No Rating 6	
Winter Weather	40 of 40	10.7	15.4	23.8	Relatively Low 2, Very Low 38	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.

Rated tracts only: No Rating (score 0.0), Not Applicable and Insufficient Data tracts are counted but not used for the minimum, median and maximum.

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Per-member block (Starter, confirm locally)

Member	Type	Plan status	Repetitive loss <i>FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition</i>	Public Assistance matched <i>federal share obligated, nominal dollars</i>	Event records naming this place <i>all years; since the member's plan</i>	Notes
Napa County	County	No approved plan on record	FMA RL 0, SRL 13; any 39	\$30,633,498.78	0; no approved plan	
American Canyon city	City	No approved plan on record	FMA RL 0, SRL 0; any 0	\$104,104.59	0; no approved plan	

Member	Type	Plan status	Repetitive loss	Public Assistance matched	Event records naming this place	Notes
			<i>FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition</i>	<i>federal share obligated, nominal dollars</i>	<i>all years; since the member's plan</i>	
Calistoga city	City	No approved plan on record	FMA RL 0, SRL 0; any 0	\$739,197.05	3; no approved plan	Includes \$71,403.64 for declarations not counted as hazard incidents (DR-4482-CA).
Napa city	City	Approved, expires 2027-06-14	FMA RL 9, SRL 21; any 66	\$13,706,140.93	4; 0	Includes \$12,140.41 for declarations not counted as hazard incidents (DR-4482-CA).
St. Helena city	City	No approved plan on record	FMA RL 0, SRL 2; any 7	\$2,009,879.02	1; no approved plan	
Yountville city	City	No approved plan on record	FMA RL 0, SRL 0; any 2	\$579,260.34	10; no approved plan	Includes \$17,076.64 for declarations not counted as hazard incidents (DR-4482-CA).

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

School districts and special districts get a plan clock row only.

SOURCES

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Supports B2-a and B2-b: assets and impacts

Local data required

County-level starter. The plan must describe impacts for each participant and its own assets.

No approved plan on record, so there is no approval date to count from.

- Critical facilities and lifelines per hazard
 - A problem statement per participant per hazard
- Changes in development in hazard-prone areas since the last approval, or a statement of none (E1-a)
 - Future assets

County-level starter: exposure, expected annual loss and damage since the plan

Hazard	Building exposure	Agriculture exposure	Population exposed	EAL buildings	EAL agriculture	EAL population equivalence	EAL as % of exposure	Storm Events damage since plan	Zone-level damage since plan	Public Assistance since plan	Note
								<i>county-coded records, property plus crops, nominal dollars</i>	<i>property plus crops, reported for the zone</i>	<i>nominal dollars; see note</i>	
Avalanche	\$326,678		under 1	under \$1		\$6	0.000105%				
Coastal Flooding	\$3,939,671,599		14,409	\$985,471		\$1,949	0.025%				

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since plan <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Cold Wave	\$0	\$0	0	\$0	\$0	\$0					building exposure is 0 in NRI
Drought		\$665,543,619			\$21,364,139		3.21% (agriculture)				NRI has no building exposure for this hazard; agriculture shown
Earthquake	\$66,549,146,888		138,019	\$50,103,399		\$16,666,266	0.0753%				
Hail	\$37,677,326,480	\$738,062,122	137,956	\$6,105	\$5,659	\$13,018	under 0.0001%				
Heat Wave	\$37,677,326,480	\$738,062,122	137,956	\$31	\$10,720	\$783,366	under 0.0001%				
Hurricane											Not Applicable in NRI for this county
Ice Storm											Not Applicable in NRI for this county
Inland Flooding	\$37,643,675,986	\$191,422,709	8,116	\$88,847,896	\$347,477	\$564,652	n/a (see note)				NRI counts the full building value of any census block with some flood loss; this is not the value of buildings in the floodplain. Use local FIRM overlays for B2-a/B2-b. EAL as % of exposure: n/a.
Landslide	\$2,164,717,357		5,431	\$580,057		\$528,555	0.0268%				
Lightning	\$37,677,326,480		137,956	\$14,713		\$95,630	under 0.0001%				
Strong Wind	\$37,677,326,480	\$738,062,122	137,956	\$22,129	\$5,063	\$33,989	under 0.0001%				
Tornado	\$37,677,326,480	\$738,062,122	137,956	\$173,701	\$4,757	\$32,178	0.000461%				
Tsunami	\$210,594,742		162	\$3,259		\$0	0.00155%				
Volcanic Activity	\$37,677,326,480		137,956	under \$1		\$33	under 0.0001%				
Wildfire	\$4,008,270,720	\$134,228,668	16,742	\$4,681,586	\$1,518	\$167,427	0.117%				
Winter Weather	\$37,108,765,368	\$738,062,122	133,839	\$47	under \$1	\$2,872	under 0.0001%				

Totals since the plan: not available. No approved plan on record, so there is no approval date to count from.

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

FEMA does not split Public Assistance by hazard. A declaration mapped to several hazards is listed under each of them with its full amount, so the per-hazard column must not be added up; the unit total counts each declaration once.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Supports B2-a: context

County context

Measure	Value
Population	137,956
Building value (total, not at risk)	\$37,677,326,480
Agriculture value (total, not at risk)	\$738,062,122
NRI risk rating (all hazards)	Relatively High
Expected annual loss, buildings and agriculture, all hazards	\$167,157,729
Expected annual loss, population equivalence, all hazards (NRI values each statistical life at \$13.7M; a modeled value of expected deaths and injuries, not property damage)	\$18,889,941
Social vulnerability rating	Relatively Low
Community resilience rating	Relatively High
NRI version	December 2025

FEMA's all-hazard expected annual loss total adds buildings, agriculture and population equivalence; the two parts are shown separately so the property figure is not read as including the statistical value of life.

SOURCE
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B2-c: repetitive loss

Repetitive loss in this county, both definitions

Definition	Properties	Severe repetitive loss	Properties
Repetitive loss, FMA definition (44 CFR 77.2)	9	Severe repetitive loss, FMA definition (44 CFR 77.2)	36
Repetitive loss, NFIP insurance definition	94	Severe repetitive loss, NFIP insurance definition	20

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

SOURCES
FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Repeat-flood properties: county and state-level rows

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
County total	9	36	94	20	114	11	48
NAPA COUNTY *	0	13	36	7	39	3	21

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
NAPA, CITY OF	9	21	50	12	66	7	27
ST. HELENA, CITY OF	0	2	6	1	7	1	0
YOUNTVILLE, TOWN OF	0	0	2	0	2	0	0
State level, not in this county: county not reported	0	1	3	0	4	1	0

SOURCESFEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)**Repeat-flood properties by plan member (NFIP community)**

Member	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>	Note
Napa County	060205	0	13	36	7	39	3	21	
American Canyon city	060755	0	0	0	0	0	0	0	
Calistoga city	060206	0	0	0	0	0	0	0	
Napa city	060207	9	21	50	12	66	7	27	
St. Helena city	060208	0	2	6	1	7	1	0	
Yountville city	060209	0	0	2	0	2	0	0	

Per-member types: XLSX sheet 'B2-c Members'.

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

SOURCESFEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)**County repeat-flood properties by occupancy group**

Occupancy group	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
single-family residential	3	24	62	10	74	8	30
2 to 4 unit residential	3	2	7	1	11	2	3
other residential	2	2	1	1	4	1	3
non-residential	1	8	24	8	25	0	12
not reported	0	0	0	0	0	0	0

Institutional properties cannot be separated in this data: FEMA's occupancy groups have no institutional class, so they fall in non-residential or other residential in the table by occupancy group.

SOURCESFEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FMA RL and FMA SRL are the Flood Mitigation Assistance definitions (44 CFR 77.2), the ones the FEMA Local Mitigation Planning Policy Guide cites; OpenFEMA's fmaRL field description omits the Increased Cost of Compliance clause of 44 CFR 77.2(i). NFIP repetitive loss (FEMA insurance definition, nfipRL) is 2 or more claims over \$1,000 in 10 years and can drop to false when a property is mitigated. Also shown: NFIP severe repetitive loss, any category, mitigated and currently insured.

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

Counts are aggregates of FEMA's public NFIP Multiple Loss Properties file (as of 2026-08-02). No property is identified. County assignment is FEMA's geocode.

Counts may differ from your state NFIP coordinator's list, which is the source the Handbook names.

In this county 7 properties are FMA repetitive loss but not NFIP repetitive loss, and 92 properties are NFIP repetitive loss but not FMA repetitive loss.

Exact counts; no count suppression.

Sources

Every table above lists its own sources. The full list, for the plan's bibliography (FEMA review item A4-a):

1. FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
2. FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
3. FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
4. FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
5. FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
6. NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
7. NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
8. U.S. Census Bureau, Census 2024 Gazetteer, 2020 place by county, CT county-to-cousub crosswalk, version 2024-gazetteer, pulled 2026-09-28, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_counties_national.zip, [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_cousubs_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_cousubs_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_place_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_place_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_unsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_unsd_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_elsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_elsd_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_scsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_scsd_national.zip), https://www2.census.gov/geo/docs/reference/codes2020/national_place_by_county2020.txt, https://www2.census.gov/geo/docs/reference/ct_change/ct_cou_to_cousub_crosswalk.xlsx

OpenFEMA disclaimer

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

Reuse, citation and corrections

Reuse and citation: Hazard Plain text and tables are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0, <https://creativecommons.org/licenses/by/4.0/>); credit Hazard Plain and the release. The underlying federal data are public domain; OpenFEMA data are also subject to the OpenFEMA terms and conditions.

Cite this: Hazard Plain (2026). Napa County, CA: risk-assessment baseline packet, release 2026-10 (data as of 2026-09-28; County area 06055). Preview: automated baseline. Built from FEMA OpenFEMA, the FEMA National Risk Index and NOAA NCEI Storm Events; source versions in the packet's Sources list.

Corrections: to report an error, name the packet, the table and what your records show. Contact: to be added

Hazard Plain release 2026-10. As of 2026-09-28; Storm Events data through 2026-06-30. File hazard-plain_2026-10_CA_06055. Preview: automated baseline.