

Greenup County, KY

Risk-assessment baseline packet

County FIPS: 21089 Release: 2026-10 Data as of: 2026-09-30 Storm Events data through: 2026-06-30

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

Summary

Plan status as of 2026-09-30: Approved, expires 2028-01-26. Plan: FIVCO ADD Regional (FEMA plan 108798), approved 2023-01-27.

Since the plan was approved on 2023-01-27: 8 new hazard declarations (6 incidents) and 133 NOAA Storm Events records; details under "What changed since your last plan".

Highest expected annual loss (FEMA National Risk Index, modeled total; see B1-a): Inland Flooding (\$11,333,761 a year), Heat Wave (\$2,373,248) and Tornado (\$841,180).

The tables that follow are organized by the items of FEMA's Local Mitigation Plan Review Tool, Element B (B1-a to B2-c); each heading says which item its tables support.

TERMS USED

EAL: expected annual loss: FEMA's modeled average yearly loss from a hazard.

NRI: FEMA's National Risk Index (version 1.20, December 2025).

NFIP: National Flood Insurance Program.

RL, SRL: repetitive loss and severe repetitive loss: flood-insured properties with repeated claims (definitions in B2-c).

FMA, HMGP: Flood Mitigation Assistance and Hazard Mitigation Grant Program, FEMA mitigation grants.

PA: FEMA Public Assistance: disaster aid to governments and some nonprofits.

Zone-level: NOAA logged the event for a National Weather Service forecast zone, which may include parts of neighboring counties.

County-coded: NOAA logged the event to this county.

FIPS: the federal code for a place; 21089 is this area.

D0 to D4: U.S. Drought Monitor categories, from abnormally dry (D0) to exceptional drought (D4).

F/EF, EFU: Fujita and Enhanced Fujita tornado ratings; EFU is an unrated tornado.

kt, CONUS: knots (1 kt is about 1.15 mph); the contiguous United States.

CFR: Code of Federal Regulations.

A4-a, E1-a: other items of FEMA's Local Mitigation Plan Review Tool (sources, and changes since the last plan).

Dollars: nominal (as reported, labeled with the year), not adjusted for inflation.

CONTENTS

- 1. Summary and terms used, page 1
- 2. Plan clock, page 2
- 3. What changed since your last plan (approved 2023-01-27), page 2
- 4. B1-a: hazard identification, page 4
- 5. B1-b: hazard location, page 5
- 6. B1-c: hazard extent, page 6
- 7. B1-d: previous occurrences, page 8
- 8. B1-e: probability of future events, page 13
- 9. B1-f: hazards that vary across jurisdictions, page 16
- 10. B2-a and B2-b: vulnerability and potential impacts, page 18
- 11. B2-a: vulnerability (county context), page 20
- 12. B2-c: repetitive loss properties, page 20
- 13. Sources, what the plan adds, disclaimer and citation, page 22

Plan clock

Status:	Approved, expires 2028-01-26	Plan:	FIVCO ADD Regional (FEMA plan 108798)
Approved:	2023-01-27	Days to expiry:	483

What changed since your last plan (approved 2023-01-27)

New federal declarations:	8 new hazard declarations (6 incidents): DR-4782-KY (Severe Storms, Straight-Line Winds, Tornadoes, Landslides, and Mudslides), DR-4804-KY (Severe Storms, Straight-Line Winds, Tornadoes, Landslides, and Mudslides), DR-4848-KY (Remnants of Hurricane Helene), EM-3624-KY (Severe Storms, Straight-Line Winds, Flooding, and Landslides), DR-4860-KY (Severe Storms, Straight-Line Winds, Flooding, Landslides, and Mudslides), EM-3626-KY (Severe Storms, Straight-Line Winds, Tornadoes, and Flooding), DR-4864-KY (Severe Storms, Straight-Line Winds, Tornadoes, Flooding, Landslides, and Mudslides), EM-3633-KY (Severe Winter Storm)	Storm Events records since approval:	133 records (data through 2026-06-30)
Repetitive loss now:	FMA RL 19, SRL 31 (44 CFR 77.2); any definition: 67	Repeat-flood change:	this release sets the baseline count.

Sources: 1, 2, 4, 6 (numbered list at the end)

Plan status for every jurisdiction listed in this county

Source: 1

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry <i>negative = days since expiry</i>	Notes
Greenup County (unincorporated area)	Unincorporated	Approved, expires 2028-01-26	FIVCO ADD Regional (FEMA plan 108798)	2023-01-27	2028-01-26	483	this jurisdiction approved 2023-08-01
Bellefonte city	City	Approved, expires 2028-01-26	FIVCO ADD Regional (FEMA plan 108798)	2023-01-27	2028-01-26	483	this jurisdiction approved 2024-02-21
Flatwoods city	City	Approved, expires 2028-01-26	FIVCO ADD Regional (FEMA plan 108798)	2023-01-27	2028-01-26	483	this jurisdiction approved 2023-06-28
Greenup city	City	Approved, expires 2028-01-26	FIVCO ADD Regional (FEMA plan 108798)	2023-01-27	2028-01-26	483	this jurisdiction approved 2023-08-01
Raceland city	City	Approved, expires 2028-01-26	FIVCO ADD Regional (FEMA plan 108798)	2023-01-27	2028-01-26	483	this jurisdiction approved 2024-02-21
Russell city	City	Approved, expires 2028-01-26	FIVCO ADD Regional (FEMA plan 108798)	2023-01-27	2028-01-26	483	this jurisdiction approved 2023-08-01
South Shore city	City	Approved, expires 2028-01-26	FIVCO ADD Regional (FEMA plan 108798)	2023-01-27	2028-01-26	483	this jurisdiction approved 2023-06-28
Worthington city	City	Approved, expires 2028-01-26	FIVCO ADD Regional (FEMA plan 108798)	2023-01-27	2028-01-26	483	this jurisdiction approved 2023-08-01
Wurtland city	City	Approved, expires 2028-01-26	FIVCO ADD Regional (FEMA plan 108798)	2023-01-27	2028-01-26	483	this jurisdiction approved 2023-06-28

Plan 108798 lists 11 other participants not on this page, 1 of them not covered by it yet (named in the Excel file).

State plan status and tribal plans in this state: see the state page.

Supports FEMA checklist item B1-a: hazard identification

Hazards NRI does not cover (local data needed)

- dam failure (incl. upstream dams)
- levee failure
- flash flood as its own subtype
- ice jams
- debris flows
- erosion (riverine and coastal)
- land subsidence and sinkholes
- expansive soils

The 18 National Risk Index hazards, ranked by expected annual loss (EAL)

Sources: 5, 6

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records, 1996 to 2026-06-30 <i>count</i>	Storm Events coverage note
1	Inland Flooding	Relatively Low	Relatively Low	\$10,994,539	\$39,581	\$299,640	\$11,333,761	94	
2	Heat Wave	Relatively Moderate	Relatively Moderate	\$19	\$9	\$2,373,220	\$2,373,248	20	
3	Tornado	Relatively Low	Relatively Low	\$277,569	\$142	\$563,469	\$841,180	3	
4	Strong Wind	Relatively Low	Relatively Low	\$75,445	\$3,043	\$422,672	\$501,160	201	Includes 7 High Wind and 23 Strong Wind records (NOAA non-thunderstorm wind types, outside NRI's Strong Wind definition).
5	Lightning	Relatively Low	Relatively Low	\$6,626	n/a	\$203,850	\$210,476	3	
6	Cold Wave	Very Low	Relatively Low	\$22,410	\$1,591	\$156,268	\$180,269	30	Includes 3 Frost/Freeze records (outside NRI's Cold Wave definition; counted in this table and in B1-d, not in the B1-e descriptor).
7	Earthquake	Very Low	Very Low	\$127,063	n/a	\$43,622	\$170,685		Storm Events does not record earthquakes.
8	Ice Storm	Relatively Low	Relatively Low	\$66,705	n/a	\$56,439	\$123,144	1	
9	Hail	Very Low	Very Low	\$53,358	\$332	\$642	\$54,333	58	
10	Winter Weather	Relatively Low	Relatively Low	\$12,575	\$34	\$41,054	\$53,663	60	
11	Landslide	Relatively Low	Relatively Low	\$1,799	n/a	\$25,300	\$27,099	0	Declared 11 times; no Storm Events record of this type.
12	Hurricane	Very Low	Very Low	\$24,376	\$1,008	\$794	\$26,179	0	Declared 1 time; no Storm Events record of this type.
13	Wildfire	Very Low	Very Low	\$18,678	\$10	\$5,723	\$24,411	0	No recorded events in Storm Events since 1996 (data through 2026-06-30).

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records, 1996 to 2026-06-30 <i>count</i>	Storm Events coverage note
14	Drought	Very Low	Very Low	n/a	\$564	n/a	\$564	19	
15	Avalanche	Very Low	Very Low	under \$1	n/a	\$33	\$33	0	No recorded events in Storm Events since 1996 (data through 2026-06-30).

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

NRI risk rating combines expected annual loss with social vulnerability and community resilience; EAL rating rates expected annual loss alone. Both compare this county with all U.S. counties.

Local data needed: state and local landslide and wildfire records (Storm Events records these hazards only in part).

Not applicable to this county per NRI, with no federal declaration and no Storm Events record since 1996: coastal flooding, tsunami and volcanic activity. That is the evidence for leaving them out of the plan.

The state hazard mitigation plan also lists hazards for this county; FEMA asks the plan to explain any hazard it leaves out.

Supports FEMA checklist item B1-b: hazard location

Affects the whole county (national data give no location within it): Cold Wave, Drought, Hail, Heat Wave, Ice Storm, Lightning, Strong Wind and Winter Weather.

Inland Flooding: The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (<https://msc.fema.gov>) for this county.

Hazards that vary within the county: highest-rated census tracts

Source: 5

Hazard	Highest-rated census tracts <i>NRI risk rating, score 0 to 100</i>
Avalanche	tract 406 (Very Low, 9.3)
Earthquake	tract 404 (Relatively Low, 58.1); tract 401 (Relatively Low, 52.7); tract 402.02 (Relatively Low, 43.7)
Hurricane	tract 404 (Very Low, 49.0); tract 401 (Very Low, 46.3); tract 405.02 (Very Low, 45.5)
Landslide	tract 407 (Relatively Moderate, 97.9); tract 405.02 (Relatively Moderate, 97.9); tract 404 (Relatively Moderate, 97.7)
Tornado	tract 407 (Relatively Moderate, 69.5); tract 406 (Relatively Moderate, 68.1); tract 404 (Relatively Moderate, 66.2)
Wildfire	tract 404 (Relatively Low, 86.4); tract 405.02 (Relatively Low, 80.1); tract 407 (Relatively Low, 77.0)

Up to 3 census tracts per hazard, highest National Risk Index rating first, then highest score; a tract number is the Census tract number (for example 406 is Census Tract 406). FEMA's Resilience Analysis and Planning Tool maps the National Risk Index for every tract: <https://www.fema.gov/emergency-managers/practitioners/resilience-analysis-and-planning-tool>

Supports FEMA checklist item B1-c: hazard extent

Extent: scale, observed range and worst recorded event per hazard

Sources: 6, 7

Hazard	Scale	Records <i>count and years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to jurisdictions	Note
Avalanche	none (count and damage only)	0					
Cold/Wind Chill, Extreme Cold/Wind Chill	wind chill	27 records, 1996 to 2026 (27 zone-level)	1 day to 31 days (median 3.5 days); 24 with a recorded value	March 2001 (1 monthly summary record), zone-level	Extreme Cold/Wind Chill, 2014-01-06, \$250,000 property; \$0 crops (zone total, 2014 dollars)	Countywide (zone-level records).	Cold/Wind Chill records from May to September (a frost night, not a cold wave) are counted but not used for the longest run.
Frost/Freeze (outside NRI's Cold Wave definition)	crop damage	3 records, 2003 to 2004 (3 zone-level)		No crop damage reported in 3 records.		Countywide (zone-level records).	
Drought	U.S. Drought Monitor scale (D0 to D4)	19 records, 1999 to 2026 (19 zone-level)	25 days to 184 days (median 31 days); 7 with a recorded value	184 days (6 months), 1999-05-01 to 1999-10-31, a run of 6 consecutive Storm Events drought records, zone-level		Countywide (zone-level records).	Storm Events enters a drought at D2 or worse east of the Rockies and D3 or worse from the Rockies west (NWS Instruction 10-1605); NRI drought counts D3 and D4 only.
Earthquake	Modified Mercalli (local data)	0					Storm Events does not record earthquakes; the USGS earthquake catalog is the source.
Hail	hail size (inches)	60 records, 1976 to 2025	0.75 in to 2 in (median 0.88 in); 60 with a recorded value	2 in hail, 2011-09-14; same size also recorded on 1998-05-24		Event records naming jurisdictions in the plan: Greenup city (10 records), Flatwoods city (6 records), South Shore city (6 records), Russell city (4 records), Worthington city (2 records), Bellefonte city (1 record).	
Excessive Heat, Heat	heat index (in event narratives)	20 records, 1997 to 2011 (20 zone-level)	1 day to 4 days (median 1.5 days); 6 with a recorded value	4 consecutive days, 2011-07-20 to 2011-07-23, zone-level		Countywide (zone-level records).	Heat records from November to March (unseasonable warmth, not a heat wave) are counted but not used for the longest run.
Hurricane, Tropical Storm, Tropical Depression	Saffir-Simpson	0					Storm Events files every zone of a storm's episode under the storm's type; flooding from the storm is filed as Flood or Flash Flood records.
Ice Storm	Sperry-Piltz ice scale (local data)	1 record, 2003 (1 zone-level)		Ice Storm, 2003-02-16, \$500,000 property; crops not reported (2003 dollars); NWS zone KYZ101		Countywide (zone-level records).	

Hazard	Scale	Records <i>count and years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to jurisdictions	Note
Flash Flood, Flood, Lakeshore Flood	damage and flood days (flood depth: FIRM)	94 records, 1996 to 2026 (13 zone-level)		Flood, 2010-05-02, \$3,500,000 property; \$0 crops (2010 dollars)		Event records naming jurisdictions in the plan: Greenup city (12 records), South Shore city (9 records), Flatwoods city (7 records), Worthington city (7 records), Raceland city (6 records), Wurtland city (3 records), Bellefonte city (2 records), Russell city (1 record). Zone-level records (13) apply countywide.	Flood depth: see the FEMA Flood Insurance Rate Map. Storm Events damage is often \$0 or blank for floods, major ones included; FEMA Public Assistance by declaration (B1-d) shows which floods cost the most.
Debris Flow	none (count and damage only)	0					
Lightning	annualized frequency (the measure FEMA's Local Mitigation Planning Handbook names)	3 records, 2011 to 2017		Lightning, 2017-05-19, \$20,000 property; \$0 crops (2017 dollars)		Event records naming jurisdictions in the plan: Bellefonte city (1 record), Worthington city (1 record).	Storm Events lists lightning with damage or casualties.
High Wind and Strong Wind (outside NRI's Strong Wind definition)	wind speed (kt and mph)	30 records, 1999 to 2026 (30 zone-level)	27 kt (31 mph) to 50 kt (58 mph) (median 40 kt (46 mph)); 25 with a recorded value	50 kt (58 mph) estimated gust, High Wind, 2023-04-01; same speed and measurement basis also recorded on 2004-12-07, 2023-03-03; NWS zone KYZ101	Strong Wind, 2019-02-24, \$25,000 property; \$0 crops (zone total, 2019 dollars)	Countywide (zone-level records).	
Thunderstorm Wind	wind speed (kt and mph)	181 records, 1957 to 2026	40 kt (46 mph) to 78 kt (90 mph) (median 50 kt (58 mph)); 162 with a recorded value	78 kt (90 mph) estimated gust, Thunderstorm Wind, 2024-05-22	Thunderstorm Wind, 2012-06-29, \$750,000 property; \$0 crops (2012 dollars)	Event records naming jurisdictions in the plan: Flatwoods city (31 records), Greenup city (16 records), Worthington city (16 records), Wurtland city (9 records), Raceland city (8 records), South Shore city (7 records), Bellefonte city (5 records), Russell city (5 records).	Speeds under 20 kt (likely entry errors) are left out of the observed range.
Tornado	Enhanced Fujita (Fujita before Feb 2007)	5 records, 1968 to 2024	F/EF0 to F/EF3 (median F/EF1); 5 with a recorded value	F3 tornado, 1968-04-23, 33 yd wide, \$2,500,000 property; crops not recorded (1968 dollars), 5 direct injuries		Event records naming jurisdictions in the plan: Greenup city (1 record), Worthington city (1 record).	Before 1996 a tornado is listed once, under the county where it began, with its whole path's rating and length; from 1996 on, each county lists its own segment. Length is not used to rank tornadoes (see Methods).

Hazard	Scale	Records <i>count and years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to jurisdictions	Note
Wildfire	acres burned (local data)	0					
Winter Storm, Heavy Snow, Blizzard, Lake- Effect Snow, Winter Weather, Sleet	none in data (snowfall: local data)	60 records, 1996 to 2026 (60 zone-level)		Heavy Snow, 1998-02-03, \$200,000 property; crops not reported (1998 dollars); NWS zone KYZ101	Winter Storm, 2014-02-04, \$200,000 property; \$0 crops (zone total, 2014 dollars)	Countywide (zone-level records).	

In event narratives only (local data needed): wind chill, temperature, heat index, ice thickness, acres burned and snow depth; any physical measure of avalanche, debris flow and lightning.

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records from zones that no NWS zone-county file places in this county (mostly before 2020) are not counted here (the Methods page explains the zone matching).

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

A monthly summary record covers most or all of a month; it does not count days at wave conditions.

Supports FEMA checklist item B1-d: previous occurrences

Federal declarations for this county: 33 declarations covering 27 separate hazard incidents counted in this packet (declarations for the same incident count once; non-natural and evacuation-only declarations are not counted).

Federal disaster declarations for this county

Sources: 1, 2, 3

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance <i>federal share obligated, nominal dollars</i>	Flags	Notes
2026-01-24	2026-01-23	EM-3633-KY	Emergency	Severe Winter Storm	Winter Weather	no Public Assistance recorded	new since last plan; within last 5 years	
2025-04-24	2025-04-02	DR-4864-KY	Major disaster	Severe Storms, Straight-Line Winds, Tornadoes, Flooding, Landslides, and Mudslides	Inland Flooding; Landslide; Strong Wind; Tornado	\$670,504.92	new since last plan; within last 5 years	
2025-04-03	2025-04-02	EM-3626-KY	Emergency	Severe Storms, Straight-Line Winds, Tornadoes, and Flooding	Inland Flooding; Strong Wind; Tornado	no Public Assistance recorded	new since last plan; within last 5 years	same incident as DR-4864
2025-02-24	2025-02-14	DR-4860-KY	Major disaster	Severe Storms, Straight-Line Winds, Flooding, Landslides, and Mudslides	Inland Flooding; Landslide; Strong Wind	\$119,659.13	new since last plan; within last 5 years	
2025-02-16	2025-02-14	EM-3624-KY	Emergency	Severe Storms, Straight-Line Winds, Flooding, and Landslides	Inland Flooding; Landslide; Strong Wind	no Public Assistance recorded	new since last plan; within last 5 years	same incident as DR-4860
2024-11-26	2024-09-27	DR-4848-KY	Major disaster	Remnants of Hurricane Helene	Hurricane (primary); also designated: Inland Flooding, Landslide, Strong Wind	\$437,818.90	new since last plan; within last 5 years	

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance <i>federal share obligated, nominal dollars</i>		Flags	Notes
2024-07-23	2024-05-21	DR-4804-KY	Major disaster	Severe Storms, Straight-Line Winds, Tornadoes, Landslides, and Mudslides	Landslide; Strong Wind; Tornado	PA not declared for this county		new since last plan; within last 5 years	
2024-05-22	2024-04-02	DR-4782-KY	Major disaster	Severe Storms, Straight-Line Winds, Tornadoes, Landslides, and Mudslides	Landslide; Strong Wind; Tornado	PA not declared for this county		new since last plan; within last 5 years	
2021-04-23	2021-02-27	DR-4595-KY	Major disaster	Severe, Storms, Flooding, Landslides, and Mudslides	Inland Flooding (primary); also designated: Landslide		\$236,137.82		
2021-03-31	2021-02-08	DR-4592-KY	Major disaster	Severe Winter Storms, Landslides, and Mudslides	Ice Storm		\$808,722.79		
2020-03-28	2020-01-20	DR-4497-KY	Major disaster	COVID-19 Pandemic	Non-natural, not counted		\$11,826.17		
2020-03-13	2020-01-20	EM-3469-KY	Emergency	COVID-19	Non-natural, not counted	no Public Assistance recorded			same incident as DR-4497
2019-04-17	2019-02-06	DR-4428-KY	Major disaster	Severe Storms, Straight-Line Winds, Flooding, Landslides, and Mudslides	Inland Flooding; Landslide; Strong Wind	no Public Assistance recorded			
2018-04-26	2018-02-21	DR-4361-KY	Major disaster	Severe Storms, Tornadoes, Flooding, Landslides, and Mudslides	Inland Flooding (primary); also designated: Landslide, Tornado		\$180,478.70		
2015-05-12	2015-03-03	DR-4218-KY	Major disaster	Severe Winter Storm, Snowstorm, Flooding, Landslides, and Mudslides	Inland Flooding (primary); also designated: Landslide, Winter Weather		\$244,347.35		
2011-05-04	2011-04-12	DR-1976-KY	Major disaster	Severe Storms, Tornadoes, and Flooding	Inland Flooding; Tornado		\$323,740.84		
2010-05-11	2010-05-01	DR-1912-KY	Major disaster	Severe Storms, Flooding, Mudslides, and Tornadoes	Inland Flooding; Landslide; Tornado		\$532,508.70		
2009-02-05	2009-01-26	DR-1818-KY	Major disaster	Severe Winter Storm and Flooding	Ice Storm		\$278,041.65		
2009-01-28	2009-01-27	EM-3302-KY	Emergency	Severe Winter Storm	Ice Storm	no Public Assistance recorded			same incident as DR-1818
2005-09-10	2005-08-29	EM-3231-KY	Emergency	Hurricane Katrina	Hurricane: evacuation support, not a local hazard event; not counted	no Public Assistance recorded			
2004-06-10	2004-05-26	DR-1523-KY	Major disaster	Severe Storms, Tornadoes, Flooding, and Mudslides	Inland Flooding; Landslide; Tornado	PA not declared for this county			
2003-07-02	2003-06-14	DR-1475-KY	Major disaster	Severe Storms, Flooding, Mud and Rock Slides, and Tornadoes	Inland Flooding; Tornado	PA not declared for this county			
2003-06-03	2003-05-04	DR-1471-KY	Major disaster	Severe Storms, Flooding, Mud and Rock Slides, and Tornadoes	Inland Flooding; Tornado		\$421,982.90		
2003-03-14	2003-02-15	DR-1454-KY	Major disaster	Severe Winter Ice and Snow Storms, Heavy Rain, Flooding, Tornadoes, and Mud and	Inland Flooding; Tornado; Winter Weather		\$2,587,568.26		
2002-04-04	2002-03-17	DR-1407-KY	Major disaster	Severe Storms and Flooding	Inland Flooding		\$624,949.38		

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance	Flags	Notes
						<i>federal share obligated, nominal dollars</i>		
2000-02-28	2000-02-18	DR-1320-KY	Major disaster	Severe Storms and Flooding	Inland Flooding	\$686,715.29		
1998-03-03	1998-02-04	DR-1207-KY	Major disaster	Severe Winter Storm	Winter Weather	no Public Assistance recorded		
1997-03-04	1997-03-01	DR-1163-KY	Major disaster	Severe Storm, Flooding, and Tornadoes	Inland Flooding; Tornado	no Public Assistance recorded		
1996-01-13	1996-01-05	DR-1089-KY	Major disaster	Blizzard of 96	Winter Weather	no Public Assistance recorded		
1993-03-16	1993-03-13	EM-3104-KY	Emergency	Severe Snowfall & Winter Storm	Winter Weather	no Public Assistance recorded		
1989-02-24	1989-01-13	DR-821-KY	Major disaster	Severe Storms & Flooding	Inland Flooding	no Public Assistance recorded		
1968-05-04	1968-05-04	DR-237-KY	Major disaster	Tornadoes & Severe Storms	Tornado	no Public Assistance recorded		
1967-03-27	1967-03-27	DR-226-KY	Major disaster	Severe Storms & Flooding	Inland Flooding	no Public Assistance recorded		

County Public Assistance: applicants the FEMA record places in this county, including any state agencies FEMA files there; statewide rows are listed on the state page; federal share obligated, nominal dollars.

Statewide declarations

Source: 2

Declared	Incident began	FEMA number	Type	Title	Mapped hazard
1964-03-17	1964-03-17	DR-163-KY	Major disaster	Severe Storms & Flooding	Inland Flooding
1963-03-13	1963-03-13	DR-148-KY	Major disaster	Severe Storms & Flooding	Inland Flooding
1962-03-12	1962-03-12	DR-128-KY	Major disaster	Floods	Inland Flooding
1957-01-31	1957-01-31	DR-66-KY	Major disaster	Flood	Inland Flooding

FEMA recorded these with designated area Statewide and no county, so they are listed on every county page in the state and not counted with county rows. Local data needed: whether each one affected this county.

Previous occurrences by hazard, with explicit no-event rows

Sources: 2, 6, 7

Hazard	Storm Events records, all years on file <i>(years in the Period column)</i>	Since plan approval <i>records</i>	In the 12 months before plan approval <i>records</i>	Last 5 years <i>records</i>	Declared incidents, all years <i>separate disasters</i>	Declared since approval <i>separate disasters</i>	Period	Statement
Avalanche	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Cold Wave	30	1	0	1	0	0	1996 to 2026-06-30	Includes 3 Frost/Freeze records.
Drought	19	3	0	3	0	0	1996 to 2026-06-30	

Hazard	Storm Events records, all years on file <i>(years in the Period column)</i>	Since plan approval <i>records</i>	In the 12 months before plan approval <i>records</i>	Last 5 years <i>records</i>	Declared incidents, all years <i>separate disasters</i>	Declared since approval <i>separate disasters</i>	Period	Statement
Earthquake	0	0	0	0	0	0		Storm Events does not record earthquakes; the USGS earthquake catalog is the source.
Hail	60	1	0	1	0	0	1955 to 2026-06-30	
Heat Wave	20	0	0	0	0	0	1996 to 2026-06-30	
Hurricane	0	0	0	0	1	1	1996 to 2026-06-30	No Storm Events records of this type; 1 federal declared incident (see declarations table)
Ice Storm	1	0	0	0	2	0	1996 to 2026-06-30	
Inland Flooding	94	32	0	33	18	3	1996 to 2026-06-30	
Landslide	0	0	0	0	11	5	1996 to 2026-06-30	No Storm Events records of this type; 11 federal declared incidents (see declarations table)
Lightning	3	0	0	0	0	0	1996 to 2026-06-30	
Strong Wind	211	83	6	90	6	5	1955 to 2026-06-30	Includes 7 High Wind and 23 Strong Wind records.
Tornado	5	1	1	2	12	3	1950 to 2026-06-30	
Wildfire	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Winter Weather	60	12	3	17	6	1	1996 to 2026-06-30	

Notable Storm Events records

Sources: 1, 6, 7

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Deaths, injuries <i>direct only</i>	Location	Flags	Why listed
2024-05-22	Thunderstorm Wind	78 kt (90 mph) estimated gust	\$5,000 property; \$0 crops (2024 dollars)	0, 0	LLOYD	new since last plan; within last 5 years	B1-c worst recorded: Thunderstorm Wind
2023-04-01	High Wind	50 kt (58 mph) estimated gust	\$0 property; \$0 crops (zone total, 2023 dollars)	0, 0	NWS zone KYZ101 (GREENUP), zone-level	new since last plan; within last 5 years	B1-c worst recorded: High Wind and Strong Wind
2019-12-16	Flood		\$25,000 property; \$0 crops (2019 dollars)	1, 0	HUNNEWELL to KENWOOD		deaths or injuries recorded
2017-05-19	Lightning		\$20,000 property; \$0 crops (2017 dollars)	0, 0	BELLEFONTE		B1-c worst recorded: Lightning
2011-09-14	Hail	2 in	\$750,000 property; \$0 crops (2011 dollars)	0, 0	LLOYD		B1-c worst recorded: Hail
2011-07-20	Heat		\$0 property; \$0 crops (zone total, 2011 dollars)	0, 0	NWS zone KYZ101 (GREENUP), zone-level		B1-c worst recorded: Excessive Heat, Heat
2010-05-02	Flood		\$3,500,000 property; \$0 crops (2010 dollars)	0, 0	SOUTH SHORE to KENWOOD		B1-c worst recorded: Flash Flood, Flood, Lakeshore Flood
2007-08-16	Thunderstorm Wind	40 kt (46 mph) estimated gust	\$5,000 property; \$0 crops (2007 dollars)	1, 0	FLATWOODS		deaths or injuries recorded
2003-02-16	Ice Storm		\$500,000 property; crops not reported (zone total, 2003 dollars)	0, 0	NWS zone KYZ101 (GREENUP), zone-level		B1-c worst recorded: Ice Storm
2001-03-01	Cold/Wind Chill		damage not reported	0, 0	NWS zone KYZ101 (GREENUP), zone-level		B1-c worst recorded: Cold/Wind Chill, Extreme Cold/ Wind Chill
1998-02-03	Heavy Snow		\$200,000 property; crops not reported (zone total, 1998 dollars)	0, 0	NWS zone KYZ101 (GREENUP), zone-level		B1-c worst recorded: Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet
1968-04-23	Tornado	F3, 33 yd wide	\$2,500,000 property; crops not recorded (1968 dollars)	0, 5	location not recorded		deaths or injuries recorded

The full list is in the Excel file, sheet "B1-d Storm Events history" (503 rows).

Location is the place NOAA recorded, as written in its data; it need not be a jurisdiction in this plan.

Local data needed: state-declared emergencies, from your state emergency management agency (federal data do not include them).

FEMA's declaration data list no tribal or special-area declarations for this state.

Supports FEMA checklist item B1-e: probability of future events

Probability: FEMA annualized frequency and descriptor per hazard

Sources: 5, 6

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Avalanche	0.01	events per year	about 1 in 100 years	Possible	FEMA annualized frequency (modeled)	0	1994 to 2023 (30 years)	see B1-f	0.01 is NRI's minimum avalanche frequency for a county in an avalanche susceptibility zone; NRI records no avalanche here, so the descriptor reflects the floor, not local events.
Cold Wave	0.895	event-days per year	about 0.895 days per year	Likely	Storm Events event-days in 10 of 30 years, 1996 to 2025 (33.3%)	17	2005-11-12 to 2024-11-12 (19 years)	countywide	
Drought	1.99	event-days per year	about 1.99 days per year	Likely	Storm Events event-days in 6 of 30 years, 1996 to 2025 (20%)	84	2000 to 2025 (25.25 years; D3 and D4 only)	countywide	
Earthquake	0.00111	annual probability at a location	chance a given location in the county has at least minor-damage shaking in a year: 0.111%			not shown	modeled	see B1-f	No descriptor (Storm Events does not record earthquakes).
Hail	3.02	events per year	about 3.02 per year	Highly likely	FEMA annualized frequency (modeled)	114.9 (modeled)	1986 to 2023 (38 years)	countywide	
Heat Wave	4.32	event-days per year	about 4.32 days per year	Likely	Storm Events event-days in 8 of 30 years, 1996 to 2025 (26.7%)	74	2005-11-12 to 2024-11-12 (19 years)	countywide	
Hurricane	0.0214	events per year	about 1 in 47 years	Possible	FEMA annualized frequency (modeled)	6	1851 to 2024 (Atlantic)	see B1-f	NRI counts hurricane and tropical storm tracks passing within storm-force wind range; federal declarations are in B1-d.
Ice Storm	0.566	event-days per year	about 0.566 days per year	Possible	Storm Events event-days in 1 of 30 years, 1996 to 2025 (3.33%)	38	1946-12-31 to 2014-02-12 (67 years)	countywide	
Inland Flooding	2.14	event-days per year	about 2.14 days per year	Likely	Storm Events event-days in 25 of 30 years, 1996 to 2025 (83.3%)	60	1996 to 2023 (28 years)	see B1-f	

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Landslide	0.767	events per year (modeled)	about 0.77 per year	Likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Lightning	48.6	days per year with a strike	about 48.6 days per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1995 to 2023 (29 years; CONUS)	countywide	
Strong Wind	2.45	events per year	about 2.45 per year	Highly likely	FEMA annualized frequency (modeled)	93	1986 to 2023 (38 years)	countywide	
Tornado	0.107	events per year	about 1 in 9 years	Likely	FEMA annualized frequency (modeled)	not shown	1950 to 2023 (EF2+); 1986 to 2023 (EF0-1)	see B1-f	
Wildfire	0.000731	annual probability at a location	chance a given location in the county burns in a year: 0.0731%		Storm Events records in 0 of 30 years, 1996 to 2025 (0%)	not shown	modeled	see B1-f	No descriptor: no Storm Events record 1996 to 2025
Winter Weather	8.53	event-days per year	about 8.53 days per year	Likely	Storm Events event-days in 24 of 30 years, 1996 to 2025 (80%)	162	2005-11-12 to 2024-11-12 (19 years)	countywide	

FEMA annualized frequency (modeled) is the National Risk Index v1.20 (December 2025) estimate of how often a hazard affects this county in a year; it is not recorded events divided by years, and its unit differs by hazard (events, event-days, or days with a lightning strike per year). For earthquake, wildfire, coastal flooding and tsunami the value is the chance (or number of events) at a location in the county, not across the county, so no "1 in N years" is given and the descriptor comes from Storm Events where it has a record (none for earthquake). The Methods page gives each hazard's method, from FEMA's National Risk Index Technical Documentation v1.20.

Where NRI gives event-days, the descriptor comes from the share of years with a Storm Events record; NRI's source records more events, so the two differ.

Descriptor scale used in this packet (defined per unit)

Sources: 5, 6

Unit	Descriptor	Definition
events per year	Highly likely	1 or more per year
events per year	Likely	about once in 1 to 10 years
events per year	Possible	about once in 10 to 100 years
events per year	Unlikely	less than once in 100 years
annual probability	Likely	10% to under 100% chance in a given year
annual probability	Possible	1% to under 10% chance in a given year
annual probability	Unlikely	under 1% chance in a given year
event-days (share of years)	Highly likely	event-days recorded in 90% or more of years
event-days (share of years)	Likely	event-days recorded in 10% to under 90% of years
event-days (share of years)	Possible	event-days recorded in some years but under 10% of years
lightning strike-days	Highly likely	cloud-to-ground strikes on 1 or more days per year

Intensity bands: historical frequency (Storm Events)

Source: 6

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Hail	1.00-1.99 in	1996 to 2025	19	30	0.633
Hail	2.00 in+	1996 to 2025	2	30	0.0667
Thunderstorm Wind (counted as NRI Strong Wind)	50-64 kt	1996 to 2025	141	30	4.7
Thunderstorm Wind (counted as NRI Strong Wind)	65 kt+	1996 to 2025	2	30	0.0667
Thunderstorm Wind (counted as NRI Strong Wind)	unmeasured or below 50 kt	1996 to 2025	23	30	0.767
Tornado	EF0-1	1996 to 2025	3	30	0.1
Tornado	EF2-3	1996 to 2025	0	30	0
Tornado	EF4-5	1996 to 2025	0	30	0
Tornado	unrated (EFU)	1996 to 2025	0	30	0

The bands show how often events of each severity were recorded in this county, to profile how severe events have been (FEMA's probability item asks for the range of intensities).

Hail smaller than 1 inch is not counted: on 2010-01-05 the National Weather Service raised its severe-hail threshold from 3/4 inch to 1 inch, so smaller reports became less common after 2009 (NWS Service Change Notice 09-52). NRI hail frequency uses a 0.75 inch threshold.

Optional: future conditions. Not a required item in the 2025 FEMA Local Mitigation Planning Policy Guide; some states ask for it. The federal Climate Mapping for Resilience and Adaptation (CMRA) site gives county exposure to future climate conditions (<https://resilience.climate.gov/>).

Supports FEMA checklist item B1-f: hazards that vary across jurisdictions

Range of census tract risk within the county

Source: 5

Hazard	Tracts <i>rated of all</i>	NRI risk score, 0 to 100			Tracts by rating
		Min	Median	Max	
Avalanche	1 of 9	9.3	9.3	9.3	Very Low 1, Not Applicable 8
Cold Wave	9 of 9	28.6	32.2	42.6	Relatively Low 9
Drought	6 of 9	67.0	72.1	76.2	Very Low 6, No Rating 3
Earthquake	9 of 9	27.3	39.6	58.1	Relatively Low 4, Very Low 5
Hail	9 of 9	39.8	46.4	59.9	Relatively Low 9
Heat Wave	9 of 9	91.9	94.0	96.8	Very High 1, Relatively High 8
Hurricane	9 of 9	37.5	42.7	49.0	Very Low 9
Ice Storm	9 of 9	70.3	77.5	88.2	Relatively Moderate 9
Inland Flooding	9 of 9	29.5	85.4	98.0	Very High 3, Relatively High 3, Relatively Moderate 1, Relatively Low 2
Landslide	9 of 9	69.8	87.3	97.9	Relatively Moderate 3, Relatively Low 3, Very Low 3
Lightning	9 of 9	65.4	74.0	89.3	Relatively High 4, Relatively Moderate 5
Strong Wind	9 of 9	74.4	82.4	91.1	Relatively High 4, Relatively Moderate 5
Tornado	9 of 9	48.7	58.5	69.5	Relatively Moderate 7, Relatively Low 2
Wildfire	8 of 9	50.3	71.7	86.4	Relatively Low 5, Very Low 3, No Rating 1
Winter Weather	9 of 9	64.9	73.1	84.0	Relatively High 1, Relatively Moderate 8

Drought: Agriculture is all of NRI's expected annual loss for this hazard in the county, so the tract range mostly reflects where crop and livestock value is.

Rated tracts only: No Rating (score 0.0), Not Applicable and Insufficient Data tracts are counted but not used for the minimum, median and maximum.

The score ranks a tract against all U.S. tracts (100 = highest). The rating is FEMA's category for the tract's risk value, computed differently, so the two can disagree.

Frequency data for cold wave, drought, hail, heat wave, ice storm, lightning, strong wind and winter weather are county-wide or coarse (49 km grid or NWS zone), the same for every jurisdiction; the tract range mostly reflects where buildings and people are (crop and livestock value where a line above names agriculture).

Each jurisdiction (starting figures from federal data)

Sources: 1, 3, 4, 6

Jurisdiction	Type	Plan status	Repetitive loss <i>FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition</i>	Public Assistance to this jurisdiction <i>FEMA records matched by applicant name; federal share obligated, nominal dollars</i>	Event records naming this place <i>all years; since its plan</i>	Notes
Greenup County (unincorporated area)	Unincorporated	Approved, expires 2028-01-26	FMA RL 16, SRL 26; any 53	\$387,028.48	0 total; 0 since its plan	
Bellefonte city	City	Approved, expires 2028-01-26	FMA RL 0, SRL 0; any 0	no Public Assistance recorded	9 total; 6 since its plan	
Flatwoods city	City	Approved, expires 2028-01-26	FMA RL 0, SRL 0; any 3	\$147,125.17	44 total; 16 since its plan	
Greenup city	City	Approved, expires 2028-01-26	FMA RL 1, SRL 1; any 6	no Public Assistance recorded	39 total; 5 since its plan	
Raceland city	City	Approved, expires 2028-01-26	FMA RL 0, SRL 0; any 0	\$191,402.76	14 total; 8 since its plan	
Russell city	City	Approved, expires 2028-01-26	FMA RL 1, SRL 3; any 3	\$258,803.77	10 total; 4 since its plan	Includes \$11,826.17 for declarations not counted as hazard incidents (DR-4497-KY).
South Shore city	City	Approved, expires 2028-01-26	FMA RL 0, SRL 0; any 0	\$25,638.86	22 total; 1 since its plan	
Worthington city	City	Approved, expires 2028-01-26	FMA RL 0, SRL 0; any 1	\$6,188.27	27 total; 17 since its plan	
Wurtland city	City	Approved, expires 2028-01-26	FMA RL 1, SRL 1; any 1	\$17,819.99	12 total; 7 since its plan	

Repetitive-loss counts are for whole NFIP communities, which can extend beyond this county (see the note in B2-c).

County Public Assistance in B1-d also includes applicants filed under the county that are not jurisdictions in this plan (for example state agencies, special districts and nonprofits), so the jurisdiction rows add up to less.

Supports FEMA checklist items B2-a and B2-b: vulnerability and potential impacts

Local data needed

The table below gives county-level starting figures; the plan describes impacts for each jurisdiction and its own assets.

- Critical facilities and lifelines per hazard
- A problem statement per jurisdiction per hazard
- Changes in development in hazard-prone areas since the last approval, or a statement of none (E1-a)
- Future assets

County-level starter: exposure, expected annual loss and damage since the plan

Sources: 1, 2, 3, 5, 6, 7

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year; not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2023-01-27 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Avalanche	\$199,853	n/a	under 1	under \$1	n/a	\$33	under 0.0001%				
Cold Wave	\$6,048,798,791	\$7,458,266	35,905	\$22,410	\$1,591	\$156,268	0.00037%		\$0		
Drought	n/a	\$2,912,525	n/a	n/a	\$564	n/a	0.0194% (agriculture)		\$0		NRI has no building exposure for this hazard; agriculture shown
Earthquake	\$10,366,939,714	n/a	35,962	\$127,063	n/a	\$43,622	0.00123%				
Hail	\$6,048,798,791	\$7,458,266	35,905	\$53,358	\$332	\$642	0.000882%	\$0			
Heat Wave	\$6,048,798,791	\$7,458,266	35,905	\$19	\$9	\$2,373,220	under 0.0001%				
Hurricane	\$6,046,408,023	\$7,441,180	35,881	\$24,376	\$1,008	\$794	0.000403%			\$437,818.90	
Ice Storm	\$6,047,454,594	n/a	35,897	\$66,705	n/a	\$56,439	0.0011%				

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2023-01-27 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Inland Flooding	\$6,042,013,237	\$4,035,179	3,639	\$10,994,539	\$39,581	\$299,640	n/a (see note)	\$12,000		\$1,227,982.95	NRI counts the full building value of any census block with some flood loss; this is not the value of buildings in the floodplain. Use local FIRM overlays for B2-a/B2-b.
Landslide	\$774,797,265	n/a	5,257	\$1,799	n/a	\$25,300	0.000232%			\$1,227,982.95	
Lightning	\$6,048,798,791	n/a	35,905	\$6,626	n/a	\$203,850	0.00011%				
Strong Wind	\$6,048,798,791	\$7,458,266	35,905	\$75,445	\$3,043	\$422,672	0.00125%	\$133,800	\$25,000	\$1,227,982.95	Storm Events damage since the plan includes 11 zone-level Strong Wind records (\$25,000): a NOAA non-thunderstorm wind type, outside NRI's Strong Wind definition.
Tornado	\$6,048,798,791	\$7,458,266	35,905	\$277,569	\$142	\$563,469	0.00459%	\$2,000,000		\$670,504.92	
Wildfire	\$314,474,914	\$1,939,038	5,671	\$18,678	\$10	\$5,723	0.00594%				
Winter Weather	\$6,048,798,791	\$7,458,266	35,905	\$12,575	\$34	\$41,054	0.000208%		\$0	no Public Assistance recorded (1 declaration)	

Totals since 2023-01-27 (Storm Events through 2026-06-30): 104 county-coded records, 104 with a damage value recorded (including \$0), \$2,145,800; 29 zone-level records, 29 with a damage value recorded (including \$0), \$25,000 reported for the zone; Public Assistance: \$1,227,982.95 on 8 counted declarations, 3 of them with Public Assistance.

FEMA does not split Public Assistance by hazard. A declaration mapped to several hazards is listed under each of them with its full amount, so the per-hazard column does not add up to the total; the unit total counts each declaration once.

NRI computes earthquake exposure on its own basis, so it exceeds the county building value in B2-a.

Supports FEMA checklist item B2-a: vulnerability (county context)

County context

Source: 5

Measure	Value
Population	35,905
Building value (total, not at risk)	\$6,048,798,791
Agriculture value (total, not at risk)	\$7,458,266
NRI risk rating (all hazards)	Relatively Low
Expected annual loss, buildings and agriculture, all hazards	\$11,727,479
Expected annual loss, population equivalence, all hazards (NRI values each statistical life at \$13.7M; a modeled value of expected deaths and injuries, not property damage)	\$4,192,725
Social vulnerability rating	Relatively Moderate
Community resilience rating	Relatively Low
NRI version	December 2025

FEMA's all-hazard expected annual loss adds buildings, agriculture and population equivalence; this table gives the property part and the population-equivalence part as separate rows.

Social vulnerability: higher means people are more likely to be harmed and slower to recover. Community resilience: lower means the community is less able to recover. High social vulnerability and low resilience both raise the NRI risk rating.

Supports FEMA checklist item B2-c: repetitive loss properties

Repetitive loss in this county, both definitions

Sources: 1, 4

Definition	Properties	Severe repetitive loss	Properties
Repetitive loss, FMA definition (44 CFR 77.2)	19	Severe repetitive loss, FMA definition (44 CFR 77.2)	31
Repetitive loss, NFIP insurance definition	67	Severe repetitive loss, NFIP insurance definition	30

The state NFIP coordinator's list, the source FEMA's Handbook names, often uses the NFIP insurance definition (second row).

Repeat-flood properties: county total and NFIP communities

Sources: 1, 4

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
County total	19	31	67	30	67	0	15
of which: Flatwoods city	0	0	3	0	3	0	0
of which: Greenup city	1	1	6	1	6	0	1
of which: Russell city	1	3	3	3	3	0	1
of which: Worthington city	0	0	1	0	1	0	0
of which: Greenup County (unincorporated area)	16	26	53	25	53	0	13
of which: Wurtland city	1	1	1	1	1	0	0

Repeat-flood properties by jurisdiction in the plan (NFIP community)

Sources: 1, 4

Jurisdiction	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
Greenup County (unincorporated area)	210284	16	26	53	25	53	0	13
Bellefonte city	215231	0	0	0	0	0	0	0
Flatwoods city	210087	0	0	3	0	3	0	0
Greenup city	210088	1	1	6	1	6	0	1
Raceland city	210089	0	0	0	0	0	0	0
Russell city	210090	1	3	3	3	3	0	1
South Shore city	210091	0	0	0	0	0	0	0
Worthington city	210092	0	0	1	0	1	0	0
Wurtland city	210285	1	1	1	1	1	0	0

Counts by occupancy group for each jurisdiction are in the Excel file, sheet "B2-c Jurisdictions".

Jurisdiction rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each jurisdiction row, while the county table counts only its part in this county.

County repeat-flood properties by occupancy group

Sources: 1, 4

Occupancy group	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
single-family residential	17	26	60	25	60	0	13
2 to 4 unit residential	0	0	0	0	0	0	0
other residential	0	1	2	1	2	0	1
non-residential	2	4	5	4	5	0	1
not reported	0	0	0	0	0	0	0

FEMA's occupancy groups have no institutional class; institutional properties are counted in non-residential or other residential in the table by occupancy group.

FMA RL and FMA SRL are the Flood Mitigation Assistance definitions (44 CFR 77.2), the ones the FEMA Local Mitigation Planning Policy Guide cites. NFIP repetitive loss (the FEMA insurance definition) is 2 or more claims over \$1,000 in 10 years, and a property can leave that group once it is mitigated. Also shown: NFIP severe repetitive loss, any category, mitigated and currently insured. The Methods page gives the OpenFEMA field details.

Counts are aggregates of FEMA's public NFIP Multiple Loss Properties file (FEMA's data date 2026-08-02; file version 2026-08-04). No property is identified. County assignment is FEMA's geocode.

In this county 0 properties are FMA repetitive loss but not NFIP repetitive loss, and 48 properties are NFIP repetitive loss but not FMA repetitive loss.

Exact counts; no count suppression.

Sources

Tables cite these sources by number. The full list, for the plan's bibliography (FEMA review item A4-a):

1. FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-29T134039Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
2. FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-29T162832Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
3. FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-29T150754Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
4. FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
5. FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-30, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
6. NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-30, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
7. NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-30, <https://www.weather.gov/gis/ZoneCounty>
8. U.S. Census Bureau, Census 2024 Gazetteer, 2020 place by county, CT county-to-cousub crosswalk, version 2024-gazetteer, pulled 2026-09-30, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_counties_national.zip, [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_cousubs_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_cousubs_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_place_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_place_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_unsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_unsd_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_elsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_elsd_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_scsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_scsd_national.zip), https://www2.census.gov/geo/docs/reference/codes2020/national_place_by_county2020.txt, https://www2.census.gov/geo/docs/reference/ct_change/ct_cou_to_cousub_crosswalk.xlsx (used to match place names and codes; no table prints its values)

What this packet is and what the plan adds

This packet is the federal data for the plan's risk assessment (the summary on page 1 says how it is organized); the plan and FEMA's review decide whether each item is met.

The plan adds what only the community has: local data on assets, critical facilities, development and each jurisdiction's impacts; local hazard history, including state-declared emergencies; the mitigation strategy; and adoption.

How the federal data are built: National Risk Index values are FEMA's model, not counts of events. Storm Events is more complete from 1996; zone-level records are placed by forecast zone, not by location in the county. Public Assistance for a jurisdiction is matched by applicant name. The Methods page gives every rule and the known edge cases.

OpenFEMA disclaimer

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Reuse, citation and corrections

Reuse and citation: Hazard Plain text and tables are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0, <https://creativecommons.org/licenses/by/4.0/>); credit Hazard Plain and the release. The underlying federal data are public domain; OpenFEMA data are also subject to the OpenFEMA terms and conditions.

Cite this: Hazard Plain (2026). Greenup County, KY: risk-assessment baseline packet, release 2026-10 (data as of 2026-09-30; County FIPS 21089). Automated baseline. <https://hazardplain.org/ky/21089/> Built from FEMA OpenFEMA, the FEMA National Risk Index and NOAA NCEI Storm Events; source versions in the packet's Sources list.

Corrections: to report an error, name the packet, the table and what your records show. Contact: contact@hazardplain.org