

Hopkins County, KY

Risk-assessment baseline packet

County FIPS: 21107 Release: 2026-10 Data as of: 2026-09-30 Storm Events data through: 2026-06-30

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

Summary

Plan status as of 2026-09-30: Approved, expires 2028-04-13. Plan: Pennyryle ADD Regional (FEMA plan 108982), approved 2023-04-14.

Since the plan was approved on 2023-04-14: 6 new hazard declarations (4 incidents) and 74 NOAA Storm Events records; details under "What changed since your last plan".

Highest expected annual loss (FEMA National Risk Index, modeled total; see B1-a): Inland Flooding (\$9,376,445 a year), Earthquake (\$5,667,198) and Tornado (\$3,165,223).

The tables that follow are organized by the items of FEMA's Local Mitigation Plan Review Tool, Element B (B1-a to B2-c); each heading says which item its tables support.

TERMS USED

EAL: expected annual loss: FEMA's modeled average yearly loss from a hazard.

NRI: FEMA's National Risk Index (version 1.20, December 2025).

NFIP: National Flood Insurance Program.

RL, SRL: repetitive loss and severe repetitive loss: flood-insured properties with repeated claims (definitions in B2-c).

FMA, HMGP: Flood Mitigation Assistance and Hazard Mitigation Grant Program, FEMA mitigation grants.

PA: FEMA Public Assistance: disaster aid to governments and some nonprofits.

Zone-level: NOAA logged the event for a National Weather Service forecast zone, which may include parts of neighboring counties.

County-coded: NOAA logged the event to this county.

FIPS: the federal code for a place; 21107 is this area.

D0 to D4: U.S. Drought Monitor categories, from abnormally dry (D0) to exceptional drought (D4).

F/EF, EFU: Fujita and Enhanced Fujita tornado ratings; EFU is an unrated tornado.

kt, CONUS: knots (1 kt is about 1.15 mph); the contiguous United States.

CFR: Code of Federal Regulations.

A4-a, E1-a: other items of FEMA's Local Mitigation Plan Review Tool (sources, and changes since the last plan).

Dollars: nominal (as reported, labeled with the year), not adjusted for inflation.

CONTENTS

1. Summary and terms used, page 1
2. Plan clock, page 2
3. What changed since your last plan (approved 2023-04-14), page 2
4. B1-a: hazard identification, page 4
5. B1-b: hazard location, page 5
6. B1-c: hazard extent, page 6
7. B1-d: previous occurrences, page 8
8. B1-e: probability of future events, page 13
9. B1-f: hazards that vary across jurisdictions, page 15
10. B2-a and B2-b: vulnerability and potential impacts, page 18
11. B2-a: vulnerability (county context), page 20
12. B2-c: repetitive loss properties, page 20
13. Sources, what the plan adds, disclaimer and citation, page 22

Plan clock

Status:	Approved, expires 2028-04-13	Plan:	Pennyrile ADD Regional (FEMA plan 108982)
Approved:	2023-04-14	Days to expiry:	561

What changed since your last plan (approved 2023-04-14)

New federal declarations:	6 new hazard declarations (4 incidents): DR-4804-KY (Severe Storms, Straight-Line Winds, Tornadoes, Landslides, and Mudslides), EM-3624-KY (Severe Storms, Straight-Line Winds, Flooding, and Landslides), DR-4860-KY (Severe Storms, Straight-Line Winds, Flooding, Landslides, and Mudslides), EM-3626-KY (Severe Storms, Straight-Line Winds, Tornadoes, and Flooding), DR-4864-KY (Severe Storms, Straight-Line Winds, Tornadoes, Flooding, Landslides, and Mudslides), EM-3633-KY (Severe Winter Storm)	Storm Events records since approval:	74 records (data through 2026-06-30)
Repetitive loss now:	FMA RL 0, SRL 0 (44 CFR 77.2); any definition: 9	Repeat-flood change:	this release sets the baseline count.

Sources: 1, 2, 4, 6 (numbered list at the end)

Plan status for every jurisdiction listed in this county

Source: 1

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry <i>negative = days since expiry</i>	Update underway	Notes
Hopkins County (unincorporated area)	Unincorporated	Approved, expires 2028-04-13	Pennyrile ADD Regional (FEMA plan 108982)	2023-04-14	2028-04-13	561		this jurisdiction approved 2023-07-18
Dawson Springs city	City	Approved, expires 2028-04-13	Pennyrile ADD Regional (FEMA plan 108982)	2023-04-14	2028-04-13	561		this jurisdiction approved 2023-07-18
Earlington city	City	Approved, expires 2028-04-13	Pennyrile ADD Regional (FEMA plan 108982)	2023-04-14	2028-04-13	561		this jurisdiction approved 2023-07-18
Hanson city	City	Approved, expires 2028-04-13	Pennyrile ADD Regional (FEMA plan 108982)	2023-04-14	2028-04-13	561		
Madisonville city	City	Approved, expires 2028-04-13	Pennyrile ADD Regional (FEMA plan 108982)	2023-04-14	2028-04-13	561		
Mortons Gap city	City	Approved, expires 2028-04-13	Pennyrile ADD Regional (FEMA plan 108982)	2023-04-14	2028-04-13	561		
Nebo city	City	Approved, expires 2028-04-13	Pennyrile ADD Regional (FEMA plan 108982)	2023-04-14	2028-04-13	561		this jurisdiction approved 2024-05-14
Nortonville city	City	Approved, expires 2028-04-13	Pennyrile ADD Regional (FEMA plan 108982)	2023-04-14	2028-04-13	561		this jurisdiction approved 2024-04-16
St. Charles city	City	Plan 108982 approved 2023-04-14, pending adoption here; not yet eligible	Pennyrile ADD Regional (FEMA plan 108982), pending adoption here	2023-04-14 by FEMA; not yet adopted here	2028-04-13 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.
White Plains city	City	Approved, expires 2028-04-13	Pennyrile ADD Regional (FEMA plan 108982)	2023-04-14	2028-04-13	561		

Plan 108982 covers 32 other participants, named in the Excel file.

State plan status and tribal plans in this state: see the state page.

Supports FEMA checklist item B1-a: hazard identification

Hazards NRI does not cover (local data needed)

- dam failure (incl. upstream dams)
- levee failure
- flash flood as its own subtype
- ice jams
- debris flows
- erosion (riverine and coastal)
- land subsidence and sinkholes
- expansive soils

The 18 National Risk Index hazards, ranked by expected annual loss (EAL)

Sources: 5, 6

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records, 1996 to 2026-06-30 <i>count</i>	Storm Events coverage note
1	Inland Flooding	Relatively Low	Relatively Low	\$9,250,409	\$66,904	\$59,132	\$9,376,445	69	
2	Earthquake	Relatively Moderate	Relatively Moderate	\$3,653,988	n/a	\$2,013,210	\$5,667,198		Storm Events does not record earthquakes.
3	Tornado	Relatively Moderate	Relatively Moderate	\$1,500,007	\$7,032	\$1,658,183	\$3,165,223	17	
4	Strong Wind	Relatively High	Relatively High	\$788,670	\$258,224	\$978,572	\$2,025,466	172	Includes 8 High Wind and 63 Strong Wind records (NOAA non-thunderstorm wind types, outside NRI's Strong Wind definition).
5	Ice Storm	Very High	Relatively High	\$1,116,404	n/a	\$538,215	\$1,654,619	7	
6	Heat Wave	Relatively Low	Relatively Low	\$74	\$358	\$952,071	\$952,503	73	
7	Hail	Relatively Moderate	Relatively Moderate	\$771,290	\$4,737	\$14,371	\$790,398	78	
8	Cold Wave	Relatively Low	Relatively Low	\$112	\$48,898	\$729,174	\$778,184	70	Includes 50 Frost/Freeze records (outside NRI's Cold Wave definition; counted in this table and in B1-d, not in the B1-e descriptor).
9	Lightning	Relatively Moderate	Relatively Moderate	\$11,947	n/a	\$538,214	\$550,161	4	
10	Drought	Relatively Moderate	Relatively Moderate	n/a	\$431,129	n/a	\$431,129	36	
11	Winter Weather	Relatively Moderate	Relatively Moderate	\$160,931	\$622	\$11,149	\$172,701	102	
12	Hurricane	Very Low	Very Low	\$6,889	\$4,431	\$87	\$11,407	0	Declared 1 time; no Storm Events record of this type.

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records, 1996 to 2026-06-30 <i>count</i>	Storm Events coverage note
13	Wildfire	Very Low	Very Low	\$4,384	\$26	\$1,194	\$5,605	2	
14	Landslide	Very Low	Very Low	\$96	n/a	\$286	\$382	0	Declared 8 times; no Storm Events record of this type.

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

NRI risk rating combines expected annual loss with social vulnerability and community resilience; EAL rating rates expected annual loss alone. Both compare this county with all U.S. counties.

Local data needed: state and local landslide records (Storm Events records this hazard only in part).

Not applicable to this county per NRI, with no federal declaration and no Storm Events record since 1996: avalanche, coastal flooding, tsunami and volcanic activity. That is the evidence for leaving them out of the plan.

The state hazard mitigation plan also lists hazards for this county; FEMA asks the plan to explain any hazard it leaves out.

Supports FEMA checklist item B1-b: hazard location

Affects the whole county (national data give no location within it): Cold Wave, Drought, Hail, Heat Wave, Ice Storm, Lightning, Strong Wind and Winter Weather.

Inland Flooding: The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (<https://msc.fema.gov>) for this county.

Hazards that vary within the county: highest-rated census tracts

Source: 5

Hazard	Highest-rated census tracts <i>NRI risk rating, score 0 to 100</i>
Earthquake	tract 9703.01 (Relatively High, 90.5); tract 9703.02 (Relatively High, 89.6); tract 9704 (Relatively High, 89.0)
Hurricane	tract 9707 (Very Low, 38.2); tract 9713 (Very Low, 37.9); tract 9702 (Very Low, 37.2)
Landslide	tract 9710 (Relatively Low, 82.1); tract 9709 (Very Low, 80.4); tract 9702 (Very Low, 78.9)
Tornado	tract 9707 (Relatively High, 92.0); tract 9713 (Relatively High, 90.2); tract 9705 (Relatively High, 89.0)
Wildfire	tract 9713 (Relatively Low, 68.8); tract 9709 (Very Low, 64.0); tract 9703.02 (Very Low, 62.2)

Up to 3 census tracts per hazard, highest National Risk Index rating first, then highest score; a tract number is the Census tract number (for example 9703.01 is Census Tract 9703.01). FEMA's Resilience Analysis and Planning Tool maps the National Risk Index for every tract: <https://www.fema.gov/emergency-managers/practitioners/resilience-analysis-and-planning-tool>

Supports FEMA checklist item B1-c: hazard extent

Extent: scale, observed range and worst recorded event per hazard

Sources: 6, 7

Hazard	Scale	Records <i>count and years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to jurisdictions	Note
Cold/Wind Chill, Extreme Cold/Wind Chill	wind chill	20 records, 1996 to 2026 (20 zone-level)	1 day to 24 days (median 2 days); 18 with a recorded value	2000-12-12 to 2001-01-04 (2 records, 1 of them a monthly summary record), zone-level		Countywide (zone-level records).	
Frost/Freeze (outside NRI's Cold Wave definition)	crop damage	50 records, 1997 to 2024 (50 zone-level)		Frost/Freeze, 2008-04-29, \$10,000 crop damage (2008 dollars); NWS zone KYZ016		Countywide (zone-level records).	
Drought	U.S. Drought Monitor scale (D0 to D4)	36 records, 1996 to 2026 (36 zone-level)	9 days to 187 days (median 26 days); 16 with a recorded value	187 days (about 6.1 months), 2012-05-12 to 2012-11-14, a run of 7 consecutive Storm Events drought records, zone-level	Drought, 1999-09-01, property not reported; \$7,000,000 crops (zone total, 1999 dollars)	Countywide (zone-level records).	Storm Events enters a drought at D2 or worse east of the Rockies and D3 or worse from the Rockies west (NWS Instruction 10-1605); NRI drought counts D3 and D4 only.
Earthquake	Modified Mercalli (local data)	0					Storm Events does not record earthquakes; the USGS earthquake catalog is the source.
Hail	hail size (inches)	86 records, 1959 to 2025	0.75 in to 2.75 in (median 1 in); 86 with a recorded value	2.75 in hail, 2005-05-19	Hail, 2016-05-10, \$50,000 property; \$0 crops (2016 dollars)	Event records naming jurisdictions in the plan: Madisonville city (25 records), Dawson Springs city (16 records), Hanson city (11 records), Nortonville city (5 records), Earlington city (4 records), Mortons Gap city (2 records), Nebo city (2 records), St. Charles city (2 records), White Plains city (1 record).	
Excessive Heat, Heat	heat index (in event narratives)	73 records, 1997 to 2025 (73 zone-level)	1 day to 15 days (median 2 days); 63 with a recorded value	15 consecutive days, 2025-07-16 to 2025-07-30, zone-level		Countywide (zone-level records).	Heat records from November to March (unseasonable warmth, not a heat wave) are counted but not used for the longest run.
Hurricane, Tropical Storm, Tropical Depression	Saffir-Simpson	0					Storm Events files every zone of a storm's episode under the storm's type; flooding from the storm is filed as Flood or Flash Flood records.
Ice Storm	Sperry-Piltz ice scale (local data)	7 records, 1999 to 2025 (7 zone-level)		Ice Storm, 2009-01-26, \$25,200,000 property; \$0 crops (2009 dollars), 1 direct death, 1 direct injury (reported for the zone); NWS zone KYZ016		Countywide (zone-level records).	

Hazard	Scale	Records <i>count and years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to jurisdictions	Note
Flash Flood, Flood, Lakeshore Flood	damage and flood days (flood depth: FIRM)	69 records, 1997 to 2025 (2 zone-level)		Flash Flood, 2013-06-24, \$500,000 property; \$0 crops (2013 dollars)		Event records naming jurisdictions in the plan: Madisonville city (28 records), Earlington city (6 records), Mortons Gap city (6 records), Nebo city (5 records), Nortonville city (5 records), Hanson city (4 records), Dawson Springs city (3 records), St. Charles city (1 record), White Plains city (1 record). Zone-level records (2) apply countywide.	Flood depth: see the FEMA Flood Insurance Rate Map. Storm Events damage is often \$0 or blank for floods, major ones included; FEMA Public Assistance by declaration (B1-d) shows which floods cost the most.
Debris Flow	none (count and damage only)	0					
Lightning	annualized frequency (the measure FEMA's Local Mitigation Planning Handbook names)	4 records, 2009 to 2022		Lightning, 2022-07-02, \$0 property; \$0 crops (2022 dollars), 1 direct death	Lightning, 2016-04-27, \$10,000 property; \$0 crops (2016 dollars)	Event records naming jurisdictions in the plan: Madisonville city (3 records), Hanson city (1 record).	Storm Events lists lightning with damage or casualties.
High Wind and Strong Wind (outside NRI's Strong Wind definition)	wind speed (kt and mph)	71 records, 1997 to 2026 (71 zone-level)	26 kt (30 mph) to 58 kt (67 mph) (median 39 kt (45 mph)); 65 with a recorded value	58 kt (67 mph) measured gust, High Wind, 2008-09-14, 17 direct injuries (reported for the zone); NWS zone KYZ016		Countywide (zone-level records).	
Thunderstorm Wind	wind speed (kt and mph)	142 records, 1958 to 2026	50 kt (58 mph) to 87 kt (100 mph) (median 54 kt (62 mph)); 105 with a recorded value	87 kt (100 mph) estimated gust, Thunderstorm Wind, 2024-05-26	Thunderstorm Wind, 2008-02-05, \$130,000 property; \$0 crops (2008 dollars)	Event records naming jurisdictions in the plan: Madisonville city (38 records), Dawson Springs city (12 records), Nebo city (11 records), Mortons Gap city (9 records), White Plains city (7 records), Earlington city (6 records), Hanson city (4 records), Nortonville city (4 records), St. Charles city (2 records).	
Tornado	Enhanced Fujita (Fujita before Feb 2007)	21 records, 1956 to 2026	F/EF0 to F/EF4 (median F/EF1); 21 with a recorded value	EF4 tornado, 2021-12-10, 20.56 mi within this county, 2,000 yd wide, property not reported; \$0 crops (2021 dollars), 15 direct deaths, 200 direct injuries	Tornado, 2005-11-15, \$31,000,000 property; crops not reported (2005 dollars)	Event records naming jurisdictions in the plan: Earlington city (2 records), St. Charles city (2 records), Dawson Springs city (1 record), Hanson city (1 record), Madisonville city (1 record), Mortons Gap city (1 record), Nebo city (1 record), Nortonville city (1 record), White Plains city (1 record).	Before 1996 a tornado is listed once, under the county where it began, with its whole path's rating and length; from 1996 on, each county lists its own segment. Length is not used to rank tornadoes (see Methods).

Hazard	Scale	Records <i>count and years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to jurisdictions	Note
Wildfire	acres burned (local data)	2 records, 2004 to 2006 (2 zone-level)		No damage reported in 2 records.		Countywide (zone-level records).	
Winter Storm, Heavy Snow, Blizzard, Lake- Effect Snow, Winter Weather, Sleet	none in data (snowfall: local data)	102 records, 1996 to 2026 (102 zone- level)		Winter Storm, 2008-02-11, \$1,500,000 property; \$0 crops (2008 dollars); NWS zone KYZ016		Countywide (zone-level records).	

In event narratives only (local data needed): wind chill, temperature, heat index, ice thickness, acres burned and snow depth; any physical measure of debris flow and lightning.

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records from zones that no NWS zone-county file places in this county (mostly before 2020) are not counted here (the Methods page explains the zone matching).

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

A monthly summary record covers most or all of a month; it does not count days at wave conditions.

Supports FEMA checklist item B1-d: previous occurrences

Federal declarations for this county: 30 declarations covering 23 separate hazard incidents counted in this packet (declarations for the same incident count once; non-natural and evacuation-only declarations are not counted).

Federal disaster declarations for this county

Sources: 1, 2, 3

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance <i>federal share obligated, nominal dollars</i>	Flags	Notes
2026-01-24	2026-01-23	EM-3633-KY	Emergency	Severe Winter Storm	Winter Weather	no Public Assistance recorded	new since last plan; within last 5 years	
2025-04-24	2025-04-02	DR-4864-KY	Major disaster	Severe Storms, Straight-Line Winds, Tornadoes, Flooding, Landslides, and Mudslides	Inland Flooding; Landslide; Strong Wind; Tornado	\$207,531.81	new since last plan; within last 5 years	
2025-04-03	2025-04-02	EM-3626-KY	Emergency	Severe Storms, Straight-Line Winds, Tornadoes, and Flooding	Inland Flooding; Strong Wind; Tornado	no Public Assistance recorded	new since last plan; within last 5 years	same incident as DR-4864
2025-02-24	2025-02-14	DR-4860-KY	Major disaster	Severe Storms, Straight-Line Winds, Flooding, Landslides, and Mudslides	Inland Flooding; Landslide; Strong Wind	\$204,245.79	new since last plan; within last 5 years	
2025-02-16	2025-02-14	EM-3624-KY	Emergency	Severe Storms, Straight-Line Winds, Flooding, and Landslides	Inland Flooding; Landslide; Strong Wind	no Public Assistance recorded	new since last plan; within last 5 years	same incident as DR-4860
2024-07-23	2024-05-21	DR-4804-KY	Major disaster	Severe Storms, Straight-Line Winds, Tornadoes, Landslides, and Mudslides	Landslide; Strong Wind; Tornado	\$1,837,967.74	new since last plan; within last 5 years	
2023-04-10	2023-03-03	DR-4702-KY	Major disaster	Severe Storms, Straight-Line Winds, Tornadoes, Flooding, Landslides, and Mudslides	Inland Flooding; Landslide; Strong Wind; Tornado	\$117,591.95	in the 12 months before plan approval; within last 5 years	

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance		Flags	Notes
						<i>federal share obligated, nominal dollars</i>			
2021-12-12	2021-12-10	DR-4630-KY	Major disaster	Severe Storms, Straight-Line Winds, Flooding, and Tornadoes	Tornado (primary); also designated: Inland Flooding, Strong Wind	\$21,925,390.41		within last 5 years	
2021-12-11	2021-12-10	EM-3575-KY	Emergency	Severe Storms, Straight-Line Winds, Flooding, and Tornadoes	Tornado (primary); also designated: Inland Flooding, Strong Wind	no Public Assistance recorded		within last 5 years	same incident as DR-4630
2020-03-28	2020-01-20	DR-4497-KY	Major disaster	COVID-19 Pandemic	Non-natural, not counted	\$6,187,795.62			
2020-03-13	2020-01-20	EM-3469-KY	Emergency	COVID-19	Non-natural, not counted	no Public Assistance recorded			same incident as DR-4497
2016-08-26	2016-07-02	DR-4278-KY	Major disaster	Severe Storm, Tornadoes, Flooding, Landslides, and Mudslides	Inland Flooding; Landslide; Tornado	\$137,949.08			
2011-05-04	2011-04-12	DR-1976-KY	Major disaster	Severe Storms, Tornadoes, and Flooding	Inland Flooding; Tornado	\$176,195.10			
2010-05-11	2010-05-01	DR-1912-KY	Major disaster	Severe Storms, Flooding, Mudslides, and Tornadoes	Inland Flooding; Landslide; Tornado	\$194,857.30			
2009-02-05	2009-01-26	DR-1818-KY	Major disaster	Severe Winter Storm and Flooding	Ice Storm	\$2,949,562.61			
2009-01-28	2009-01-27	EM-3302-KY	Emergency	Severe Winter Storm	Ice Storm	no Public Assistance recorded			same incident as DR-1818
2008-10-09	2008-09-12	DR-1802-KY	Major disaster	Severe Wind Storm Associated with Tropical Depression Ike	Hurricane; Strong Wind	\$563,903.10			
2008-05-19	2008-04-03	DR-1757-KY	Major disaster	Severe Storms, Tornadoes, Flooding, Mudslides, and Landslides	Inland Flooding; Landslide; Tornado	\$567,306.33			
2008-02-21	2008-02-05	DR-1746-KY	Major disaster	Severe Storms, Tornadoes, Straight-Line Winds, and	Strong Wind; Tornado	PA not declared for this county			
2005-12-01	2005-11-15	DR-1617-KY	Major disaster	Severe Storms and Tornadoes	Tornado	PA not declared for this county			
2005-09-10	2005-08-29	EM-3231-KY	Emergency	Hurricane Katrina	Hurricane: evacuation support, not a local hazard event; not counted	no Public Assistance recorded			
2005-02-08	2004-12-21	DR-1578-KY	Major disaster	Severe Winter Storm and Record Snow	Winter Weather	\$56,657.25			
2004-06-10	2004-05-26	DR-1523-KY	Major disaster	Severe Storms, Tornadoes, Flooding, and Mudslides	Inland Flooding; Landslide; Tornado	PA not declared for this county			
2003-06-03	2003-05-04	DR-1471-KY	Major disaster	Severe Storms, Flooding, Mud and Rock Slides, and Tornadoes	Inland Flooding; Tornado	\$162,324.88			
2002-05-07	2002-04-27	DR-1414-KY	Major disaster	Severe Storms, Tornadoes and Flooding	Inland Flooding; Tornado	PA not declared for this county			
2000-01-10	2000-01-03	DR-1310-KY	Major disaster	Tornadoes, Severe Storms, Torrential Rains, and Flash Flooding	Tornado (primary); also designated: Inland Flooding	\$295,118.47			
1997-03-04	1997-03-01	DR-1163-KY	Major disaster	Severe Storm, Flooding, and Tornadoes	Inland Flooding; Tornado	no Public Assistance recorded			

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance	Flags	Notes
						<i>federal share obligated, nominal dollars</i>		
1996-01-13	1996-01-05	DR-1089-KY	Major disaster	Blizzard of 96	Winter Weather	no Public Assistance recorded		
1989-02-24	1989-01-13	DR-821-KY	Major disaster	Severe Storms & Flooding	Inland Flooding	no Public Assistance recorded		
1969-07-15	1969-07-15	DR-265-KY	Major disaster	Severe Storms & Flooding	Inland Flooding	no Public Assistance recorded		

County Public Assistance: applicants the FEMA record places in this county, including any state agencies FEMA files there; statewide rows are listed on the state page; federal share obligated, nominal dollars.

Statewide declarations

Source: 2

Declared	Incident began	FEMA number	Type	Title	Mapped hazard
1964-03-17	1964-03-17	DR-163-KY	Major disaster	Severe Storms & Flooding	Inland Flooding
1963-03-13	1963-03-13	DR-148-KY	Major disaster	Severe Storms & Flooding	Inland Flooding
1962-03-12	1962-03-12	DR-128-KY	Major disaster	Floods	Inland Flooding
1957-01-31	1957-01-31	DR-66-KY	Major disaster	Flood	Inland Flooding

FEMA recorded these with designated area Statewide and no county, so they are listed on every county page in the state and not counted with county rows. Local data needed: whether each one affected this county.

Previous occurrences by hazard, with explicit no-event rows

Sources: 2, 6, 7

Hazard	Storm Events records, all years on file <i>(years in the Period column)</i>	Since plan approval records	In the 12 months before plan approval records	Last 5 years records	Declared incidents, all years <i>separate disasters</i>	Declared since approval <i>separate disasters</i>	Period	Statement
Cold Wave	70	10	2	13	0	0	1996 to 2026-06-30	Includes 50 Frost/Freeze records.
Drought	36	2	3	5	0	0	1996 to 2026-06-30	
Earthquake	0	0	0	0	0	0		Storm Events does not record earthquakes; the USGS earthquake catalog is the source.
Hail	86	8	2	11	0	0	1955 to 2026-06-30	
Heat Wave	73	14	6	20	0	0	1996 to 2026-06-30	
Hurricane	0	0	0	0	1	0	1996 to 2026-06-30	No Storm Events records of this type; 1 federal declared incident (see declarations table)
Ice Storm	7	1	0	2	1	0	1996 to 2026-06-30	
Inland Flooding	69	9	6	17	15	2	1996 to 2026-06-30	

Hazard	Storm Events records, all years on file <i>(years in the Period column)</i>	Since plan approval <i>records</i>	In the 12 months before plan approval <i>records</i>	Last 5 years <i>records</i>	Declared incidents, all years <i>separate disasters</i>	Declared since approval <i>separate disasters</i>	Period	Statement
Landslide	0	0	0	0	8	3	1996 to 2026-06-30	No Storm Events records of this type; 8 federal declared incidents (see declarations table)
Lightning	4	0	1	1	0	0	1996 to 2026-06-30	
Strong Wind	213	20	10	34	7	3	1955 to 2026-06-30	Includes 8 High Wind and 63 Strong Wind records.
Tornado	21	2	0	4	15	2	1950 to 2026-06-30	
Wildfire	2	0	0	0	0	0	1996 to 2026-06-30	
Winter Weather	102	8	5	16	3	1	1996 to 2026-06-30	

Notable Storm Events records

Sources: 1, 6, 7

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Deaths, injuries <i>direct only</i>	Location	Flags	Why listed
2025-07-16	Excessive Heat		\$0 property; \$0 crops (zone total, 2025 dollars)	0, 0	NWS zone KYZ016 (HOPKINS), zone-level	new since last plan; within last 5 years	B1-c worst recorded: Excessive Heat, Heat
2024-05-26	Thunderstorm Wind	87 kt (100 mph) estimated gust	\$10,000 property; \$0 crops (2024 dollars)	0, 0	BARNESLEY to WHITE CITY	new since last plan; within last 5 years	B1-c worst recorded: Thunderstorm Wind
2024-05-26	Tornado	EF3, 15.39 mi within this county, 700 yd wide	\$2,700,000 property; \$0 crops (2024 dollars)	1, 17	OLNEY to BARNESLEY	new since last plan; within last 5 years	deaths or injuries recorded
2022-07-02	Lightning		\$0 property; \$0 crops (2022 dollars)	1, 0	MADISONVILLE	in the 12 months before plan approval; within last 5 years	B1-c worst recorded: Lightning
2021-12-10	Tornado	EF4, 20.56 mi within this county, 2,000 yd wide	property not reported; \$0 crops (2021 dollars)	15, 200	DAWSON SPGS to FIES	within last 5 years	deaths or injuries recorded
2013-06-24	Flash Flood		\$500,000 property; \$0 crops (2013 dollars)	0, 0	CARBONDALE to OAK HILL		B1-c worst recorded: Flash Flood, Flood, Lakeshore Flood
2012-05-12	Drought		\$0 property; \$0 crops (zone total, 2012 dollars)	0, 0	NWS zone KYZ016 (HOPKINS), zone-level		B1-c worst recorded: Drought
2009-01-26	Ice Storm		\$25,200,000 property; \$0 crops (zone total, 2009 dollars)	1, 1	NWS zone KYZ016 (HOPKINS), zone-level		deaths or injuries recorded
2008-09-14	High Wind	58 kt (67 mph) measured gust	\$9,300,000 property; \$4,000,000 crops (zone total, 2008 dollars)	0, 17	NWS zone KYZ016 (HOPKINS), zone-level		B1-c worst recorded: High Wind and Strong Wind
2008-04-29	Frost/Freeze		\$0 property; \$10,000 crops (zone total, 2008 dollars)	0, 0	NWS zone KYZ016 (HOPKINS), zone-level		B1-c worst recorded: Frost/Freeze
2005-05-19	Hail	2.75 in	\$20,000 property; crops not reported (2005 dollars)	0, 0	DAWSON SPGS		B1-c worst recorded: Hail
2000-12-12	Extreme Cold/ Wind Chill		damage not reported	0, 0	NWS zone KYZ016 (HOPKINS), zone-level		B1-c worst recorded: Cold/Wind Chill, Extreme Cold/Wind Chill

The full list is in the Excel file, sheet "B1-d Storm Events history" (683 rows).

Location is the place NOAA recorded, as written in its data; it need not be a jurisdiction in this plan.

Local data needed: state-declared emergencies, from your state emergency management agency (federal data do not include them).

FEMA's declaration data list no tribal or special-area declarations for this state.

Supports FEMA checklist item B1-e: probability of future events

Probability: FEMA annualized frequency and descriptor per hazard

Sources: 5, 6

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Cold Wave	0.895	event-days per year	about 0.895 days per year	Likely	Storm Events event- days in 13 of 30 years, 1996 to 2025 (43.3%)	17	2005-11-12 to 2024-11-12 (19 years)	countywide	
Drought	6	event-days per year	about 6 days per year	Likely	Storm Events event- days in 14 of 30 years, 1996 to 2025 (46.7%)	182	2000 to 2025 (25.25 years; D3 and D4 only)	countywide	
Earthquake	0.00586	annual probability at a location	chance a given location in the county has at least minor-damage shaking in a year: 0.586%			not shown	modeled	see B1-f	No descriptor (Storm Events does not record earthquakes).
Hail	2.95	events per year	about 2.95 per year	Highly likely	FEMA annualized frequency (modeled)	112.2 (modeled)	1986 to 2023 (38 years)	countywide	
Heat Wave	8.53	event-days per year	about 8.53 days per year	Likely	Storm Events event- days in 26 of 30 years, 1996 to 2025 (86.7%)	119	2005-11-12 to 2024-11-12 (19 years)	countywide	
Hurricane	0.00575	events per year	about 1 in 174 years	Unlikely	FEMA annualized frequency (modeled)	1	1851 to 2024 (Atlantic)	see B1-f	NRI counts hurricane and tropical storm tracks passing within storm-force wind range; federal declarations are in B1-d.
Ice Storm	1.35	event-days per year	about 1.35 days per year	Likely	Storm Events event- days in 6 of 30 years, 1996 to 2025 (20%)	91	1946-12-31 to 2014-02-12 (67 years)	countywide	
Inland Flooding	2.04	event-days per year	about 2.04 days per year	Likely	Storm Events event- days in 26 of 30 years, 1996 to 2025 (86.7%)	57	1996 to 2023 (28 years)	see B1-f	
Landslide	0.693	events per year (modeled)	about 0.69 per year	Likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Lightning	53.5	days per year with a strike	about 53.5 days per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1995 to 2023 (29 years; CONUS)	countywide	
Strong Wind	4.64	events per year	about 4.64 per year	Highly likely	FEMA annualized frequency (modeled)	177	1986 to 2023 (38 years)	countywide	

Hazard	FEMA annualized frequency (modeled)	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
	<i>unit per row</i>								
Tornado	0.446	events per year	about 1 in 2 years	Likely	FEMA annualized frequency (modeled)	not shown	1950 to 2023 (EF2+); 1986 to 2023 (EF0-1)	see B1-f	
Wildfire	0.000125	annual probability at a location	chance a given location in the county burns in a year: 0.0125%	Possible	Storm Events records in 2 of 30 years, 1996 to 2025 (6.67%)	not shown	modeled	see B1-f	
Winter Weather	7.47	event-days per year	about 7.47 days per year	Highly likely	Storm Events event- days in 27 of 30 years, 1996 to 2025 (90%)	142	2005-11-12 to 2024-11-12 (19 years)	countywide	

FEMA annualized frequency (modeled) is the National Risk Index v1.20 (December 2025) estimate of how often a hazard affects this county in a year; it is not recorded events divided by years, and its unit differs by hazard (events, event-days, or days with a lightning strike per year). For earthquake, wildfire, coastal flooding and tsunami the value is the chance (or number of events) at a location in the county, not across the county, so no "1 in N years" is given and the descriptor comes from Storm Events where it has a record (none for earthquake). The Methods page gives each hazard's method, from FEMA's National Risk Index Technical Documentation v1.20.

Where NRI gives event-days, the descriptor comes from the share of years with a Storm Events record; NRI's source records more events, so the two differ.

Descriptor scale used in this packet (defined per unit)

Sources: 5, 6

Unit	Descriptor	Definition
events per year	Highly likely	1 or more per year
events per year	Likely	about once in 1 to 10 years
events per year	Possible	about once in 10 to 100 years
events per year	Unlikely	less than once in 100 years
annual probability	Likely	10% to under 100% chance in a given year
annual probability	Possible	1% to under 10% chance in a given year
annual probability	Unlikely	under 1% chance in a given year
event-days (share of years)	Highly likely	event-days recorded in 90% or more of years
event-days (share of years)	Likely	event-days recorded in 10% to under 90% of years
event-days (share of years)	Possible	event-days recorded in some years but under 10% of years
lightning strike-days	Highly likely	cloud-to-ground strikes on 1 or more days per year

Intensity bands: historical frequency (Storm Events)

Source: 6

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Hail	1.00-1.99 in	1996 to 2025	40	30	1.33
Hail	2.00 in+	1996 to 2025	2	30	0.0667
Thunderstorm Wind (counted as NRI Strong Wind)	50-64 kt	1996 to 2025	79	30	2.63
Thunderstorm Wind (counted as NRI Strong Wind)	65 kt+	1996 to 2025	16	30	0.533
Thunderstorm Wind (counted as NRI Strong Wind)	unmeasured or below 50 kt	1996 to 2025	3	30	0.1
Tornado	EF0-1	1996 to 2025	8	30	0.267
Tornado	EF2-3	1996 to 2025	6	30	0.2
Tornado	EF4-5	1996 to 2025	2	30	0.0667
Tornado	unrated (EFU)	1996 to 2025	0	30	0

The bands show how often events of each severity were recorded in this county, to profile how severe events have been (FEMA's probability item asks for the range of intensities).

Hail smaller than 1 inch is not counted: on 2010-01-05 the National Weather Service raised its severe-hail threshold from 3/4 inch to 1 inch, so smaller reports became less common after 2009 (NWS Service Change Notice 09-52). NRI hail frequency uses a 0.75 inch threshold.

Optional: future conditions. Not a required item in the 2025 FEMA Local Mitigation Planning Policy Guide; some states ask for it. The federal Climate Mapping for Resilience and Adaptation (CMRA) site gives county exposure to future climate conditions (<https://resilience.climate.gov/>).

Supports FEMA checklist item B1-f: hazards that vary across jurisdictions

Range of census tract risk within the county

Source: 5

Hazard	Tracts <i>rated of all</i>	NRI risk score, 0 to 100			Tracts by rating
		Min	Median	Max	
Cold Wave	13 of 13	46.1	57.4	67.8	Relatively Moderate 11, Relatively Low 2
Drought	12 of 13	67.1	88.5	96.9	Relatively Moderate 4, Relatively Low 5, Very Low 3, No Rating 1
Earthquake	13 of 13	80.0	85.9	90.5	Relatively High 3, Relatively Moderate 10
Hail	13 of 13	80.7	86.4	91.3	Relatively High 5, Relatively Moderate 8
Heat Wave	13 of 13	63.0	73.3	84.0	Relatively Moderate 13
Hurricane	13 of 13	28.4	34.0	38.2	Very Low 13
Ice Storm	13 of 13	97.0	98.4	99.3	Very High 11, Relatively High 2
Inland Flooding	13 of 13	34.7	65.6	88.0	Relatively High 4, Relatively Moderate 5, Relatively Low 4
Landslide	13 of 13	15.1	69.9	82.1	Relatively Low 1, Very Low 12
Lightning	13 of 13	83.1	90.5	96.2	Very High 3, Relatively High 10
Strong Wind	13 of 13	92.8	96.6	98.6	Very High 7, Relatively High 6

Hazard	Tracts <i>rated of all</i>	NRI risk score, 0 to 100			Tracts by rating
		Min	Median	Max	
Tornado	13 of 13	73.5	82.8	92.0	Relatively High 12, Relatively Moderate 1
Wildfire	13 of 13	30.1	59.0	68.8	Relatively Low 1, Very Low 12
Winter Weather	13 of 13	80.7	88.8	94.0	Relatively High 13

Drought: Agriculture is all of NRI's expected annual loss for this hazard in the county, so the tract range mostly reflects where crop and livestock value is.

Rated tracts only: No Rating (score 0.0), Not Applicable and Insufficient Data tracts are counted but not used for the minimum, median and maximum.

The score ranks a tract against all U.S. tracts (100 = highest). The rating is FEMA's category for the tract's risk value, computed differently, so the two can disagree.

Frequency data for cold wave, drought, hail, heat wave, ice storm, lightning, strong wind and winter weather are county-wide or coarse (49 km grid or NWS zone), the same for every jurisdiction; the tract range mostly reflects where buildings and people are (crop and livestock value where a line above names agriculture).

Each jurisdiction (starting figures from federal data)

Sources: 1, 3, 4, 6

Jurisdiction	Type	Plan status	Repetitive loss <i>FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition</i>	Public Assistance to this jurisdiction <i>FEMA records matched by applicant name; federal share obligated, nominal dollars</i>	Event records naming this place <i>all years; since its plan</i>	Notes
Hopkins County (unincorporated area)	Unincorporated	Approved, expires 2028-04-13	FMA RL 0, SRL 0; any 1	\$439,563.79	0 total; 0 since its plan	
Dawson Springs city	City	Approved, expires 2028-04-13	FMA RL 0, SRL 0; any 0	\$4,774,094.34	32 total; 2 since its plan	
Earlington city	City	Approved, expires 2028-04-13	FMA RL 0, SRL 0; any 0	\$348,646.46	18 total; 1 since its plan	
Hanson city	City	Approved, expires 2028-04-13	FMA RL 0, SRL 0; any 0	no Public Assistance recorded	21 total; 2 since its plan	
Madisonville city	City	Approved, expires 2028-04-13	FMA RL 0, SRL 0; any 8	\$2,646,103.88	95 total; 7 since its plan	Includes \$130,990.41 for declarations not counted as hazard incidents (DR-4497-KY).
Mortons Gap city	City	Approved, expires 2028-04-13	FMA RL 0, SRL 0; any 0	no Public Assistance recorded	18 total; 1 since its plan	
Nebo city	City	Approved, expires 2028-04-13	FMA RL 0, SRL 0; any 0	\$9,433.35	19 total; 4 since its plan	
Nortonville city	City	Approved, expires 2028-04-13	FMA RL 0, SRL 0; any 0	\$159,727.80	15 total; 3 since its plan	
St. Charles city	City	Plan 108982 approved 2023-04-14, pending adoption here; not yet eligible	FMA RL 0, SRL 0; any 0	\$32,339.63	7 total; no approved plan	
White Plains city	City	Approved, expires 2028-04-13	FMA RL 0, SRL 0; any 0	\$42,296.11	10 total; 0 since its plan	

Repetitive-loss counts are for whole NFIP communities, which can extend beyond this county (see the note in B2-c).

County Public Assistance in B1-d also includes applicants filed under the county that are not jurisdictions in this plan (for example state agencies, special districts and nonprofits), so the jurisdiction rows add up to less.

Supports FEMA checklist items B2-a and B2-b: vulnerability and potential impacts

Local data needed

The table below gives county-level starting figures; the plan describes impacts for each jurisdiction and its own assets.

- Critical facilities and lifelines per hazard
- A problem statement per jurisdiction per hazard
- Changes in development in hazard-prone areas since the last approval, or a statement of none (E1-a)
- Future assets

County-level starter: exposure, expected annual loss and damage since the plan

Sources: 1, 2, 3, 5, 6, 7

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2023-04-14 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Cold Wave	\$10,197,336,655	\$153,986,314	45,395	\$112	\$48,898	\$729,174	under 0.0001%		\$0		
Drought	n/a	\$39,879,339	n/a	n/a	\$431,129	n/a	1.08% (agriculture)		\$0		NRI has no building exposure for this hazard; agriculture shown
Earthquake	\$18,010,131,091	n/a	45,423	\$3,653,988	n/a	\$2,013,210	0.0203%				
Hail	\$10,197,336,655	\$153,986,314	45,395	\$771,290	\$4,737	\$14,371	0.00756%	\$0			
Heat Wave	\$10,197,336,655	\$153,986,314	45,395	\$74	\$358	\$952,071	under 0.0001%		\$0		
Hurricane	\$10,161,504,412	\$148,712,599	45,276	\$6,889	\$4,431	\$87	under 0.0001%				
Ice Storm	\$10,197,336,655	n/a	45,395	\$1,116,404	n/a	\$538,215	0.0109%		\$85,000		

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2023-04-14 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Inland Flooding	\$10,195,111,297	\$33,915,177	1,316	\$9,250,409	\$66,904	\$59,132	n/a (see note)	\$270,000		\$411,777.60	NRI counts the full building value of any census block with some flood loss; this is not the value of buildings in the floodplain. Use local FIRM overlays for B2-a/B2-b.
Landslide	\$212,986,948	n/a	1,004	\$96	n/a	\$286	under 0.0001%			\$2,249,745.34	
Lightning	\$10,197,336,655	n/a	45,395	\$11,947	n/a	\$538,214	0.000117%				
Strong Wind	\$10,197,336,655	\$153,986,314	45,395	\$788,670	\$258,224	\$978,572	0.00773%	\$145,000	\$9,000	\$2,249,745.34	Storm Events damage since the plan includes 9 zone-level Strong Wind records (\$9,000): a NOAA non-thunderstorm wind type, outside NRI's Strong Wind definition.
Tornado	\$10,197,336,655	\$153,986,314	45,395	\$1,500,007	\$7,032	\$1,658,183	0.0147%	\$2,720,000		\$2,045,499.55	
Wildfire	\$1,351,696,981	\$21,958,550	8,257	\$4,384	\$26	\$1,194	0.000324%				
Winter Weather	\$10,197,336,655	\$153,986,314	45,395	\$160,931	\$622	\$11,149	0.00158%		\$0	no Public Assistance recorded (1 declaration)	

Totals since 2023-04-14 (Storm Events through 2026-06-30): 30 county-coded records, 30 with a damage value recorded (including \$0), \$3,135,000; 44 zone-level records, 44 with a damage value recorded (including \$0), \$94,000 reported for the zone; Public Assistance: \$2,249,745.34 on 6 counted declarations, 3 of them with Public Assistance.

FEMA does not split Public Assistance by hazard. A declaration mapped to several hazards is listed under each of them with its full amount, so the per-hazard column does not add up to the total; the unit total counts each declaration once.

NRI computes earthquake exposure on its own basis, so it exceeds the county building value in B2-a.

Supports FEMA checklist item B2-a: vulnerability (county context)

County context

Source: 5

Measure	Value
Population	45,395
Building value (total, not at risk)	\$10,197,336,655
Agriculture value (total, not at risk)	\$153,986,314
NRI risk rating (all hazards)	Relatively Low
Expected annual loss, buildings and agriculture, all hazards	\$18,087,563
Expected annual loss, population equivalence, all hazards (NRI values each statistical life at \$13.7M; a modeled value of expected deaths and injuries, not property damage)	\$7,493,858
Social vulnerability rating	Relatively High
Community resilience rating	Relatively High
NRI version	December 2025

FEMA's all-hazard expected annual loss adds buildings, agriculture and population equivalence; this table gives the property part and the population-equivalence part as separate rows.

Social vulnerability: higher means people are more likely to be harmed and slower to recover. Community resilience: lower means the community is less able to recover. High social vulnerability and low resilience both raise the NRI risk rating.

Supports FEMA checklist item B2-c: repetitive loss properties

Repetitive loss in this county, both definitions

Sources: 1, 4

Definition	Properties	Severe repetitive loss	Properties
Repetitive loss, FMA definition (44 CFR 77.2)	0	Severe repetitive loss, FMA definition (44 CFR 77.2)	0
Repetitive loss, NFIP insurance definition	9	Severe repetitive loss, NFIP insurance definition	0

The state NFIP coordinator's list, the source FEMA's Handbook names, often uses the NFIP insurance definition (second row).

Repeat-flood properties: county total and NFIP communities

Sources: 1, 4

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
County total	0	0	9	0	9	0	2
of which: Hopkins County (unincorporated area)	0	0	1	0	1	0	0
of which: Madisonville city	0	0	8	0	8	0	2

Repeat-flood properties by jurisdiction in the plan (NFIP community)

Sources: 1, 4

Jurisdiction	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
Hopkins County (unincorporated area)	210112	0	0	1	0	1	0	0
Dawson Springs city	210113	0	0	0	0	0	0	0
Earlington city	210114	0	0	0	0	0	0	0
Hanson city	210388	0	0	0	0	0	0	0
Madisonville city	210115	0	0	8	0	8	0	2
Mortons Gap city	210116	0	0	0	0	0	0	0
Nebo city	210449	0	0	0	0	0	0	0
Nortonville city	210305	0	0	0	0	0	0	0
St. Charles city	210320	0	0	0	0	0	0	0
White Plains city	210406	0	0	0	0	0	0	0

Counts by occupancy group for each jurisdiction are in the Excel file, sheet "B2-c Jurisdictions".

Jurisdiction rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each jurisdiction row, while the county table counts only its part in this county.

County repeat-flood properties by occupancy group

Sources: 1, 4

Occupancy group	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
single-family residential	0	0	6	0	6	0	1
2 to 4 unit residential	0	0	0	0	0	0	0
other residential	0	0	0	0	0	0	0
non-residential	0	0	3	0	3	0	1
not reported	0	0	0	0	0	0	0

FEMA's occupancy groups have no institutional class; institutional properties are counted in non-residential or other residential in the table by occupancy group.

FMA RL and FMA SRL are the Flood Mitigation Assistance definitions (44 CFR 77.2), the ones the FEMA Local Mitigation Planning Policy Guide cites. NFIP repetitive loss (the FEMA insurance definition) is 2 or more claims over \$1,000 in 10 years, and a property can leave that group once it is mitigated. Also shown: NFIP severe repetitive loss, any category, mitigated and currently insured. The Methods page gives the OpenFEMA field details.

Counts are aggregates of FEMA's public NFIP Multiple Loss Properties file (FEMA's data date 2026-08-02; file version 2026-08-04). No property is identified. County assignment is FEMA's geocode.

In this county 0 properties are FMA repetitive loss but not NFIP repetitive loss, and 9 properties are NFIP repetitive loss but not FMA repetitive loss.

Exact counts; no count suppression.

Sources

Tables cite these sources by number. The full list, for the plan's bibliography (FEMA review item A4-a):

1. FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-29T134039Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
 2. FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-29T162832Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
 3. FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-29T150754Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
 4. FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
 5. FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-30, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
 6. NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-30, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
 7. NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-30, <https://www.weather.gov/gis/ZoneCounty>
 8. U.S. Census Bureau, Census 2024 Gazetteer, 2020 place by county, CT county-to-cousub crosswalk, version 2024-gazetteer, pulled 2026-09-30, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_counties_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_cousubs_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_place_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_unsd_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_elsd_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_scscd_national.zip, https://www2.census.gov/geo/docs/reference/codes2020/national_place_by_county2020.txt, https://www2.census.gov/geo/docs/reference/ct_change/ct_cou_to_cousub_crosswalk.xlsx (used to match place names and codes; no table prints its values)
-

What this packet is and what the plan adds

This packet is the federal data for the plan's risk assessment (the summary on page 1 says how it is organized); the plan and FEMA's review decide whether each item is met.

The plan adds what only the community has: local data on assets, critical facilities, development and each jurisdiction's impacts; local hazard history, including state-declared emergencies; the mitigation strategy; and adoption.

How the federal data are built: National Risk Index values are FEMA's model, not counts of events. Storm Events is more complete from 1996; zone-level records are placed by forecast zone, not by location in the county. Public Assistance for a jurisdiction is matched by applicant name. The Methods page gives every rule and the known edge cases.

OpenFEMA disclaimer

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Reuse, citation and corrections

Reuse and citation: Hazard Plain text and tables are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0, <https://creativecommons.org/licenses/by/4.0/>); credit Hazard Plain and the release. The underlying federal data are public domain; OpenFEMA data are also subject to the OpenFEMA terms and conditions.

Cite this: Hazard Plain (2026). Hopkins County, KY: risk-assessment baseline packet, release 2026-10 (data as of 2026-09-30; County FIPS 21107). Automated baseline. <https://hazardplain.org/ky/21107/> Built from FEMA OpenFEMA, the FEMA National Risk Index and NOAA NCEI Storm Events; source versions in the packet's Sources list.

Corrections: to report an error, name the packet, the table and what your records show. Contact: contact@hazardplain.org