

York County, ME

Risk-assessment baseline packet

Unit **County area 23031** Release **2026-10** As of **2026-09-28** Storm Events data through **2026-06-30**

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

A starting point for the plan's risk assessment (FEMA Local Mitigation Plan Review Tool, Element B). It does not replace local data or FEMA review. Section headings say which FEMA review item each table supports; whether an item is satisfied is decided by the plan and its reviewers.

OPENFEMA DISCLAIMER

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Plan clock

No county-level plan row in FEMA data

What changed since your last plan

Not available. No county-level plan row in FEMA data, so there is no approval date to count from.

SOURCES: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API); FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API); NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>; FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

Plan status for every jurisdiction listed in this county: 31 rows, in the section "Plan clock: Plan status for every jurisdiction listed in this county" after these cover pages.

State plan status and tribal plans in this state: see the state page.

CONTENTS

1. Plan clock, page 1
2. What changed since your last plan, page 1
3. Supports B1-a: hazards, page 3
4. Supports B1-b: location, page 5
5. Supports B1-c: extent, page 6
6. Supports B1-d: previous occurrences, page 9
7. Supports B1-e: probability, page 14
8. Supports B1-f: variation across the planning area, page 17
9. Supports B2-a and B2-b: assets and impacts, page 20
10. Supports B2-a: context, page 22
11. Supports B2-c: repetitive loss, page 22
12. Sources and OpenFEMA disclaimer, page 25

Plan clock

Plan status for every jurisdiction listed in this county

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry <i>negative = days since expiry</i>	Update underway	Notes
Biddeford city	City	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Saco city	City	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Acton town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Alfred town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Arundel town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Berwick town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Buxton town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Cornish town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Dayton town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Eliot town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Hollis town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Kennebunk town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Kennebunkport town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Kittery town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Lebanon town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry <i>negative = days since expiry</i>	Update underway	Notes
Limerick town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Limington town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Lyman town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Newfield town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
North Berwick town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Ogunquit town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Old Orchard Beach town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Parsonsfield town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Sanford city	City	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Shapleigh town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
South Berwick town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Waterboro town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
Wells town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
York town	Town	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		
South Berwick Water District	Water/Sewer Authority	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		member approved 2026-07-10
York Sewer District	Water/Sewer Authority	Approved, expires 2027-09-15	York County, Maine Hazard Mitigation Plan 2022 (FEMA plan 108268)	2022-09-16	2027-09-15	352		member approved 2026-07-10

SOURCEFEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Supports B1-a: hazards

Hazards NRI does not cover: check locally

- dam failure (incl. upstream dams)
- levee failure
- flash flood as its own subtype
- ice jams
- debris flows
- erosion (riverine and coastal)

- land subsidence and sinkholes

- expansive soils

The 18 National Risk Index hazards, ranked by expected annual loss (EAL)

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records since 1996 <i>count</i>	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
1	Inland Flooding	Relatively Moderate	Relatively Moderate	\$25,317,767	\$6,580	\$556,628	\$25,880,976	41		
2	Hurricane	Relatively Moderate	Relatively High	\$12,011,054	\$200,288	\$333,011	\$12,544,353	3		
3	Coastal Flooding	Relatively High	Relatively High	\$5,256,999		\$3,968	\$5,260,968	72		
4	Ice Storm	Very High	Very High	\$3,194,867		\$662,077	\$3,856,944	4		
5	Earthquake	Relatively Low	Relatively Low	\$2,641,130		\$415,794	\$3,056,924			Not in Storm Events. Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
6	Tornado	Relatively Low	Relatively Low	\$626,161	\$168	\$729,524	\$1,355,853	5		
7	Cold Wave	Relatively Low	Relatively Moderate	\$796	\$4,662	\$1,045,501	\$1,050,960	22		Includes 1 Frost/Freeze record, event types the NRI definition of this hazard leaves out.
8	Strong Wind	Relatively Low	Relatively Moderate	\$102,091	\$49	\$579,567	\$681,707	284		Includes 33 High Wind records and 39 Strong Wind records, event types the NRI definition of this hazard leaves out.
9	Lightning	Relatively Moderate	Relatively Moderate	\$61,990		\$558,320	\$620,311	43		
10	Heat Wave	Relatively Low	Relatively Low	\$1	\$3,615	\$524,493	\$528,109	3		
11	Drought	Relatively Moderate	Relatively Moderate		\$502,262		\$502,262	23		
12	Winter Weather	Relatively Moderate	Relatively Moderate	\$7,119	\$28	\$140,117	\$147,264	214		
13	Hail	Very Low	Relatively Low	\$8,820	\$5,428	\$122,511	\$136,759	127		
14	Wildfire	Very Low	Very Low	\$75,409	\$8	\$8,401	\$83,818	0		No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
15	Landslide	Relatively Low	Very Low	\$3,833		\$1,331	\$5,164	0		Declared 1 time; no Storm Events record of this type. Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
16	Avalanche	Very Low	Very Low	\$0		\$3	\$3	0		No recorded events in Storm Events since 1996 (data through 2026-06-30).

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records since 1996 <i>count</i>	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
	Tsunami	Insufficient Data	Insufficient Data					0		No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
	Volcanic Activity	Not Applicable	Not Applicable					0	NRI rates volcanic activity Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Check your state hazard mitigation plan's hazard list for this county; explain any hazard you drop.

Supports B1-b: location

Where each hazard occurs

Hazard	Location	Census tracts rated <i>rated of all tracts</i>
Avalanche	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	1 of 58
Coastal Flooding	The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (https://msc.fema.gov) for this county.	25 of 58
Cold Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	58 of 58
Drought	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	23 of 58
Earthquake	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	58 of 58
Hail	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	58 of 58
Heat Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	58 of 58
Hurricane	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	58 of 58
Ice Storm	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	58 of 58
Inland Flooding	The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (https://msc.fema.gov) for this county.	58 of 58
Landslide	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	57 of 58
Lightning	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	58 of 58
Strong Wind	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	58 of 58
Tornado	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	58 of 58
Tsunami	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 58

Hazard	Location	Census tracts rated <i>rated of all tracts</i>
Volcanic Activity	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 58
Wildfire	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	58 of 58
Winter Weather	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	58 of 58

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B1-c: extent

Extent: scale, observed range and worst recorded event per hazard

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Avalanche	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Coastal Flood, Storm Surge/ Tide	none in data (FIRM for depth)	72, 1996 to 2024 (64 zone-level)		Coastal Flood, 2024-01-13, \$30,000,000 property; \$0 crops, reported for the zone (2024 dollars); NWS zone MEZ023 (COASTAL YORK), zone-level: may include parts of neighboring counties		Event records naming member places: Kittery town (3 records), Kennebunk town (1 record). Zone-level records (64) apply countywide.	Flood depth: see the FEMA Flood Insurance Rate Map.
Cold/Wind Chill, Extreme Cold/Wind Chill	wind chill	21, 1998 to 2023 (21 zone-level)	1 day to 4 days (median 2 days); 19 with a recorded value	4 consecutive days, 2004-01-13 to 2004-01-16, zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Wind chill: in event narratives only; local data required.
Frost/Freeze (outside NRI Cold Wave definition)	crop damage	1, 2023 to 2023 (1 zone-level)		No crop damage reported in 1 records.		Zone-level records: applies countywide; national data do not locate these events within the county.	Temperature: in event narratives only; local data required.
Drought	US Drought Monitor D-scale	23, 1999 to 2026 (23 zone-level)	1 day to 242 days (median 61 days); 9 with a recorded value	242 days (8 months), 2025-11-01 to 2026-06-30, a run of 8 consecutive Storm Events drought records, zone-level	Drought, 2020-10-01, \$0 property; \$500,000 crops, reported for the zone (2020 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	Storm Events enters a drought at D2 or worse east of the Rockies and D3 or worse from the Rockies west (NWS Instruction 10-1605); NRI drought counts D3 and D4 only.
Earthquake	Modified Mercalli (local data)	0					No Storm Events record; local data required (e.g., USGS).

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Hail	hail size (inches)	149, 1960 to 2020	0.75 in to 2.75 in (median 0.88 in); 149 with a recorded value	2.75 in hail, 2015-07-19	Hail, 2020-07-14, \$200,000 property; \$0 crops (2020 dollars)	Event records naming member places: Wells town (9 records), Shapleigh town (8 records), Berwick town (7 records), Kennebunk town (6 records), Sanford city (6 records), Acton town (5 records), Arundel town (4 records), South Berwick town (4 records), Buxton town (3 records), Kennebunkport town (3 records); and 11 more member places (see the XLSX file).	
Excessive Heat, Heat	heat index (narratives)	3, 1998 to 2024 (3 zone- level)	2 days; 1 with a recorded value	2 consecutive days, 2024-06-19 to 2024-06-20, zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Heat index: in event narratives only; local data required. Heat records from November to March (unseasonable warmth, not a heat wave) are counted but not used for the longest run.
Hurricane, Tropical Storm, Tropical Depression	Saffir-Simpson	3, 1996 to 2020 (3 zone- level)		Strongest recorded (records with damage, a wind speed or direct casualties first, then storm type, category and wind): Hurricane (Typhoon) record, 1996-09-02, damage not reported; NWS zone MEZ023 (COASTAL YORK), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Storm Events files every zone of a storm's episode under the storm's event type and category, so a Hurricane (Typhoon) record, especially an inland or remnant one, does not by itself mean hurricane-force winds here; read the damage and wind columns.
Ice Storm	Sperry-Piltz (local data)	4, 1998 to 2008 (4 zone- level)		Ice Storm, 1998-01-05, \$12,000,000 property; crops not reported, reported for the zone (1998 dollars); NWS zone MEZ018 (INTERIOR YORK), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Ice thickness: in event narratives only; local data required.
Flash Flood, Flood, Lakeshore Flood	damage and flood days (FIRM for depth)	41, 1996 to 2024 (8 zone- level)		Flood, 2007-04-16, \$25,000,000 property; \$0 crops (2007 dollars), 2 direct deaths		Event records naming member places: Old Orchard Beach town (4 records), Saco city (3 records), Acton town (2 records), Alfred town (2 records), Arundel town (1 record), Berwick town (1 record), Limington town (1 record), Ogunquit town (1 record), Shapleigh town (1 record), Waterboro town (1 record). Zone-level records (8) apply countywide.	Flood depth: see the FEMA Flood Insurance Rate Map. Storm Events damage can be \$0 or blank even for a major flood, so the worst record here may not be the worst flood; compare FEMA Public Assistance by declaration in B1-d.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Debris Flow	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Lightning	annualized frequency (the measure FEMA's Local Mitigation Planning Handbook names)	43, 1997 to 2013		Lightning, 2002-06-24, \$110,000 property; crops not reported (2002 dollars)		Event records naming member places: Sanford city (5 records), Alfred town (3 records), Berwick town (3 records), Kennebunk town (3 records), Limerick town (3 records), Acton town (2 records), Biddeford city (2 records), Buxton town (2 records), Eliot town (2 records), Kittery town (1 record); and 4 more member places (see the XLSX file).	Storm Events lists lightning with damage or casualties; physical measure in event narratives only; local data required.
High Wind and Strong Wind (outside NRI Strong Wind definition)	wind speed (kt and mph)	72, 1996 to 2024 (72 zone-level)	30 kt (35 mph) to 61 kt (70 mph) (median 50 kt (58 mph)); 35 with a recorded value	61 kt (70 mph) estimated gust, High Wind, 2017-10-30; NWS zone MEZ023 (COASTAL YORK), zone-level: may include parts of neighboring counties	High Wind, 2012-10-29, \$251,000 property; \$0 crops, reported for the zone (2012 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	
Thunderstorm Wind	wind speed (kt and mph)	266, 1958 to 2026	50 kt (58 mph) to 80 kt (92 mph) (median 50 kt (58 mph)); 211 with a recorded value	80 kt (92 mph) estimated gust, Thunderstorm Wind, 2006-09-24	Thunderstorm Wind, 2014-07-15, \$1,400,000 property; \$0 crops (2014 dollars)	Event records naming member places: Sanford city (13 records), Limington town (9 records), Saco city (9 records), Acton town (8 records), Eliot town (8 records), Kennebunk town (8 records), Shapleigh town (8 records), Waterboro town (8 records), Berwick town (7 records), Cornish town (7 records); and 14 more member places (see the XLSX file).	
Tornado	Enhanced Fujita (F before Feb 2007)	14, 1956 to 2014	F/EF0 to F/EF2 (median F/EF1); 13 with a recorded value	F2 tornado, 1966-10-10, 0.2 mi path length (records before 1996 may include the whole path; rating and listing come from the county where the tornado began), 50 yd wide, \$25,000 property; crops not recorded (1966 dollars)	Tornado, 1986-08-07, \$2,500,000 property; crops not recorded (1986 dollars)	Event records naming member places: Limerick town (1 record), Newfield town (1 record), North Berwick town (1 record).	From 1996 on, tornado records are per-county segments and length is the path length within this county (NWS Instruction 10-1605); records before 1996 may give the whole path length, including the path outside this county, and before 1996 a tornado is listed once, under the county where it began, with the whole path's rating; counties farther along the path may not list it. Length is not used to rank tornadoes.
Tsunami	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Volcanic Ash, Volcanic Ashfall	Volcanic Explosivity Index (local data)	0					Physical measure: in event narratives only; local data required.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Wildfire	acres burned (local data)	0					Acres burned: in event narratives only; local data required.
Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet	none in data (snowfall local)	214, 1996 to 2026 (214 zone-level)		No damage reported in 214 records.		Zone-level records: applies countywide; national data do not locate these events within the county.	Snow depth: in event narratives only; local data required.

Where a hazard names more than 10 member places, the table lists the 10 with the most records; every place is in the XLSX file, sheet "B1-c Extent".

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Supports B1-d: previous occurrences

Declaration rows 42 Counted incidents 34

No county-level plan row in FEMA data, so there is no approval date to count from.

Federal disaster declarations for this county

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance <i>federal share obligated, nominal dollars</i>	Flags	Notes
2024-05-24	2024-04-03	DR-4785-ME	Major disaster	SEVERE WINTER STORM	Winter Weather	\$3,045,042.78	within last 5 years	
2024-03-20	2024-01-09	DR-4764-ME	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	\$11,332,334.54	within last 5 years	
2023-09-14	2023-09-15	EM-3598-ME	Emergency	HURRICANE LEE	Hurricane	none found	within last 5 years	
2023-03-22	2022-12-23	DR-4696-ME	Major disaster	SEVERE STORM AND FLOODING	Inland Flooding	\$2,156,797.94	within last 5 years	
2022-03-15	2021-10-30	DR-4647-ME	Major disaster	SEVERE STORM AND FLOODING	Coastal Flooding	\$5,081,439.69	within last 5 years	
2020-04-04	2020-01-20	DR-4522-ME	Major disaster	COVID-19 PANDEMIC	Non-natural, not counted	\$8,505,421.13		
2020-03-13	2020-01-20	EM-3444-ME	Emergency	COVID-19	Non-natural, not counted	none found		same incident as DR-4522

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance	Flags	Notes
						<i>federal share obligated, nominal dollars</i>		
2018-05-30	2018-03-02	DR-4367-ME	Major disaster	SEVERE STORM AND FLOODING	Coastal Flooding	\$10,598,089.01		
2018-01-02	2017-10-29	DR-4354-ME	Major disaster	SEVERE STORM AND FLOODING	Inland Flooding	\$1,243,914.78		
2015-03-12	2015-01-26	DR-4208-ME	Major disaster	SEVERE WINTER STORM, SNOWSTORM, AND FLOODING	Winter Weather (primary); also designated: Inland Flooding	\$941,093.91		
2013-03-25	2013-02-08	DR-4108-ME	Major disaster	SEVERE WINTER STORM, SNOWSTORM, AND FLOODING	Inland Flooding; Winter Weather	\$1,025,131.86		
2011-09-13	2011-08-27	DR-4032-ME	Major disaster	TROPICAL STORM IRENE	Hurricane	\$336,111.19		
2010-07-01	2010-03-12	DR-1920-ME	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	\$891,802.49		
2010-03-25	2010-02-23	DR-1891-ME	Major disaster	SEVERE WINTER STORM	Winter Weather	\$1,605,259.89		
2009-01-09	2008-12-11	DR-1815-ME	Major disaster	SEVERE WINTER STORM AND FLOODING	Inland Flooding; Winter Weather	\$3,047,090.96		
2008-12-15	2008-12-11	EM-3298-ME	Emergency	SEVERE WINTER STORM	Winter Weather	none found		same incident as DR-1815
2008-09-09	2008-07-18	DR-1788-ME	Major disaster	SEVERE STORMS, FLOODING, AND TORNADOES	Inland Flooding; Tornado	\$525,384.51		
2007-04-25	2007-04-15	DR-1693-ME	Major disaster	SEVERE STORMS AND INLAND AND COASTAL FLOODING	Coastal Flooding	\$10,951,141.23		
2006-05-25	2006-05-13	DR-1644-ME	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	\$2,547,282.35		
2005-09-19	2005-08-29	EM-3256-ME	Emergency	HURRICANE KATRINA EVACUATION	Hurricane: evacuation support, not a local hazard event; not counted	none found		
2005-06-29	2005-03-29	DR-1591-ME	Major disaster	SEVERE STORMS, FLOODING, SNOW MELT, AND ICE JAMS	Inland Flooding	\$846,672.12		
2005-04-01	2005-03-09	EM-3209-ME	Emergency	SNOW	Winter Weather	\$440,854.50		
2005-03-14	2005-02-10	EM-3206-ME	Emergency	RECORD AND/OR NEAR RECORD SNOW	Winter Weather	\$457,863.57		
2005-03-14	2005-01-22	EM-3205-ME	Emergency	RECORD AND/OR NEAR RECORD SNOW	Winter Weather	\$548,472.57		
2001-05-16	2001-03-05	DR-1371-ME	Major disaster	SEVERE WINTER STORMS AND FLOODING	Inland Flooding; Winter Weather	\$384,781.78		
2001-03-20	2001-03-05	EM-3164-ME	Emergency	SNOW	Winter Weather	\$434,638.54		same incident as DR-1371
1999-01-21	1998-10-08	DR-1263-ME	Major disaster	ME - FLOODING 10/16/98	Inland Flooding	none found		
1998-07-02	1998-06-13	DR-1232-ME	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding; Winter Weather	none found		

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance		Flags	Notes
						federal share obligated, nominal dollars			
1998-01-13	1998-01-05	DR-1198-ME	Major disaster	SEVERE ICE STORMS, RAINS AND HIGH WINDS	Ice Storm; Strong Wind		none found		
1996-10-28	1996-10-20	DR-1143-ME	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding		none found		
1996-10-24	1996-10-20	EM-3121-ME	Emergency	SEVERE STORM,HEAVY RAINS, FLOODING, HIGH WINDS	Inland Flooding; Strong Wind		none found		same incident as DR-1143
1996-05-20	1996-04-16	DR-1114-ME	Major disaster	SEVERE STORMS, MUDSLIDES, FLOODING	Inland Flooding; Landslide		none found		
1993-03-15	1993-03-13	EM-3099-ME	Emergency	BLIZZARDS, SEVERE WINDS & SNOWFALL, COASTAL STORM	Winter Weather (primary); also designated: Coastal Flooding		none found		
1992-03-27	1992-03-10	DR-940-ME	Major disaster	HEAVY RAINS, ICE JAMS & FLOODING	Inland Flooding		none found		
1991-11-07	1991-10-30	DR-921-ME	Major disaster	COASTAL STORM	Coastal Flooding		none found		
1991-08-28	1991-08-18	DR-915-ME	Major disaster	HURRICANE BOB & FLOODING	Hurricane		none found		
1987-04-09	1987-03-30	DR-788-ME	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding		none found		
1980-09-20	1980-09-20	EM-3082-ME	Emergency	RED TIDE-TOXIC ALGAE	Fishing Losses: economic loss, not a physical hazard event; non-natural, not counted	PA not declared for this county			
1978-02-17	1978-02-17	DR-550-ME	Major disaster	HIGH WINDS, TIDAL SURGE & COASTAL FLOODING	Coastal Flooding		none found		
1972-09-28	1972-09-28	DR-356-ME	Major disaster	TOXIC ALGAE IN COASTAL WATERS	Fishing Losses: economic loss, not a physical hazard event; non-natural, not counted	PA not declared for this county			
1972-03-07	1972-03-07	DR-326-ME	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding		none found		
1970-02-27	1970-02-27	DR-284-ME	Major disaster	SEVERE STORMS, ICE JAMS & FLOODING	Inland Flooding		none found		

School districts and special districts in this county: \$87,267.44 (included in the county total above). Public Assistance matched by applicant name to the school districts and special districts FEMA lists as plan members in this county. They are not shown as member blocks, so their total is listed here. These dollars are already included in the county PA column of the declarations table (the FEMA record places each applicant in this county); do not add this line to the county total.

County Public Assistance: applicants the FEMA record places in this county, including any state agencies FEMA files there; statewide rows are listed on the state page; federal share obligated, nominal dollars.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Statewide declarations

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	Flags	Notes
1954-09-13	1954-09-13	DR-24-ME	Major disaster	HURRICANES	Hurricane (primary); also designated: Inland Flooding		

FEMA recorded these with designated area Statewide and no county. Listed on every county page in the state; not counted with county rows.

2 Fire Management declarations (1977-07-22 to 1992-05-22) FEMA filed as Statewide with no county; each names one local fire. Listed on the state page.

SOURCE

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

Previous occurrences by hazard, with explicit no-event rows

Hazard	Storm Events records <i>full period</i>	Since plan approval records	During plan review records	Last 5 years records	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Avalanche	0			0	0		1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Coastal Flooding	72			5	6		1996 to 2026-06-30	
Cold Wave	22			2	0		1996 to 2026-06-30	Includes 1 Frost/Freeze record, event types the NRI definition of this hazard leaves out.
Drought	23			11	0		1996 to 2026-06-30	
Earthquake	0			0	0			No Storm Events record; local data required (e.g., USGS).
Hail	149			0	0		1955 to 2026-06-30	
Heat Wave	3			1	0		1996 to 2026-06-30	
Hurricane	3			0	3		1996 to 2026-06-30	
Ice Storm	4			0	1		1996 to 2026-06-30	
Inland Flooding	41			8	19		1996 to 2026-06-30	
Landslide	0			0	1		1996 to 2026-06-30	No Storm Events records of this type; 1 federal declared incident (see declarations table)
Lightning	43			0	0		1996 to 2026-06-30	
Strong Wind	338			20	2		1955 to 2026-06-30	Includes 33 High Wind records and 39 Strong Wind records, event types the NRI definition of this hazard leaves out.
Tornado	14			0	1		1950 to 2026-06-30	
Tsunami	0			0	0		1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Volcanic Activity	0			0	0		1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Wildfire	0			0	0		1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Winter Weather	214			28	11		1996 to 2026-06-30	

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
 FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
 NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Notable Storm Events records

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Direct deaths, injuries <i>indirect not counted</i>	Location	Flags	Why listed
2024-06-19	Excessive Heat		\$0 property; \$0 crops, reported for the zone (2024 dollars)	0, 0	NWS zone MEZ018 (INTERIOR YORK), zone-level: may include parts of neighboring counties	within last 5 years	B1-c worst recorded: Excessive Heat, Heat
2024-01-13	Coastal Flood		\$30,000,000 property; \$0 crops, reported for the zone (2024 dollars)	0, 0	NWS zone MEZ023 (COASTAL YORK), zone-level: may include parts of neighboring counties	within last 5 years	B1-c worst recorded: Coastal Flood, Storm Surge/Tide
2017-10-30	High Wind	61 kt (70 mph) estimated gust	property not reported; \$0 crops, reported for the zone (2017 dollars)	0, 0	NWS zone MEZ023 (COASTAL YORK), zone-level: may include parts of neighboring counties		B1-c worst recorded: High Wind and Strong Wind (outside NRI Strong Wind definition)
2007-04-16	Flood		\$25,000,000 property; \$0 crops (2007 dollars)	2, 0	ALFRED		deaths or injuries recorded
2006-09-24	Thunderstorm Wind	80 kt (92 mph) estimated gust	damage not reported	0, 0	LIMERICK		B1-c worst recorded: Thunderstorm Wind
2006-09-09	Thunderstorm Wind	50 kt (58 mph) estimated gust	damage not reported	1, 0	WATERBORO		deaths or injuries recorded
2004-01-13	Cold/Wind Chill		damage not reported	0, 0	NWS zone MEZ023 (COASTAL YORK), zone-level: may include parts of neighboring counties		B1-c worst recorded: Cold/Wind Chill, Extreme Cold/Wind Chill
2002-06-24	Lightning		\$110,000 property; crops not reported (2002 dollars)	0, 0	LIMERICK		B1-c worst recorded: Lightning
1999-04-07	Strong Wind	speed not recorded	damage not reported	1, 1	NWS zone MEZ023 (COASTAL YORK), zone-level: may include parts of neighboring counties		deaths or injuries recorded
1998-01-05	Ice Storm		\$12,000,000 property; crops not reported, reported for the zone (1998 dollars)	0, 0	NWS zone MEZ018 (INTERIOR YORK), zone-level: may include parts of neighboring counties		B1-c worst recorded: Ice Storm
1996-09-02	Hurricane (Typhoon)		damage not reported	0, 0	NWS zone MEZ023 (COASTAL YORK), zone-level: may include parts of neighboring counties		B1-c worst recorded: Hurricane, Tropical Storm, Tropical Depression
1966-10-10	Tornado	F2, 0.2 mi path length (records before 1996 may include the whole path; rating and listing come from the county where the tornado began), 50 yd wide	\$25,000 property; crops not recorded (1966 dollars)	0, 0	location not recorded		B1-c worst recorded: Tornado

The full list is in the **XLSX** file, sheet "B1-d Storm Events history" (926 rows).

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
 NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
 FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

State-declared emergencies are not in federal data. Add them from your state emergency management agency.

Tribal and special-area declarations in this state are listed on the state page.

Supports B1-e: probability

Probability: FEMA annualized frequency and descriptor per hazard

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Avalanche	0.01	events per year	about 1 in 100 years	Possible	FEMA annualized frequency (modeled)	0	1994 to 2023 (30 years)	see B1-f	0.01 is NRI's minimum avalanche frequency for a county in an avalanche susceptibility zone; NRI records no avalanche here, so the descriptor reflects the floor, not local events.
Coastal Flooding	8.08	events per year at a location (modeled)	about 8.1 per year at a given location in the county	Highly likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	Descriptor from NRI: the rate at a location is 1 or more a year, so the county rate is at least that.
Cold Wave	1.55	event-days per year	about 1.55 days per year	Likely	event-days in 8 of 30 years, 1996 to 2025 (26.7%)	23.7	2005-11-12 to 2024-11-12 (19 years)	countywide	NRI gives about 1.55 cold wave event-days a year here (its annualized frequency over 19 years; not its event count divided by the years), but Storm Events has a record in only 8 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together. Frost/Freeze records are not counted in this descriptor: they record crop freezes, not cold waves.
Drought	3.87	event-days per year	about 3.87 days per year	Likely	event-days in 5 of 30 years, 1996 to 2025 (16.7%)	161	2000 to 2025 (25.25 years; D3 and D4 only)	countywide	NRI gives about 3.87 drought event-days a year here (its annualized frequency over 25.25 years; not its event count divided by the years), but Storm Events has a record in only 5 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.
Earthquake	0.00206	annual probability at a location	chance a given location in the county has at least minor-damage shaking in a year: 0.206%			not shown	modeled	see B1-f	Descriptor not assigned: the NRI value is the chance at a location in the county, not how often the hazard affects the county, and Storm Events does not record earthquakes.

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Hail	1.59	events per year	about 1.59 per year	Highly likely	FEMA annualized frequency (modeled)	62.3 (modeled)	1986 to 2023 (38 years)	countywide	
Heat Wave	2.98	event-days per year	about 2.98 days per year	Possible	event-days in 2 of 30 years, 1996 to 2025 (6.67%)	40.1	2005-11-12 to 2024-11-12 (19 years)	countywide	NRI gives about 2.98 heat wave event-days a year here (its annualized frequency over 19 years; not its event count divided by the years), but Storm Events has a record in only 2 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.
Hurricane	0.122	events per year	about 1 in 8 years	Likely	FEMA annualized frequency (modeled)	56	1851 to 2024 (Atlantic)	see B1-f	NRI counts hurricane and tropical storm tracks passing within storm-force wind range; federal declarations are counted separately in B1-d and need not match.
Ice Storm	2.32	event-days per year	about 2.32 days per year	Likely	event-days in 3 of 30 years, 1996 to 2025 (10%)	129	1946-12-31 to 2014-02-12 (67 years)	countywide	NRI gives about 2.32 ice storm event-days a year here (its annualized frequency over 67 years; not its event count divided by the years), but Storm Events has a record in only 3 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.
Inland Flooding	1.07	event-days per year	about 1.07 days per year	Likely	event-days in 21 of 30 years, 1996 to 2025 (70%)	30	1996 to 2023 (28 years)	see B1-f	
Landslide	0.522	events per year (modeled)	about 0.52 per year	Likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Lightning	19.1	days per year with a strike	about 19.1 days per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1995 to 2023 (29 years; CONUS)	countywide	
Strong Wind	0.52	events per year	about 0.52 per year	Likely	FEMA annualized frequency (modeled)	17	1986 to 2023 (38 years)	countywide	
Tornado	0.118	events per year	about 1 in 8 years	Likely	FEMA annualized frequency (modeled)	not shown	1950 to 2023 (EF2+); 1986 to 2023 (EF0-1)	see B1-f	

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Tsunami		annual probability at the most exposed location (used in place of a county value)			Storm Events records in 0 of 30 years, 1996 to 2025 (0%)	not shown	modeled	see B1-f	No Storm Events record of this hazard, 1996 to 2025; descriptor not assigned (the NRI value is the chance at a location in the county, not how often the hazard affects the county)
Volcanic Activity		annual probability				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Wildfire	0.0000349	annual probability at a location	chance a given location in the county burns in a year: 0.00349%		Storm Events records in 0 of 30 years, 1996 to 2025 (0%)	not shown	modeled	see B1-f	No Storm Events record of this hazard, 1996 to 2025; descriptor not assigned (the NRI value is the chance at a location in the county, not how often the hazard affects the county)
Winter Weather	18.6	event-days per year	about 18.6 days per year	Highly likely	event-days in 30 of 30 years, 1996 to 2025 (100%)	283	2005-11-12 to 2024-11-12 (19 years)	countywide	

FEMA annualized frequency (modeled) comes from the National Risk Index v1.20 (December 2025). It is not recorded events divided by years, and what it measures depends on the hazard. For most hazards it estimates how often the hazard affects this county each year: it counts events or event-days (drought, heat wave, cold wave, winter weather, ice storm and inland flooding are in days per year; lightning is the number of days per year with a recorded cloud-to-ground strike, from the NOAA Storm Prediction Center daily lightning climatology); it may count events in the surrounding area (hail, strong wind, tornado, hurricane and ice storm use a 49 km grid and buffers) and is averaged over the county's area; and some hazards use a minimum value for places with no recorded event. Earthquake, wildfire and coastal flooding are different: FEMA computes them for each census block and averages them over the county, so the value is the chance (for coastal flooding, the modeled number of floods per year) at a location in the county, which is lower than the chance that the hazard strikes somewhere in the county. Earthquake is the chance of at least minor-damage shaking (U.S. Geological Survey model); wildfire is the chance that a location burns in a large fire (U.S. Forest Service burn probability); coastal flooding comes from FEMA flood zones and NOAA high-tide flooding, so it can be above 1 where high-tide flooding is frequent. Tsunami is the value at the county's most exposed location, from recorded events and modeled return periods. For these four hazards the packet gives no "1 in N years" and takes the descriptor from Storm Events (none for earthquake) unless the value is 1 or more a year. Landslide is a U.S. Geological Survey modeled county rate spread by slope susceptibility. Volcanic activity is the chance that a volcano affecting the county erupts in a year. Drought counts only extreme and exceptional drought (D3 and D4). Source: FEMA, National Risk Index Technical Documentation v1.20, sections 5.2.2 (Table 5), 5.2.3, 7.4, 10.4, 16.5, 17.1, 17.3.1, 17.5, 20.3.1, 21.4, 22.4 and 6 to 23.

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Descriptor scale used in this packet (defined per unit)

Unit	Descriptor	Definition
events per year	Highly likely	1 or more per year
events per year	Likely	about once in 1 to 10 years
events per year	Possible	about once in 10 to 100 years
events per year	Unlikely	less than once in 100 years
annual probability	Likely	10% to under 100% chance in a given year
annual probability	Possible	1% to under 10% chance in a given year
annual probability	Unlikely	under 1% chance in a given year

Unit	Descriptor	Definition
event-days (share of years)	Highly likely	event-days recorded in 90% or more of years
event-days (share of years)	Likely	event-days recorded in 10% to under 90% of years
event-days (share of years)	Possible	event-days recorded in some years but under 10% of years
lightning strike-days	Highly likely	cloud-to-ground strikes on 1 or more days per year

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Intensity bands: historical frequency (Storm Events)

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Hail	1.00-1.99 in	1996 to 2025	55	30	1.83
Hail	2.00 in+	1996 to 2025	3	30	0.1
Strong Wind (Thunderstorm Wind records)	50-64 kt	1996 to 2025	203	30	6.77
Strong Wind (Thunderstorm Wind records)	65 kt+	1996 to 2025	4	30	0.133
Strong Wind (Thunderstorm Wind records)	unmeasured or below 50 kt	1996 to 2025	3	30	0.1
Tornado	EF0-1	1996 to 2025	5	30	0.167
Tornado	EF2-3	1996 to 2025	0	30	0
Tornado	EF4-5	1996 to 2025	0	30	0
Tornado	unrated (EFU)	1996 to 2025	0	30	0

Hail smaller than 1 inch is not counted: on 2010-01-05 the National Weather Service raised its severe-hail threshold from 3/4 inch to 1 inch, so smaller reports became less common after 2009 (NWS Service Change Notice 09-52). NRI hail frequency uses a 0.75 inch threshold.

SOURCE
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Optional: future conditions. Not a required item in the 2025 FEMA Local Mitigation Planning Policy Guide; some states ask for it. The federal Climate Mapping for Resilience and Adaptation (CMRA) site gives county exposure to future climate conditions.

Supports B1-f: variation across the planning area

Range of census tract risk within the county

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>	Median	Max	Tracts by rating	Note
Avalanche	1 of 58	2.3	2.3	2.3	Very Low 1, Not Applicable 57	

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>	Median	Max	Tracts by rating	Note
Coastal Flooding	25 of 58	71.6	94.3	99.8	Very High 2, Relatively High 9, Relatively Moderate 5, Relatively Low 5, Very Low 4, No Rating 33	
Cold Wave	58 of 58	20.2	28.6	38.0	Relatively Low 58	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Drought	23 of 58	76.0	90.2	93.3	Relatively Moderate 3, Relatively Low 19, Very Low 1, No Rating 35	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. Agriculture is all of NRI's expected annual loss for this hazard in the county, so the tract range above mostly reflects where crop and livestock value is, not where buildings and people are. Confirm locally.
Earthquake	58 of 58	26.3	54.3	81.0	Relatively Moderate 2, Relatively Low 48, Very Low 8	
Hail	58 of 58	16.1	30.9	40.0	Relatively Low 4, Very Low 54	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Heat Wave	58 of 58	3.2	10.3	20.5	Relatively Low 4, Very Low 54	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Hurricane	58 of 58	70.7	82.6	90.5	Relatively High 1, Relatively Moderate 49, Relatively Low 8	
Ice Storm	58 of 58	84.4	94.3	98.5	Very High 3, Relatively High 49, Relatively Moderate 6	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Inland Flooding	58 of 58	3.0	26.0	71.2	Relatively Moderate 15, Relatively Low 30, Very Low 13	
Landslide	57 of 58	10.1	64.0	94.8	Relatively Low 9, Very Low 48, No Rating 1	
Lightning	58 of 58	19.8	45.6	65.3	Relatively Moderate 15, Relatively Low 42, Very Low 1	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Strong Wind	58 of 58	16.7	36.3	54.1	Relatively Low 56, Very Low 2	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Tornado	58 of 58	14.3	31.0	41.9	Relatively Low 36, Very Low 22	
Tsunami	0 of 58				Insufficient Data 58	
Volcanic Activity	0 of 58				Not Applicable 58	
Wildfire	58 of 58	25.3	66.8	79.4	Relatively Low 19, Very Low 39	
Winter Weather	58 of 58	26.7	47.2	60.7	Relatively Moderate 25, Relatively Low 33	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.

Rated tracts only: No Rating (score 0.0), Not Applicable and Insufficient Data tracts are counted but not used for the minimum, median and maximum.

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Per-member block (Starter, confirm locally)

Member	Type	Plan status	Repetitive loss <i>FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition</i>	Public Assistance matched <i>federal share obligated, nominal dollars</i>	Event records naming this place <i>all years; since the member's plan</i>	Notes
Biddeford city	City	Approved, expires 2027-09-15	FMA RL 0, SRL 2; any 12	\$8,916,352.86	7; 0	Includes \$51,381.13 for declarations not counted as hazard incidents (DR-4522-ME).
Saco city	City	Approved, expires 2027-09-15	FMA RL 0, SRL 4; any 23	\$2,673,353.71	15; 0	
Acton town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 2	\$346,977.26	17; 1	Includes \$3,737.75 for declarations not counted as hazard incidents (DR-4522-ME).
Alfred town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 0	\$1,493,735.98	13; 0	Includes \$16,403.68 for declarations not counted as hazard incidents (DR-4522-ME).
Arundel town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 1	\$295,439.06	9; 0	
Berwick town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 2	\$517,866.03	18; 0	Includes \$21,712.82 for declarations not counted as hazard incidents (DR-4522-ME).
Buxton town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 1	\$434,085.70	10; 0	Includes \$90,151.09 for declarations not counted as hazard incidents (DR-4522-ME).
Cornish town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 0	\$185,053.07	8; 0	
Dayton town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 1	\$80,236.59	0; 0	Includes \$6,636.09 for declarations not counted as hazard incidents (DR-4522-ME).
Eliot town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 0	\$375,073.58	11; 0	
Hollis town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 0	\$469,426.32	0; 0	Includes \$3,864.06 for declarations not counted as hazard incidents (DR-4522-ME).
Kennebunk town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 4; any 36	\$4,831,712.77	18; 0	Includes \$26,964.61 for declarations not counted as hazard incidents (DR-4522-ME).
Kennebunkport town	Town	Approved, expires 2027-09-15	FMA RL 1, SRL 3; any 18	\$675,994.39	4; 0	Includes \$57,962.24 for declarations not counted as hazard incidents (DR-4522-ME).
Kittery town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 3	\$1,730,346.86	10; 0	Includes \$44,268.41 for declarations not counted as hazard incidents (DR-4522-ME).
Lebanon town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 0	\$1,657,648.95	0; 0	Includes \$11,840.66 for declarations not counted as hazard incidents (DR-4522-ME).
Limerick town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 0	\$160,119.15	10; 0	
Limington town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 0	\$570,375.29	13; 1	
Lyman town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 0	\$264,428.53	0; 0	Includes \$6,017.37 for declarations not counted as hazard incidents (DR-4522-ME).

Member	Type	Plan status	Repetitive loss <i>FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition</i>	Public Assistance matched <i>federal share obligated, nominal dollars</i>	Event records naming this place <i>all years; since the member's plan</i>	Notes
Newfield town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 0	\$221,903.75	8; 0	
North Berwick town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 1	\$628,852.18	6; 0	
Ogunquit town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 1; any 8	\$3,352,531.51	5; 0	Includes \$231,731.79 for declarations not counted as hazard incidents (DR-4522-ME).
Old Orchard Beach town	Town	Approved, expires 2027-09-15	FMA RL 1, SRL 2; any 13	\$2,146,124.12	9; 2	Includes \$21,658.29 for declarations not counted as hazard incidents (DR-4522-ME).
Parsonsfield town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 0	\$1,296,868.55	1; 0	
Sanford city	City	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 3	\$2,206,751.78	24; 0	Includes \$52,590.17 for declarations not counted as hazard incidents (DR-4522-ME).
Shapleigh town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 0	\$398,609.63	18; 0	Includes \$15,579.97 for declarations not counted as hazard incidents (DR-4522-ME).
South Berwick town	Town	Approved, expires 2027-09-15	FMA RL 1, SRL 2; any 4	\$1,156,576.36	9; 1	Includes \$28,000 for declarations not counted as hazard incidents (DR-4522-ME).
Waterboro town	Town	Approved, expires 2027-09-15	FMA RL 0, SRL 0; any 0	none found	12; 0	
Wells town	Town	Approved, expires 2027-09-15	FMA RL 3, SRL 7; any 41	\$4,267,428.72	15; 1	Includes \$35,693.64 for declarations not counted as hazard incidents (DR-4522-ME).
York town	Town	Approved, expires 2027-09-15	FMA RL 2, SRL 8; any 32	none found	0; 0	

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

School districts and special districts get a plan clock row only.

SOURCES

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Supports B2-a and B2-b: assets and impacts

Local data required

County-level starter. The plan must describe impacts for each participant and its own assets.

No county-level plan row in FEMA data, so there is no approval date to count from.

- Critical facilities and lifelines per hazard
- A problem statement per participant per hazard

- Changes in development in hazard-prone areas since the last approval, or a statement of none (E1-a)
- Future assets

County-level starter: exposure, expected annual loss and damage since the plan

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since plan <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Avalanche	\$0		under 1	\$0		\$3					building exposure is 0 in NRI
Coastal Flooding	\$2,550,023,125		6,378	\$5,256,999		\$3,968	0.206%				
Cold Wave	\$49,947,418,930	\$36,767,494	211,874	\$796	\$4,662	\$1,045,501	under 0.0001%				
Drought		\$25,618,080			\$502,262		1.96% (agriculture)				NRI has no building exposure for this hazard; agriculture shown
Earthquake	\$84,439,188,945		211,972	\$2,641,130		\$415,794	0.00313%				
Hail	\$49,964,450,963	\$36,767,494	211,925	\$8,820	\$5,428	\$122,511	under 0.0001%				
Heat Wave	\$49,947,464,322	\$36,767,494	211,874	\$1	\$3,615	\$524,493	under 0.0001%				
Hurricane	\$49,964,022,177	\$36,767,494	211,924	\$12,011,054	\$200,288	\$333,011	0.024%				
Ice Storm	\$49,483,057,213		211,085	\$3,194,867		\$662,077	0.00646%				
Inland Flooding	\$49,794,135,177	\$1,617,502	5,226	\$25,317,767	\$6,580	\$556,628	n/a (see note)				NRI counts the full building value of any census block with some flood loss; this is not the value of buildings in the floodplain. Use local FIRM overlays for B2-a/B2-b. EAL as % of exposure: n/a.
Landslide	\$710,682,607		3,363	\$3,833		\$1,331	0.000539%				
Lightning	\$49,964,450,963		211,925	\$61,990		\$558,320	0.000124%				
Strong Wind	\$49,964,450,963	\$36,767,494	211,925	\$102,091	\$49	\$579,567	0.000204%				
Tornado	\$49,964,450,963	\$36,767,494	211,925	\$626,161	\$168	\$729,524	0.00125%				
Tsunami											NRI publishes no building exposure for this county
Volcanic Activity											Not Applicable in NRI for this county
Wildfire	\$28,257,162,905	\$28,915,957	127,153	\$75,409	\$8	\$8,401	0.000267%				
Winter Weather	\$49,948,013,812	\$36,767,494	211,877	\$7,119	\$28	\$140,117	under 0.0001%				

Totals since the plan: not available. No county-level plan row in FEMA data, so there is no approval date to count from.

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

FEMA does not split Public Assistance by hazard. A declaration mapped to several hazards is listed under each of them with its full amount, so the per-hazard column must not be added up; the unit total counts each declaration once.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Supports B2-a: context

County context

Measure	Value
Population	211,925
Building value (total, not at risk)	\$49,964,450,963
Agriculture value (total, not at risk)	\$36,767,494
NRI risk rating (all hazards)	Relatively Moderate
Expected annual loss, buildings and agriculture, all hazards	\$50,031,125
Expected annual loss, population equivalence, all hazards (NRI values each statistical life at \$13.7M; a modeled value of expected deaths and injuries, not property damage)	\$5,681,246
Social vulnerability rating	Very Low
Community resilience rating	Very High
NRI version	December 2025

FEMA's all-hazard expected annual loss total adds buildings, agriculture and population equivalence; the two parts are shown separately so the property figure is not read as including the statistical value of life.

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B2-c: repetitive loss

Repetitive loss in this county, both definitions

Definition	Properties	Severe repetitive loss	Properties
Repetitive loss, FMA definition (44 CFR 77.2)	8	Severe repetitive loss, FMA definition (44 CFR 77.2)	33
Repetitive loss, NFIP insurance definition	197	Severe repetitive loss, NFIP insurance definition	28

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Repeat-flood properties: county and state-level rows

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
County total	8	33	197	28	201	1	97
BERWICK, TOWN OF	0	0	2	0	2	0	0
BIDDEFORD, CITY OF	0	2	12	2	12	0	4
BUXTON, TOWN OF	0	0	1	0	1	0	0
DAYTON, TOWN OF	0	0	1	0	1	0	0
KENNEBUNK, TOWN OF	0	4	36	3	36	0	21
OLD ORCHARD BEACH, TOWN OF	1	2	13	2	13	0	6
SACO, CITY OF	0	4	22	3	23	1	12
SANFORD, CITY OF	0	0	3	0	3	0	0
SOUTH BERWICK, TOWN OF	1	2	4	2	4	0	0
WELLS, TOWN OF	3	7	39	6	41	0	29
YORK, TOWN OF	2	8	31	6	32	0	11
KENNEBUNKPORT, TOWN OF	1	3	18	3	18	0	11
KITTERY, TOWN OF	0	0	3	0	3	0	0
ACTON, TOWN OF	0	0	2	0	2	0	0
ARUNDEL, TOWN OF	0	0	1	0	1	0	1
NORTH BERWICK, TOWN OF	0	0	1	0	1	0	1
OGUNQUIT, TOWN OF	0	1	8	1	8	0	1
State level, not in this county: county not reported	0	0	3	0	3	0	0

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Repeat-flood properties by plan member (NFIP community)

Member	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>	Note
Biddeford city	230145	0	2	12	2	12	0	4	
Saco city	230155	0	4	22	3	23	1	12	
Acton town	230190	0	0	2	0	2	0	0	
Alfred town	230191	0	0	0	0	0	0	0	
Arundel town	230192	0	0	1	0	1	0	1	
Berwick town	230144	0	0	2	0	2	0	0	
Buxton town	230146	0	0	1	0	1	0	0	
Cornish town	230147	0	0	0	0	0	0	0	
Dayton town	230148	0	0	1	0	1	0	0	

Member	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>	Note
Eliot town	230149	0	0	0	0	0	0	0	
Hollis town	230150	0	0	0	0	0	0	0	
Kennebunk town	230151	0	4	36	3	36	0	21	
Kennebunkport town	230170	1	3	18	3	18	0	11	
Kittery town	230171	0	0	3	0	3	0	0	
Lebanon town	230193	0	0	0	0	0	0	0	
Limerick town	230194	0	0	0	0	0	0	0	
Limington town	230152	0	0	0	0	0	0	0	
Lyman town	230195	0	0	0	0	0	0	0	
Newfield town	230196	0	0	0	0	0	0	0	
North Berwick town	230197	0	0	1	0	1	0	1	
Ogunquit town	230632	0	1	8	1	8	0	1	
Old Orchard Beach town	230153	1	2	13	2	13	0	6	
Parsonsfield town	230154	0	0	0	0	0	0	0	
Sanford city	230156	0	0	3	0	3	0	0	
Shapleigh town	230198	0	0	0	0	0	0	0	
South Berwick town	230157	1	2	4	2	4	0	0	
Waterboro town	230199	0	0	0	0	0	0	0	
Wells town	230158	3	7	39	6	41	0	29	
York town	230159	2	8	31	6	32	0	11	

Per-member types: XLSX sheet 'B2-c Members'.

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

County repeat-flood properties by occupancy group

Occupancy group	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
single-family residential	4	19	137	16	138	1	70
2 to 4 unit residential	1	3	14	2	16	0	6
other residential	2	4	10	3	11	0	9
non-residential	1	7	36	7	36	0	12
not reported	0	0	0	0	0	0	0

Institutional properties cannot be separated in this data: FEMA's occupancy groups have no institutional class, so they fall in non-residential or other residential in the table by occupancy group.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FMA RL and FMA SRL are the Flood Mitigation Assistance definitions (44 CFR 77.2), the ones the FEMA Local Mitigation Planning Policy Guide cites; OpenFEMA's fmaRI field description omits the Increased Cost of Compliance clause of 44 CFR 77.2(i). NFIP repetitive loss (FEMA insurance definition, nfipRI) is 2 or more claims over \$1,000 in 10 years and can drop to false when a property is mitigated. Also shown: NFIP severe repetitive loss, any category, mitigated and currently insured.

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

Counts are aggregates of FEMA's public NFIP Multiple Loss Properties file (as of 2026-08-02). No property is identified. County assignment is FEMA's geocode.

Counts may differ from your state NFIP coordinator's list, which is the source the Handbook names.

In this county 0 properties are FMA repetitive loss but not NFIP repetitive loss, and 189 properties are NFIP repetitive loss but not FMA repetitive loss.

Exact counts; no count suppression.

Sources

Every table above lists its own sources. The full list, for the plan's bibliography (FEMA review item A4-a):

1. FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
2. FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
3. FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
4. FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
5. FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
6. NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
7. NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
8. U.S. Census Bureau, Census 2024 Gazetteer, 2020 place by county, CT county-to-cousub crosswalk, version 2024-gazetteer, pulled 2026-09-28, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_counties_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_cousubs_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_place_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_unsd_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_elsd_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_scsd_national.zip, https://www2.census.gov/geo/docs/reference/codes2020/national_place_by_county2020.txt, https://www2.census.gov/geo/docs/reference/ct_change/ct_cou_to_cousub_crosswalk.xlsx

OpenFEMA disclaimer

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

Reuse, citation and corrections

Reuse and citation: Hazard Plain text and tables are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0, <https://creativecommons.org/licenses/by/4.0/>); credit Hazard Plain and the release. The underlying federal data are public domain; OpenFEMA data are also subject to the OpenFEMA terms and conditions.

Cite this: Hazard Plain (2026). York County, ME: risk-assessment baseline packet, release 2026-10 (data as of 2026-09-28; County area 23031). Preview: automated baseline. Built from FEMA OpenFEMA, the FEMA National Risk Index and NOAA NCEI Storm Events; source versions in the packet's Sources list.

Corrections: to report an error, name the packet, the table and what your records show. Contact: to be added

Hazard Plain release 2026-10. As of 2026-09-28; Storm Events data through 2026-06-30. File hazard-plain_2026-10_ME_23031. Preview: automated baseline.