

Christian County, MO

Risk-assessment baseline packet

County FIPS: 29043 Release: 2026-10 Data as of: 2026-09-30 Storm Events data through: 2026-06-30

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

Summary

Plan status as of 2026-09-30: Expired on 2026-02-02. Plan: Christian County (FEMA plan 107144), approved 2021-02-02.

Since the plan was approved on 2021-02-02: 1 new hazard declaration (1 incident) and 287 NOAA Storm Events records; details under "What changed since your last plan".

Highest expected annual loss (FEMA National Risk Index, modeled total; see B1-a): Inland Flooding (\$18,365,720 a year), Tornado (\$5,812,532) and Heat Wave (\$3,936,620).

The tables that follow are organized by the items of FEMA's Local Mitigation Plan Review Tool, Element B (B1-a to B2-c); each heading says which item its tables support.

TERMS USED

EAL: expected annual loss: FEMA's modeled average yearly loss from a hazard.

NRI: FEMA's National Risk Index (version 1.20, December 2025).

NFIP: National Flood Insurance Program.

RL, SRL: repetitive loss and severe repetitive loss: flood-insured properties with repeated claims (definitions in B2-c).

FMA, HMGP: Flood Mitigation Assistance and Hazard Mitigation Grant Program, FEMA mitigation grants.

PA: FEMA Public Assistance: disaster aid to governments and some nonprofits.

Zone-level: NOAA logged the event for a National Weather Service forecast zone, which may include parts of neighboring counties.

County-coded: NOAA logged the event to this county.

FIPS: the federal code for a place; 29043 is this area.

D0 to D4: U.S. Drought Monitor categories, from abnormally dry (D0) to exceptional drought (D4).

F/EF, EFU: Fujita and Enhanced Fujita tornado ratings; EFU is an unrated tornado.

kt, CONUS: knots (1 kt is about 1.15 mph); the contiguous United States.

CFR: Code of Federal Regulations.

A4-a, E1-a: other items of FEMA's Local Mitigation Plan Review Tool (sources, and changes since the last plan).

Dollars: nominal (as reported, labeled with the year), not adjusted for inflation.

CONTENTS

- 1. Summary and terms used, page 1
- 2. Plan clock, page 2
- 3. What changed since your last plan (approved 2021-02-02), page 2
- 4. B1-a: hazard identification, page 3
- 5. B1-b: hazard location, page 5
- 6. B1-c: hazard extent, page 6
- 7. B1-d: previous occurrences, page 8
- 8. B1-e: probability of future events, page 12
- 9. B1-f: hazards that vary across jurisdictions, page 14
- 10. B2-a and B2-b: vulnerability and potential impacts, page 16
- 11. B2-a: vulnerability (county context), page 17
- 12. B2-c: repetitive loss properties, page 18
- 13. Sources, what the plan adds, disclaimer and citation, page 20

Plan clock

Status:	Expired on 2026-02-02	Plan:	Christian County (FEMA plan 107144)
Approved:	2021-02-02	Days since expiry:	240
Update underway:	none recorded in FEMA's plan tracker		

Until a new plan is approved, FEMA mitigation project grants (HMGP, FMA) need a FEMA exception (44 CFR 201.6(a)(3)).

What changed since your last plan (approved 2021-02-02)

New federal declarations:	1 new hazard declaration (1 incident): DR-4741-MO (Severe Storms, Straight-Line Winds, Tornadoes, and Flooding)	Storm Events records since approval:	287 records (data through 2026-06-30)
Repetitive loss now:	FMA RL 2, SRL 4 (44 CFR 77.2); any definition: 13	Repeat-flood change:	this release sets the baseline count.

Sources: 1, 2, 4, 6 (numbered list at the end)

Plan status for every jurisdiction listed in this county: 18 rows, in the section "Plan clock: Plan status for every jurisdiction listed in this county" on the following pages.

State plan status and tribal plans in this state: see the state page.

Plan clock

Plan status for every jurisdiction listed in this county

Source: 1

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry	Update underway
						negative = days since expiry	
Christian County (unincorporated area)	Unincorporated	Expired on 2026-02-02	Christian County (FEMA plan 107144)	2021-02-02	2026-02-02	-240	
Clever city	City	Expired on 2026-02-02	Christian County (FEMA plan 107144)	2021-02-02	2026-02-02	-240	
Fremont Hills city	City	Expired on 2026-02-02	Christian County (FEMA plan 107144)	2021-02-02	2026-02-02	-240	
Highlandville city	City	Expired on 2026-02-02	Christian County (FEMA plan 107144)	2021-02-02	2026-02-02	-240	
Nixa city	City	Expired on 2026-02-02	Christian County (FEMA plan 107144)	2021-02-02	2026-02-02	-240	
Ozark city	City	Expired on 2026-02-02	Christian County (FEMA plan 107144)	2021-02-02	2026-02-02	-240	
Republic city	City	No approved plan on record	none	none	none		FEMA tracker shows a plan in review
Saddlebrooke village	Village	Expired on 2026-02-02	Christian County (FEMA plan 107144)	2021-02-02	2026-02-02	-240	
Sparta city	City	Expired on 2026-02-02	Christian County (FEMA plan 107144)	2021-02-02	2026-02-02	-240	
Fordland R-III School District	School/School District	Expired on 2026-02-17	Webster County (FEMA plan 107146)	2021-02-17	2026-02-17	-225	
Logan-Rogersville R-VIII School District	School/School District	No approved plan on record	none	none	none		FEMA tracker shows a plan in review
Nixa School District	School/School District	Expired on 2026-02-02	Christian County (FEMA plan 107144)	2021-02-02	2026-02-02	-240	
Ozark R-VI School District	School/School District	Expired on 2026-02-02	Christian County (FEMA plan 107144)	2021-02-02	2026-02-02	-240	
Sparta R-III School District	School/School District	Expired on 2026-02-02	Christian County (FEMA plan 107144)	2021-02-02	2026-02-02	-240	
Spokane R-VII School District	School/School District	Expired on 2026-02-02	Christian County (FEMA plan 107144)	2021-02-02	2026-02-02	-240	
Billings Special Road District	Transit/Airport	Expired on 2026-02-02	Christian County (FEMA plan 107144)	2021-02-02	2026-02-02	-240	
Christian County Ambulance District	Fire/EMS District	Expired on 2026-02-02	Christian County (FEMA plan 107144)	2021-02-02	2026-02-02	-240	
Ozark Technical Community College	College/University	Expired on 2026-02-02	Christian County (FEMA plan 107144)	2021-02-02	2026-02-02	-240	

Supports FEMA checklist item B1-a: hazard identification

Hazards NRI does not cover (local data needed)

- dam failure (incl. upstream dams)

- levee failure
- flash flood as its own subtype
- ice jams
- debris flows
- erosion (riverine and coastal)
- land subsidence and sinkholes
- expansive soils

The 18 National Risk Index hazards, ranked by expected annual loss (EAL)

Sources: 5, 6

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records, 1996 to 2026-06-30 <i>count</i>	Storm Events coverage note
1	Inland Flooding	Relatively Low	Relatively Moderate	\$16,409,644	\$106,752	\$1,849,324	\$18,365,720	178	
2	Tornado	Relatively Moderate	Relatively Moderate	\$3,187,006	\$1,159	\$2,624,368	\$5,812,532	31	
3	Heat Wave	Relatively Moderate	Relatively Moderate	\$1,261	\$1	\$3,935,358	\$3,936,620	9	
4	Ice Storm	Relatively High	Very High	\$1,945,795	n/a	\$30,818	\$1,976,614	7	
5	Strong Wind	Relatively Moderate	Relatively High	\$1,423,075	\$676	\$264,660	\$1,688,411	374	Includes 8 High Wind records (a NOAA non-thunderstorm wind type, outside NRI's Strong Wind definition).
6	Earthquake	Relatively Low	Relatively Low	\$957,146	n/a	\$237,783	\$1,194,929		Storm Events does not record earthquakes.
7	Cold Wave	Relatively Low	Relatively Moderate	\$1,710	\$156,940	\$933,963	\$1,092,612	9	Includes 3 Frost/Freeze records (outside NRI's Cold Wave definition; counted in this table and in B1-d, not in the B1-e descriptor).
8	Lightning	Relatively Moderate	Relatively Moderate	\$36,081	n/a	\$719,030	\$755,111	9	
9	Hail	Relatively Low	Relatively Moderate	\$652,581	\$694	\$21,412	\$674,687	276	
10	Wildfire	Relatively Low	Relatively Low	\$200,969	\$140	\$48,258	\$249,366	2	
11	Winter Weather	Relatively Moderate	Relatively Moderate	\$178,923	\$41	\$60,230	\$239,193	51	
12	Drought	Relatively Low	Relatively Low	n/a	\$78,842	n/a	\$78,842	31	

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records, 1996 to 2026-06-30 <i>count</i>	Storm Events coverage note
13	Hurricane	Very Low	Very Low	\$20,220	\$1,792	\$172	\$22,184	0	No recorded events in Storm Events since 1996 (data through 2026-06-30).
14	Landslide	Relatively Low	Relatively Low	\$8,784	n/a	\$1,412	\$10,196	0	No recorded events in Storm Events since 1996 (data through 2026-06-30).

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

NRI risk rating combines expected annual loss with social vulnerability and community resilience; EAL rating rates expected annual loss alone. Both compare this county with all U.S. counties.

Local data needed: state and local landslide records (Storm Events records this hazard only in part).

Not applicable to this county per NRI, with no federal declaration and no Storm Events record since 1996: avalanche, coastal flooding, tsunامي and volcanic activity. That is the evidence for leaving them out of the plan.

The state hazard mitigation plan also lists hazards for this county; FEMA asks the plan to explain any hazard it leaves out.

Supports FEMA checklist item B1-b: hazard location

Affects the whole county (national data give no location within it): Cold Wave, Drought, Hail, Heat Wave, Ice Storm, Lightning, Strong Wind and Winter Weather.

Inland Flooding: The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (<https://msc.fema.gov>) for this county.

Hazards that vary within the county: highest-rated census tracts

Source: 5

Hazard	Highest-rated census tracts <i>NRI risk rating, score 0 to 100</i>
Earthquake	tract 202.02 (Relatively Moderate, 78.7); tract 203.02 (Relatively Low, 72.6); tract 202.05 (Relatively Low, 69.8)
Hurricane	tract 202.02 (Very Low, 39.8); tract 202.05 (Very Low, 37.7); tract 201.01 (Very Low, 36.5)
Landslide	tract 205.02 (Relatively Moderate, 97.1); tract 205.01 (Relatively Low, 93.9); tract 204.01 (Relatively Low, 93.0)
Tornado	tract 202.02 (Very High, 95.3); tract 202.05 (Very High, 94.8); tract 203.02 (Relatively High, 88.0)
Wildfire	tract 205.01 (Relatively Moderate, 89.6); tract 203.03 (Relatively Low, 87.7); tract 204.01 (Relatively Low, 87.2)

Up to 3 census tracts per hazard, highest National Risk Index rating first, then highest score; a tract number is the Census tract number (for example 202.02 is Census Tract 202.02). FEMA's Resilience Analysis and Planning Tool maps the National Risk Index for every tract: <https://www.fema.gov/emergency-managers/practitioners/resilience-analysis-and-planning-tool>

Supports FEMA checklist item B1-c: hazard extent

Extent: scale, observed range and worst recorded event per hazard

Sources: 6, 7

Hazard	Scale	Records <i>count and years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to jurisdictions	Note
Cold/Wind Chill, Extreme Cold/Wind Chill	wind chill	6 records, 2000 to 2025 (6 zone-level)	1 day to 23 days (median 3 days); 5 with a recorded value	2000-12-12 to 2001-01-03 (2 records, 1 of them a monthly summary record), zone-level		Countywide (zone-level records).	
Frost/Freeze (outside NRI's Cold Wave definition)	crop damage	3 records, 2007 to 2021 (3 zone-level)		Frost/Freeze, 2007-04-07, \$3,020,000 crop damage (2007 dollars); NWS zone MOZ095		Countywide (zone-level records).	
Drought	U.S. Drought Monitor scale (D0 to D4)	31 records, 1999 to 2026 (31 zone-level)	31 days to 123 days (median 71.5 days); 12 with a recorded value	123 days (4 months), 2012-07-01 to 2012-10-31, a run of 4 consecutive Storm Events drought records, zone-level	Drought, 2012-08-01, \$0 property; \$2,470,000 crops (zone total, 2012 dollars)	Countywide (zone-level records).	Storm Events enters a drought at D2 or worse east of the Rockies and D3 or worse from the Rockies west (NWS Instruction 10-1605); NRI drought counts D3 and D4 only.
Earthquake	Modified Mercalli (local data)	0					Storm Events does not record earthquakes; the USGS earthquake catalog is the source.
Hail	hail size (inches)	319 records, 1955 to 2026	0.75 in to 2.75 in (median 1 in); 318 with a recorded value	2.75 in hail, 2026-04-28; same size also recorded on 2025-03-14		Event records naming jurisdictions in the plan: Ozark city (56 records), Nixa city (46 records), Highlandville city (27 records), Sparta city (19 records), Clever city (17 records).	
Excessive Heat, Heat	heat index (in event narratives)	9 records, 1999 to 2012 (9 zone-level)	9 days to 92 days (median 25.5 days); 4 with a recorded value	June 2012 to August 2012 (3 monthly summary records), zone-level		Countywide (zone-level records).	
Hurricane, Tropical Storm, Tropical Depression	Saffir-Simpson	0					Storm Events files every zone of a storm's episode under the storm's type; flooding from the storm is filed as Flood or Flash Flood records.
Ice Storm	Sperry-Piltz ice scale (local data)	7 records, 1996 to 2019 (7 zone-level)		Ice Storm, 1996-11-24, \$400,000 property; crops not reported (1996 dollars); NWS zone MOZ095		Countywide (zone-level records).	
Flash Flood, Flood, Lakeshore Flood	damage and flood days (flood depth: FIRM)	178 records, 1996 to 2026 (9 zone-level)		Flash Flood, 2008-03-17, \$5,000,000 property; \$0 crops (2008 dollars)		Event records naming jurisdictions in the plan: Nixa city (24 records), Ozark city (19 records), Clever city (9 records), Sparta city (9 records), Highlandville city (5 records). Zone-level records (9) apply countywide.	Flood depth: see the FEMA Flood Insurance Rate Map. Storm Events damage is often \$0 or blank for floods, major ones included; FEMA Public Assistance by declaration (B1-d) shows which floods cost the most.

Hazard	Scale	Records <i>count and years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to jurisdictions	Note
Debris Flow	none (count and damage only)	0					
Lightning	annualized frequency (the measure FEMA's Local Mitigation Planning Handbook names)	9 records, 2001 to 2024		Lightning, 2016-04-11, \$300,000 property; \$0 crops (2016 dollars)		Event records naming jurisdictions in the plan: Highlandville city (2 records), Nixa city (2 records), Ozark city (2 records).	Storm Events lists lightning with damage or casualties.
High Wind and Strong Wind (outside NRI's Strong Wind definition)	wind speed (kt and mph)	8 records, 1997 to 2025 (8 zone-level)	52 kt (60 mph) to 61 kt (70 mph) (median 52 kt (60 mph)); 7 with a recorded value	61 kt (70 mph) estimated gust, High Wind, 2009-05-08; NWS zone MOZ095	High Wind, 2014-02-20, \$10,000 property; \$0 crops (zone total, 2014 dollars)	Countywide (zone-level records).	
Thunderstorm Wind	wind speed (kt and mph)	404 records, 1956 to 2026	50 kt (58 mph) to 78 kt (90 mph) (median 52 kt (60 mph)); 340 with a recorded value	78 kt (90 mph) estimated gust, Thunderstorm Wind, 2009-05-08		Event records naming jurisdictions in the plan: Nixa city (68 records), Ozark city (64 records), Highlandville city (29 records), Clever city (21 records), Sparta city (20 records).	
Tornado	Enhanced Fujita (Fujita before Feb 2007)	48 records, 1954 to 2026	F/EF0 to F/EF4 (median F/EF1); 47 with a recorded value	F4 tornado, 1991-11-29, 2 mi path length (whole path, pre-1996), 400 yd wide, \$25,000,000 property; crops not recorded (1991 dollars)	Tornado, 2006-03-12, \$50,000,000 property; crops not reported (2006 dollars)	Event records naming jurisdictions in the plan: Sparta city (4 records), Clever city (3 records), Nixa city (2 records), Ozark city (2 records), Highlandville city (1 record).	Before 1996 a tornado is listed once, under the county where it began, with its whole path's rating and length; from 1996 on, each county lists its own segment. Length is not used to rank tornadoes (see Methods).
Wildfire	acres burned (local data)	2 records, 2000 to 2012 (1 zone-level)		Wildfire, 2012-07-05, \$25,000 property; \$0 crops (2012 dollars); NWS zone MOZ095		No event record names a jurisdiction in the plan. Zone-level records (1) apply countywide.	
Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet	none in data (snowfall: local data)	51 records, 1996 to 2026 (51 zone-level)		Winter Storm, 1999-01-01, \$150,000 property; crops not reported (1999 dollars); NWS zone MOZ095		Countywide (zone-level records).	

In event narratives only (local data needed): wind chill, temperature, heat index, ice thickness, acres burned and snow depth; any physical measure of debris flow and lightning.

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records from zones that no NWS zone-county file places in this county (mostly before 2020) are not counted here (the Methods page explains the zone matching).

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

A monthly summary record covers most or all of a month; it does not count days at wave conditions.

Supports FEMA checklist item B1-d: previous occurrences

Federal declarations for this county: 22 declarations covering 19 separate hazard incidents counted in this packet (declarations for the same incident count once; non-natural and evacuation-only declarations are not counted).

Federal disaster declarations for this county

Sources: 1, 2, 3

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance <i>federal share obligated, nominal dollars</i>	Flags	Notes
2023-09-21	2023-07-29	DR-4741-MO	Major disaster	Severe Storms, Straight-Line Winds, Tornadoes, and Flooding	Inland Flooding; Strong Wind; Tornado	\$474,359.86	new since last plan; within last 5 years	
2020-03-26	2020-01-20	DR-4490-MO	Major disaster	COVID-19 Pandemic	Non-natural, not counted	\$150,498.44	in the 12 months before plan approval	
2020-03-13	2020-01-20	EM-3482-MO	Emergency	COVID-19	Non-natural, not counted	no Public Assistance recorded	in the 12 months before plan approval	same incident as DR-4490
2017-06-02	2017-04-28	DR-4317-MO	Major disaster	Severe Storms, Tornadoes, Straight-Line Winds and Flooding	Inland Flooding (primary); also designated: Strong Wind, Tornado	\$421,227.83		
2016-01-02	2015-12-22	EM-3374-MO	Emergency	Severe Storms, Tornadoes, Straight-Line Winds, and Flooding	Inland Flooding (primary); also designated: Strong Wind, Tornado	no Public Assistance recorded		
2015-08-07	2015-05-15	DR-4238-MO	Major disaster	Severe Storms, Tornadoes, Straight-Line Winds, and Flooding	Inland Flooding; Strong Wind; Tornado	\$1,334,655.74		
2011-05-09	2011-04-19	DR-1980-MO	Major disaster	Severe Storms, Tornadoes, and Flooding	Inland Flooding; Tornado	\$145,601.19		
2011-02-03	2011-01-31	EM-3317-MO	Emergency	Severe Winter Storm	Winter Weather	no Public Assistance recorded		
2009-06-19	2009-05-08	DR-1847-MO	Major disaster	Severe Storms, Tornadoes, and Flooding	Inland Flooding; Tornado	PA not declared for this county		
2009-01-30	2009-01-26	EM-3303-MO	Emergency	Severe Winter Storm	Ice Storm	no Public Assistance recorded		
2008-11-13	2008-09-11	DR-1809-MO	Major disaster	Severe Storms, Flooding, and a Tornado	Inland Flooding; Tornado	\$243,485.89		
2008-06-25	2008-06-01	DR-1773-MO	Major disaster	Severe Storms and Flooding	Inland Flooding	\$170,319.38		
2008-03-19	2008-03-17	DR-1749-MO	Major disaster	Severe Storms and Flooding	Inland Flooding	\$436,476.78		
2008-03-12	2008-02-10	DR-1748-MO	Major disaster	Severe Winter Storms and Flooding	Ice Storm	\$542,776.57		
2007-12-12	2007-12-08	EM-3281-MO	Emergency	Severe Winter Storms	Ice Storm	no Public Assistance recorded		
2007-01-15	2007-01-12	DR-1676-MO	Major disaster	Severe Winter Storms and Flooding	Ice Storm	\$2,825,222.73		
2006-03-16	2006-03-08	DR-1631-MO	Major disaster	Severe Storms, Tornadoes and Flooding	Inland Flooding; Tornado	\$286,576.62		

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance	Flags	Notes
						<i>federal share obligated, nominal dollars</i>		
2005-09-10	2005-08-29	EM-3232-MO	Emergency	Hurricane Katrina Evacuation	Hurricane: evacuation support, not a local hazard event; not counted	\$1,249.99		
2003-05-06	2003-05-04	DR-1463-MO	Major disaster	Severe Storms, Tornadoes, and Flooding	Inland Flooding; Tornado	\$15,721.90		
2002-05-06	2002-04-24	DR-1412-MO	Major disaster	Severe Storms, Tornadoes and Flooding	Inland Flooding; Tornado	\$97,626.18		
1993-07-09	1993-06-10	DR-995-MO	Major disaster	Severe Storms & Flooding	Inland Flooding	no Public Assistance recorded		
1976-09-24	1976-09-24	EM-3017-MO	Emergency	Drought	Drought	no Public Assistance recorded		

School districts and special districts in this county: \$150,638.25 (included in the county total above). Public Assistance matched by applicant name to the school districts and special districts FEMA lists as plan participants in this county. They have no row of their own in the jurisdiction table, so their total is listed here. These dollars are already included in the county PA column of the declarations table (the FEMA record places each applicant in this county), so this line is not added to it.

County Public Assistance: applicants the FEMA record places in this county, including any state agencies FEMA files there; statewide rows are listed on the state page; federal share obligated, nominal dollars.

Statewide declarations

Source: 2

Declared	Incident began	FEMA number	Type	Title	Mapped hazard
1964-07-08	1964-07-08	DR-173-MO	Major disaster	Severe Storms & Flooding	Inland Flooding
1961-05-27	1961-05-27	DR-114-MO	Major disaster	Floods	Inland Flooding
1960-04-20	1960-04-20	DR-100-MO	Major disaster	Floods	Inland Flooding
1957-05-22	1957-05-22	DR-75-MO	Major disaster	Tornadoes & Floods	Tornado (primary); also designated: Inland Flooding

FEMA recorded these with designated area Statewide and no county, so they are listed on every county page in the state and not counted with county rows. Local data needed: whether each one affected this county.

Public Assistance not placed in any Missouri county: 24 rows, \$2,272,582.85; listed on the Missouri state page.

Source: 3

Previous occurrences by hazard, with explicit no-event rows

Sources: 2, 6, 7

Hazard	Storm Events records, all years on file <i>(years in the Period column)</i>	Since plan approval records	In the 12 months before plan approval records	Last 5 years records	Declared incidents, all years <i>separate disasters</i>	Declared since approval <i>separate disasters</i>	Period	Statement
Cold Wave	9	5	0	3	0	0	1996 to 2026-06-30	Includes 3 Frost/Freeze records.
Drought	31	11	3	11	1	0	1996 to 2026-06-30	
Earthquake	0	0	0	0	0	0		Storm Events does not record earthquakes; the USGS earthquake catalog is the source.

Hazard	Storm Events records, all years on file <i>(years in the Period column)</i>	Since plan approval <i>records</i>	In the 12 months before plan approval <i>records</i>	Last 5 years <i>records</i>	Declared incidents, all years <i>separate disasters</i>	Declared since approval <i>separate disasters</i>	Period	Statement
Hail	319	75	9	68	0	0	1955 to 2026-06-30	
Heat Wave	9	0	0	0	0	0	1996 to 2026-06-30	
Hurricane	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Ice Storm	7	0	0	0	4	0	1996 to 2026-06-30	
Inland Flooding	178	49	15	45	13	1	1996 to 2026-06-30	
Landslide	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Lightning	9	1	1	1	0	0	1996 to 2026-06-30	
Strong Wind	412	120	8	114	4	1	1955 to 2026-06-30	Includes 8 High Wind records.
Tornado	48	7	0	6	10	1	1950 to 2026-06-30	
Wildfire	2	0	0	0	0	0	1996 to 2026-06-30	
Winter Weather	51	19	4	17	1	0	1996 to 2026-06-30	

Notable Storm Events records

Sources: 1, 6, 7

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Deaths, injuries <i>direct only</i>	Location	Why listed
2017-04-29	Flash Flood		\$0 property; \$0 crops (2017 dollars)	1, 0	CLEVER	deaths or injuries recorded
2016-04-11	Lightning		\$300,000 property; \$0 crops (2016 dollars)	0, 0	HIGHLANDVILLE	B1-c worst recorded: Lightning
2012-06-01	Heat		\$0 property; \$0 crops (zone total, 2012 dollars)	0, 0	NWS zone MOZ095 (CHRISTIAN), zone-level	B1-c worst recorded: Excessive Heat, Heat
2009-05-08	Thunderstorm Wind	78 kt (90 mph) estimated gust	\$7,000,000 property; \$0 crops (2009 dollars)	0, 0	BILLINGS to ABADYL	B1-c worst recorded: Thunderstorm Wind
2009-05-08	High Wind	61 kt (70 mph) estimated gust	\$0 property; \$0 crops (zone total, 2009 dollars)	0, 0	NWS zone MOZ095 (CHRISTIAN), zone-level	B1-c worst recorded: High Wind and Strong Wind
2008-03-17	Flash Flood		\$5,000,000 property; \$0 crops (2008 dollars)	0, 0	LINDEN to BILLINGS	B1-c worst recorded: Flash Flood, Flood, Lakeshore Flood
2007-04-07	Frost/Freeze		\$0 property; \$3,020,000 crops (zone total, 2007 dollars)	0, 0	NWS zone MOZ095 (CHRISTIAN), zone-level	B1-c worst recorded: Frost/Freeze
2003-05-04	Tornado	F3, 13 mi within this county, 880 yd wide	\$5,100,000 property; \$0 crops (2003 dollars)	1, 3	BILLINGS	deaths or injuries recorded
2001-08-01	Heat		damage not reported	1, 0	NWS zone MOZ095 (CHRISTIAN), zone-level	deaths or injuries recorded
2000-12-12	Extreme Cold/Wind Chill		\$25,000 property; \$0 crops (zone total, 2000 dollars)	0, 0	NWS zone MOZ095 (CHRISTIAN), zone-level	B1-c worst recorded: Cold/Wind Chill, Extreme Cold/Wind Chill
1996-11-24	Ice Storm		\$400,000 property; crops not reported (zone total, 1996 dollars)	0, 0	NWS zone MOZ095 (CHRISTIAN), zone-level	B1-c worst recorded: Ice Storm
1991-11-29	Tornado	F4, 2 mi path length (whole path, pre-1996), 400 yd wide	\$25,000,000 property; crops not recorded (1991 dollars)	0, 0	location not recorded	B1-c worst recorded: Tornado

The full list is in the Excel file, sheet "B1-d Storm Events history" (1,075 rows).

Location is the place NOAA recorded, as written in its data; it need not be a jurisdiction in this plan.

Local data needed: state-declared emergencies, from your state emergency management agency (federal data do not include them).

FEMA's declaration data list no tribal or special-area declarations for this state.

Supports FEMA checklist item B1-e: probability of future events

Probability: FEMA annualized frequency and descriptor per hazard

Sources: 5, 6

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Cold Wave	2.16	event-days per year	about 2.16 days per year	Likely	Storm Events event- days in 5 of 30 years, 1996 to 2025 (16.7%)	41	2005-11-12 to 2024-11-12 (19 years)	countywide	
Drought	3.44	event-days per year	about 3.44 days per year	Likely	Storm Events event- days in 10 of 30 years, 1996 to 2025 (33.3%)	147	2000 to 2025 (25.25 years; D3 and D4 only)	countywide	
Earthquake	0.00228	annual probability at a location	chance a given location in the county has at least minor-damage shaking in a year: 0.228%			not shown	modeled	see B1-f	No descriptor (Storm Events does not record earthquakes).
Hail	7.1	events per year	about 7.1 per year	Highly likely	FEMA annualized frequency (modeled)	269.9 (modeled)	1986 to 2023 (38 years)	countywide	
Heat Wave	13.2	event-days per year	about 13.2 days per year	Likely	Storm Events event- days in 4 of 30 years, 1996 to 2025 (13.3%)	195	2005-11-12 to 2024-11-12 (19 years)	countywide	
Hurricane	0.0115	events per year	about 1 in 87 years	Possible	FEMA annualized frequency (modeled)	4	1851 to 2024 (Atlantic)	see B1-f	NRI counts hurricane and tropical storm tracks passing within storm-force wind range; federal declarations are in B1-d.
Ice Storm	1.52	event-days per year	about 1.52 days per year	Likely	Storm Events event- days in 6 of 30 years, 1996 to 2025 (20%)	103	1946-12-31 to 2014-02-12 (67 years)	countywide	
Inland Flooding	3.43	event-days per year	about 3.43 days per year	Highly likely	Storm Events event- days in 29 of 30 years, 1996 to 2025 (96.7%)	96	1996 to 2023 (28 years)	see B1-f	
Landslide	0.739	events per year (modeled)	about 0.74 per year	Likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Lightning	58	days per year with a strike	about 58 days per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1995 to 2023 (29 years; CONUS)	countywide	
Strong Wind	5.58	events per year	about 5.58 per year	Highly likely	FEMA annualized frequency (modeled)	212	1986 to 2023 (38 years)	countywide	

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Tornado	0.411	events per year	about 1 in 2 years	Likely	FEMA annualized frequency (modeled)	not shown	1950 to 2023 (EF2+); 1986 to 2023 (EF0-1)	see B1-f	
Wildfire	0.00155	annual probability at a location	chance a given location in the county burns in a year: 0.155%	Possible	Storm Events records in 2 of 30 years, 1996 to 2025 (6.67%)	not shown	modeled	see B1-f	
Winter Weather	11.3	event-days per year	about 11.3 days per year	Likely	Storm Events event-days in 24 of 30 years, 1996 to 2025 (80%)	215	2005-11-12 to 2024-11-12 (19 years)	countywide	

FEMA annualized frequency (modeled) is the National Risk Index v1.20 (December 2025) estimate of how often a hazard affects this county in a year; it is not recorded events divided by years, and its unit differs by hazard (events, event-days, or days with a lightning strike per year). For earthquake, wildfire, coastal flooding and tsunami the value is the chance (or number of events) at a location in the county, not across the county, so no "1 in N years" is given and the descriptor comes from Storm Events where it has a record (none for earthquake). The Methods page gives each hazard's method, from FEMA's National Risk Index Technical Documentation v1.20.

Where NRI gives event-days, the descriptor comes from the share of years with a Storm Events record; NRI's source records more events, so the two differ.

Descriptor scale used in this packet (defined per unit)

Sources: 5, 6

Unit	Descriptor	Definition
events per year	Highly likely	1 or more per year
events per year	Likely	about once in 1 to 10 years
events per year	Possible	about once in 10 to 100 years
events per year	Unlikely	less than once in 100 years
annual probability	Likely	10% to under 100% chance in a given year
annual probability	Possible	1% to under 10% chance in a given year
annual probability	Unlikely	under 1% chance in a given year
event-days (share of years)	Highly likely	event-days recorded in 90% or more of years
event-days (share of years)	Likely	event-days recorded in 10% to under 90% of years
event-days (share of years)	Possible	event-days recorded in some years but under 10% of years
lightning strike-days	Highly likely	cloud-to-ground strikes on 1 or more days per year

Intensity bands: historical frequency (Storm Events)

Source: 6

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Hail	1.00-1.99 in	1996 to 2025	151	30	5.03
Hail	2.00 in+	1996 to 2025	10	30	0.333
Thunderstorm Wind (counted as NRI Strong Wind)	50-64 kt	1996 to 2025	301	30	10
Thunderstorm Wind (counted as NRI Strong Wind)	65 kt+	1996 to 2025	22	30	0.733
Thunderstorm Wind (counted as NRI Strong Wind)	unmeasured or below 50 kt	1996 to 2025	29	30	0.967
Tornado	EF0-1	1996 to 2025	26	30	0.867
Tornado	EF2-3	1996 to 2025	3	30	0.1
Tornado	EF4-5	1996 to 2025	0	30	0
Tornado	unrated (EFU)	1996 to 2025	0	30	0

The bands show how often events of each severity were recorded in this county, to profile how severe events have been (FEMA's probability item asks for the range of intensities).

Hail smaller than 1 inch is not counted: on 2010-01-05 the National Weather Service raised its severe-hail threshold from 3/4 inch to 1 inch, so smaller reports became less common after 2009 (NWS Service Change Notice 09-52). NRI hail frequency uses a 0.75 inch threshold.

Optional: future conditions. Not a required item in the 2025 FEMA Local Mitigation Planning Policy Guide; some states ask for it. The federal Climate Mapping for Resilience and Adaptation (CMRA) site gives county exposure to future climate conditions (<https://resilience.climate.gov/>).

Supports FEMA checklist item B1-f: hazards that vary across jurisdictions

Range of census tract risk within the county

Source: 5

Hazard	Tracts <i>rated of all</i>	NRI risk score, 0 to 100			Tracts by rating
		Min	Median	Max	
Cold Wave	19 of 19	30.9	50.5	65.3	Relatively Moderate 13, Relatively Low 6
Drought	5 of 19	80.7	85.1	93.9	Relatively Moderate 1, Relatively Low 4, No Rating 14
Earthquake	19 of 19	42.8	61.9	78.7	Relatively Moderate 1, Relatively Low 18
Hail	19 of 19	65.4	76.2	86.9	Relatively Moderate 18, Relatively Low 1
Heat Wave	19 of 19	73.3	89.9	95.8	Relatively High 16, Relatively Moderate 3
Hurricane	19 of 19	29.3	34.1	39.8	Very Low 19
Ice Storm	19 of 19	92.7	96.5	99.0	Very High 3, Relatively High 16
Inland Flooding	19 of 19	32.1	64.6	87.7	Relatively High 5, Relatively Moderate 11, Relatively Low 3
Landslide	19 of 19	24.7	53.5	97.1	Relatively Moderate 1, Relatively Low 2, Very Low 16
Lightning	19 of 19	60.1	83.8	96.1	Very High 1, Relatively High 13, Relatively Moderate 5
Strong Wind	19 of 19	74.7	87.3	96.2	Relatively High 14, Relatively Moderate 5

Hazard	Tracts <i>rated of all</i>	NRI risk score, 0 to 100			Tracts by rating
		Min	Median	Max	
Tornado	19 of 19	66.2	81.3	95.3	Very High 2, Relatively High 12, Relatively Moderate 5
Wildfire	19 of 19	74.8	84.8	89.6	Relatively Moderate 1, Relatively Low 18
Winter Weather	19 of 19	68.7	83.1	93.6	Relatively High 16, Relatively Moderate 3

Drought: Agriculture is all of NRI's expected annual loss for this hazard in the county, so the tract range mostly reflects where crop and livestock value is.

Rated tracts only: No Rating (score 0.0), Not Applicable and Insufficient Data tracts are counted but not used for the minimum, median and maximum.

The score ranks a tract against all U.S. tracts (100 = highest). The rating is FEMA's category for the tract's risk value, computed differently, so the two can disagree.

Frequency data for cold wave, drought, hail, heat wave, ice storm, lightning, strong wind and winter weather are county-wide or coarse (49 km grid or NWS zone), the same for every jurisdiction; the tract range mostly reflects where buildings and people are (crop and livestock value where a line above names agriculture).

Each jurisdiction (starting figures from federal data)

Sources: 1, 3, 4, 6

Jurisdiction	Type	Plan status	Repetitive loss <i>FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition</i>	Public Assistance to this jurisdiction <i>FEMA records matched by applicant name; federal share obligated, nominal dollars</i>	Event records naming this place <i>all years; since its plan</i>	Notes
Christian County (unincorporated area)	Unincorporated	Expired on 2026-02-02	FMA RL 1, SRL 0; any 7	\$5,173,581.42	0 total; 0 since its plan	Includes \$1,249.99 for declarations not counted as hazard incidents (EM-3232-MO).
Clever city	City	Expired on 2026-02-02	FMA RL 0, SRL 0; any 0	\$34,282.27	50 total; 14 since its plan	
Fremont Hills city	City	Expired on 2026-02-02	FMA RL 0, SRL 0; any 0	\$15,905.07	0 total; 0 since its plan	
Highlandville city	City	Expired on 2026-02-02	FMA RL 0, SRL 0; any 0	\$13,528.11	64 total; 9 since its plan	
Nixa city	City	Expired on 2026-02-02	FMA RL 0, SRL 0; any 0	\$333,399.40	142 total; 49 since its plan	
Ozark city	City	Expired on 2026-02-02	FMA RL 1, SRL 4; any 6	\$223,322.32	143 total; 32 since its plan	
Republic city	City	No approved plan on record	FMA RL 0, SRL 0; any 1	no Public Assistance recorded	0 total; no approved plan	Whole community, including the part in Greene County; none of its repeat-flood properties are in this county.
Saddlebrooke village	Village	Expired on 2026-02-02	FMA RL 0, SRL 0; any 0	\$17,992.60	0 total; 0 since its plan	
Sparta city	City	Expired on 2026-02-02	FMA RL 0, SRL 0; any 0	\$26,617.54	52 total; 6 since its plan	

Repetitive-loss counts are for whole NFIP communities, which can extend beyond this county (see the note in B2-c).

School districts and special districts get a plan clock row only.

County Public Assistance in B1-d also includes applicants filed under the county that are not jurisdictions in this plan (for example state agencies, special districts and nonprofits), so the jurisdiction rows add up to less.

Supports FEMA checklist items B2-a and B2-b: vulnerability and potential impacts

Local data needed

The table below gives county-level starting figures; the plan describes impacts for each jurisdiction and its own assets.

- Critical facilities and lifelines per hazard
- A problem statement per jurisdiction per hazard
- Changes in development in hazard-prone areas since the last approval, or a statement of none (E1-a)
- Future assets

County-level starter: exposure, expected annual loss and damage since the plan

Sources: 1, 2, 3, 5, 6, 7

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2021-02-02 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Cold Wave	\$19,291,349,008	\$37,187,874	88,779	\$1,710	\$156,940	\$933,963	under 0.0001%		\$0		
Drought	n/a	\$4,861,319	n/a	n/a	\$78,842	n/a	1.62% (agriculture)		\$645,000		NRI has no building exposure for this hazard; agriculture shown
Earthquake	\$31,349,929,405	n/a	88,842	\$957,146	n/a	\$237,783	0.00305%				
Hail	\$19,291,349,008	\$37,187,874	88,779	\$652,581	\$694	\$21,412	0.00338%	\$30,385,000			
Heat Wave	\$19,291,349,008	\$37,187,874	88,779	\$1,261	\$1	\$3,935,358	under 0.0001%				
Hurricane	\$19,230,706,488	\$36,834,794	88,712	\$20,220	\$1,792	\$172	0.000105%				
Ice Storm	\$19,287,734,834	n/a	88,748	\$1,945,795	n/a	\$30,818	0.0101%				
Inland Flooding	\$19,285,332,724	\$2,676,218	1,001	\$16,409,644	\$106,752	\$1,849,324	n/a (see note)	\$20,000		\$474,359.86	NRI counts the full building value of any census block with some flood loss; this is not the value of buildings in the floodplain. Use local FIRM overlays for B2-a/B2-b.
Landslide	\$575,870,078	n/a	2,551	\$8,784	n/a	\$1,412	0.00153%				
Lightning	\$19,291,349,008	n/a	88,779	\$36,081	n/a	\$719,030	0.000187%	\$30,000			
Strong Wind	\$19,291,349,008	\$37,187,874	88,779	\$1,423,075	\$676	\$264,660	0.00738%	\$786,500	\$19,000	\$474,359.86	Storm Events damage since the plan includes 4 zone-level High Wind records (\$19,000): a NOAA non-thunderstorm wind type, outside NRI's Strong Wind definition.
Tornado	\$19,291,349,008	\$37,187,874	88,779	\$3,187,006	\$1,159	\$2,624,368	0.0165%	\$453,000		\$474,359.86	

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2021-02-02 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Wildfire	\$1,440,000,793	\$13,099,901	17,173	\$200,969	\$140	\$48,258	0.014%				
Winter Weather	\$19,291,349,008	\$37,187,874	88,779	\$178,923	\$41	\$60,230	0.000927%		\$0		

Totals since 2021-02-02 (Storm Events through 2026-06-30): 248 county-coded records, 248 with a damage value recorded (including \$0), \$31,674,500; 39 zone-level records, 28 with a damage value recorded (including \$0), \$664,000 reported for the zone; Public Assistance: \$474,359.86 on 1 counted declaration.

FEMA does not split Public Assistance by hazard. A declaration mapped to several hazards is listed under each of them with its full amount, so the per-hazard column does not add up to the total; the unit total counts each declaration once.

NRI computes earthquake exposure on its own basis, so it exceeds the county building value in B2-a.

Supports FEMA checklist item B2-a: vulnerability (county context)

County context

Source: 5

Measure	Value
Population	88,779
Building value (total, not at risk)	\$19,291,349,008
Agriculture value (total, not at risk)	\$37,187,874
NRI risk rating (all hazards)	Relatively Low
Expected annual loss, buildings and agriculture, all hazards	\$25,370,230
Expected annual loss, population equivalence, all hazards (NRI values each statistical life at \$13.7M; a modeled value of expected deaths and injuries, not property damage)	\$10,726,788
Social vulnerability rating	Very Low
Community resilience rating	Relatively Moderate
NRI version	December 2025

FEMA's all-hazard expected annual loss adds buildings, agriculture and population equivalence; this table gives the property part and the population-equivalence part as separate rows.

Social vulnerability: higher means people are more likely to be harmed and slower to recover. Community resilience: lower means the community is less able to recover. High social vulnerability and low resilience both raise the NRI risk rating.

Supports FEMA checklist item B2-c: repetitive loss properties

Repetitive loss in this county, both definitions

Sources: 1, 4

Definition	Properties	Severe repetitive loss	Properties
Repetitive loss, FMA definition (44 CFR 77.2)	2	Severe repetitive loss, FMA definition (44 CFR 77.2)	4
Repetitive loss, NFIP insurance definition	12	Severe repetitive loss, NFIP insurance definition	3

The state NFIP coordinator's list, the source FEMA's Handbook names, often uses the NFIP insurance definition (second row).

Repeat-flood properties: county and state-level rows

Sources: 1, 4

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
County total	2	4	12	3	13	1	5
of which: Ozark city	1	4	5	3	6	1	2
of which: Christian County (unincorporated area)	1	0	7	0	7	0	3
Statewide, no county in FEMA's file	0	0	3	0	3	0	0

The statewide row counts properties FEMA's file gives with no county in this state; they are listed for reference and are not in this county's counts.

Repeat-flood properties by jurisdiction in the plan (NFIP community)

Sources: 1, 4

Jurisdiction	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>	Note
Christian County (unincorporated area)	290847	1	0	7	0	7	0	3	
Clever city	290600	0	0	0	0	0	0	0	
Fremont Hills city	290755	0	0	0	0	0	0	0	
Highlandville city	290773	0	0	0	0	0	0	0	
Nixa city	290078	0	0	0	0	0	0	0	
Ozark city	290079	1	4	5	3	6	1	2	
Republic city	290148	0	0	1	0	1	0	0	Whole community, including the part in Greene County; none of its repeat-flood properties are in this county.
Saddlebrooke village	290993	0	0	0	0	0	0	0	
Sparta city	290529	0	0	0	0	0	0	0	

Counts by occupancy group for each jurisdiction are in the Excel file, sheet "B2-c Jurisdictions".

Jurisdiction rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each jurisdiction row, while the county table counts only its part in this county.

County repeat-flood properties by occupancy group

Sources: 1, 4

Occupancy group	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
single-family residential	2	2	8	1	9	1	3
2 to 4 unit residential	0	0	0	0	0	0	0
other residential	0	0	0	0	0	0	0
non-residential	0	2	4	2	4	0	2
not reported	0	0	0	0	0	0	0

FEMA's occupancy groups have no institutional class; institutional properties are counted in non-residential or other residential in the table by occupancy group.

FMA RL and FMA SRL are the Flood Mitigation Assistance definitions (44 CFR 77.2), the ones the FEMA Local Mitigation Planning Policy Guide cites. NFIP repetitive loss (the FEMA insurance definition) is 2 or more claims over \$1,000 in 10 years, and a property can leave that group once it is mitigated. Also shown: NFIP severe repetitive loss, any category, mitigated and currently insured. The Methods page gives the OpenFEMA field details.

Counts are aggregates of FEMA's public NFIP Multiple Loss Properties file (FEMA's data date 2026-08-02; file version 2026-08-04). No property is identified. County assignment is FEMA's geocode.

In this county 1 property is FMA repetitive loss but not NFIP repetitive loss, and 11 properties are NFIP repetitive loss but not FMA repetitive loss.

Exact counts; no count suppression.

Sources

Tables cite these sources by number. The full list, for the plan's bibliography (FEMA review item A4-a):

1. FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-29T134039Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
 2. FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-29T162832Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
 3. FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-29T150754Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
 4. FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
 5. FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-30, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
 6. NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-30, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
 7. NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-30, <https://www.weather.gov/gis/ZoneCounty>
 8. U.S. Census Bureau, Census 2024 Gazetteer, 2020 place by county, CT county-to-cousub crosswalk, version 2024-gazetteer, pulled 2026-09-30, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_counties_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_cousubs_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_place_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_unsd_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_elsd_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_scscd_national.zip, https://www2.census.gov/geo/docs/reference/codes2020/national_place_by_county2020.txt, https://www2.census.gov/geo/docs/reference/ct_change/ct_cou_to_cousub_crosswalk.xlsx (used to match place names and codes; no table prints its values)
-

What this packet is and what the plan adds

This packet is the federal data for the plan's risk assessment (the summary on page 1 says how it is organized); the plan and FEMA's review decide whether each item is met.

The plan adds what only the community has: local data on assets, critical facilities, development and each jurisdiction's impacts; local hazard history, including state-declared emergencies; the mitigation strategy; and adoption.

How the federal data are built: National Risk Index values are FEMA's model, not counts of events. Storm Events is more complete from 1996; zone-level records are placed by forecast zone, not by location in the county. Public Assistance for a jurisdiction is matched by applicant name. The Methods page gives every rule and the known edge cases.

OpenFEMA disclaimer

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Reuse, citation and corrections

Reuse and citation: Hazard Plain text and tables are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0, <https://creativecommons.org/licenses/by/4.0/>); credit Hazard Plain and the release. The underlying federal data are public domain; OpenFEMA data are also subject to the OpenFEMA terms and conditions.

Cite this: Hazard Plain (2026). Christian County, MO: risk-assessment baseline packet, release 2026-10 (data as of 2026-09-30; County FIPS 29043). Automated baseline. <https://hazardplain.org/mo/29043/> Built from FEMA OpenFEMA, the FEMA National Risk Index and NOAA NCEI Storm Events; source versions in the packet's Sources list.

Corrections: to report an error, name the packet, the table and what your records show. Contact: contact@hazardplain.org