

Daniels County, MT

Risk-assessment baseline packet

County FIPS: 30019 **Release:** 2026-10 **Data as of:** 2026-09-30 **Storm Events data through:** 2026-06-30

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

Summary

Plan status as of 2026-09-30: Approved, expires 2030-03-11. Plan: Eastern Montana Regional Hazard Mitigation Plan 2025 (FEMA plan 110310), approved 2025-03-12. Since the plan was approved on 2025-03-12: no new hazard declaration and 17 NOAA Storm Events records; details under "What changed since your last plan". Highest expected annual loss (FEMA National Risk Index, modeled total; see B1-a): Cold Wave (\$1,479,853 a year), Inland Flooding (\$669,958) and Hail (\$61,102). The tables that follow are organized by the items of FEMA's Local Mitigation Plan Review Tool, Element B (B1-a to B2-c); each heading says which item its tables support.

TERMS USED

EAL: expected annual loss: FEMA's modeled average yearly loss from a hazard.
NRI: FEMA's National Risk Index (version 1.20, December 2025).
NFIP: National Flood Insurance Program.
RL, SRL: repetitive loss and severe repetitive loss: flood-insured properties with repeated claims (definitions in B2-c).
FMA, HMGP: Flood Mitigation Assistance and Hazard Mitigation Grant Program, FEMA mitigation grants.
PA: FEMA Public Assistance: disaster aid to governments and some nonprofits.
Zone-level: NOAA logged the event for a National Weather Service forecast zone, which may include parts of neighboring counties.
County-coded: NOAA logged the event to this county.
FIPS: the federal code for a place; 30019 is this area.
D0 to D4: U.S. Drought Monitor categories, from abnormally dry (D0) to exceptional drought (D4).
F/EF, EFU: Fujita and Enhanced Fujita tornado ratings; EFU is an unrated tornado.
kt, CONUS: knots (1 kt is about 1.15 mph); the contiguous United States.
CFR: Code of Federal Regulations.
A4-a, E1-a: other items of FEMA's Local Mitigation Plan Review Tool (sources, and changes since the last plan).
Dollars: nominal (as reported, labeled with the year), not adjusted for inflation.

CONTENTS

- 1. Summary and terms used, page 1
- 2. Plan clock, page 2
- 3. What changed since your last plan (approved 2025-03-12), page 2
- 4. B1-a: hazard identification, page 3
- 5. B1-b: hazard location, page 4
- 6. B1-c: hazard extent, page 5
- 7. B1-d: previous occurrences, page 7
- 8. B1-e: probability of future events, page 10
- 9. B1-f: hazards that vary across jurisdictions, page 12
- 10. B2-a and B2-b: vulnerability and potential impacts, page 13
- 11. B2-a: vulnerability (county context), page 15
- 12. B2-c: repetitive loss properties, page 15
- 13. Sources, what the plan adds, disclaimer and citation, page 16

Plan clock

Status:	Approved, expires 2030-03-11	Plan:	Eastern Montana Regional Hazard Mitigation Plan 2025 (FEMA plan 110310)
Approved:	2025-03-12	Days to expiry:	1,258
What changed since your last plan (approved 2025-03-12)			
New federal declarations:	none	Storm Events records since approval:	17 records (data through 2026-06-30)
Repetitive loss now:	FMA RL 0, SRL 0 (44 CFR 77.2); any definition: 0	Repeat-flood change:	this release sets the baseline count.
Sources: 1, 2, 4, 6 (numbered list at the end)			

Plan status for every jurisdiction listed in this county

Source: 1

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry negative = days since expiry	Notes
Daniels County	County	Approved, expires 2030-03-11	Eastern Montana Regional Hazard Mitigation Plan 2025 (FEMA plan 110310)	2025-03-12	2030-03-11	1,258	this jurisdiction approved 2025-04-18
Flaxville town	Town	Approved, expires 2030-03-11	Eastern Montana Regional Hazard Mitigation Plan 2025 (FEMA plan 110310)	2025-03-12	2030-03-11	1,258	this jurisdiction approved 2025-04-18
Scobey city	City	Approved, expires 2030-03-11	Eastern Montana Regional Hazard Mitigation Plan 2025 (FEMA plan 110310)	2025-03-12	2030-03-11	1,258	this jurisdiction approved 2025-04-18

Plan 110310 covers 67 other participants, named in the Excel file.

State plan status and tribal plans in this state: see the state page.

Supports FEMA checklist item B1-a: hazard identification

Hazards NRI does not cover (local data needed)

- dam failure (incl. upstream dams)
- levee failure
- flash flood as its own subtype
- ice jams
- debris flows
- erosion (riverine and coastal)
- land subsidence and sinkholes
- expansive soils

The 18 National Risk Index hazards, ranked by expected annual loss (EAL)

Sources: 5, 6

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records, 1996 to 2026-06-30 <i>count</i>	Why this hazard can be left out <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
1	Cold Wave	Relatively Low	Relatively Moderate	\$18,074	\$684,143	\$777,635	\$1,479,853	49		
2	Inland Flooding	Very Low	Very Low	\$669,958	\$0	\$0	\$669,958	19		
3	Hail	Very Low	Very Low	\$35,171	\$24,058	\$1,874	\$61,102	156		
4	Tornado	Very Low	Very Low	\$42,003	\$223	\$13,840	\$56,066	2		
5	Winter Weather	Relatively Low	Relatively Low	\$25,834	\$63	\$24,192	\$50,090	75		
6	Strong Wind	Very Low	Very Low	\$29,165	\$8,530	\$9,078	\$46,772	112		Includes 44 High Wind records (a NOAA non-thunderstorm wind type, outside NRI's Strong Wind definition).
7	Wildfire	Very Low	Very Low	\$29,233	\$20	\$480	\$29,733	0		No recorded events in Storm Events since 1996 (data through 2026-06-30).
8	Drought	Very Low	Relatively Low	n/a	\$27,774	n/a	\$27,774	54		
9	Heat Wave	Very Low	Very Low	\$1,409	\$2,705	\$12,391	\$16,505	3		
10	Lightning	Very Low	Very Low	\$2,137	n/a	\$8,174	\$10,311	2		
11	Earthquake	Very Low	Very Low	\$3,881	n/a	\$577	\$4,458			Storm Events does not record earthquakes.
12	Ice Storm	Very Low	Very Low	\$1,786	n/a	\$113	\$1,899	2		

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records, 1996 to 2026-06-30 <i>count</i>	Why this hazard can be left out <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
13	Landslide	Very Low	Very Low	\$20	n/a	\$3	\$23	0		Declared 1 time; no Storm Events record of this type.
	Hurricane	Not Applicable	Not Applicable					0	NRI rates hurricane Not Applicable for this county, and no counted federal declaration for this county names it (EM-3253-MT names it but is not counted as a local occurrence; see B1-d).	No recorded events in Storm Events since 1996 (data through 2026-06-30).

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

NRI risk rating combines expected annual loss with social vulnerability and community resilience; EAL rating rates expected annual loss alone. Both compare this county with all U.S. counties.

Local data needed: state and local wildfire and landslide records (Storm Events records these hazards only in part).

Not applicable to this county per NRI, with no federal declaration and no Storm Events record since 1996: avalanche, coastal flooding, tsunami and volcanic activity. That is the evidence for leaving them out of the plan.

The state hazard mitigation plan also lists hazards for this county; FEMA asks the plan to explain any hazard it leaves out.

Supports FEMA checklist item B1-b: hazard location

Affects the whole county (national data give no location within it): Cold Wave, Drought, Hail, Heat Wave, Ice Storm, Lightning, Strong Wind and Winter Weather.

Inland Flooding: The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (<https://msc.fema.gov>) for this county.

NRI rating of the county's single census tract

Source: 5

Hazard	Census tract <i>NRI risk rating, score 0 to 100</i>
Earthquake	tract 203 (Very Low, 16.4)
Hurricane	no tract has a National Risk Index rating for this hazard
Landslide	tract 203 (Very Low, 69.4)
Tornado	tract 203 (Relatively Low, 47.1)
Wildfire	tract 203 (Relatively Moderate, 89.7)

A tract number is the Census tract number (for example 203 is Census Tract 203). FEMA's Resilience Analysis and Planning Tool maps the National Risk Index for every tract: <https://www.fema.gov/emergency-managers/practitioners/resilience-analysis-and-planning-tool>

Supports FEMA checklist item B1-c: hazard extent

Extent: scale, observed range and worst recorded event per hazard

Sources: 6, 7

Hazard	Scale	Records <i>count and years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to jurisdictions	Note
Cold/Wind Chill, Extreme Cold/Wind Chill	wind chill	49 records, 1997 to 2026 (49 zone-level)	1 day to 10 days (median 2 days); 37 with a recorded value	10 consecutive days, 2021-02-05 to 2021-02-14, zone-level		Countywide (zone-level records).	
Frost/Freeze (outside NRI's Cold Wave definition)	crop damage	0					
Drought	U.S. Drought Monitor scale (D0 to D4)	54 records, 2005 to 2026 (54 zone-level)	28 days to 608 days (median 63.5 days); 10 with a recorded value	608 days (20 months), 2020-10-01 to 2022-05-31, a run of 20 consecutive Storm Events drought records, zone-level		Countywide (zone-level records).	Storm Events enters a drought at D2 or worse east of the Rockies and D3 or worse from the Rockies west (NWS Instruction 10-1605); NRI drought counts D3 and D4 only.
Earthquake	Modified Mercalli (local data)	0					Storm Events does not record earthquakes; the USGS earthquake catalog is the source.
Hail	hail size (inches)	163 records, 1956 to 2026	0.75 in to 4 in (median 1 in); 163 with a recorded value	4 in hail, 2010-07-26; same size also recorded on 1998-07-04	Hail, 2000-08-11, \$150,000 property; \$200,000 crops (2000 dollars)	Event records naming jurisdictions in the plan: Scobey city (54 records), Flaxville town (21 records).	
Excessive Heat, Heat	heat index (in event narratives)	3 records, 2003 to 2018 (3 zone-level)	2 days to 19 days (median 6 days); 3 with a recorded value	19 consecutive days, 2007-07-13 to 2007-07-31, zone-level		Countywide (zone-level records).	
Hurricane, Tropical Storm, Tropical Depression	Saffir-Simpson	0					Storm Events files every zone of a storm's episode under the storm's type; flooding from the storm is filed as Flood or Flash Flood records.
Ice Storm	Sperry-Piltz ice scale (local data)	2 records, 2000 to 2009 (2 zone-level)		No damage reported in 2 records.		Countywide (zone-level records).	
Flash Flood, Flood, Lakeshore Flood	damage and flood days (flood depth: FIRM)	19 records, 1997 to 2025 (2 zone-level)		Flood, 1999-03-17, \$85,000 property; crops not reported (1999 dollars); NWS zone MTZ018		Event records naming jurisdictions in the plan: Scobey city (3 records). Zone-level records (2) apply countywide.	Flood depth: see the FEMA Flood Insurance Rate Map. Storm Events damage is often \$0 or blank for floods, major ones included; FEMA Public Assistance by declaration (B1-d) shows which floods cost the most.
Debris Flow	none (count and damage only)	0					

Hazard	Scale	Records <i>count and years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to jurisdictions	Note
Lightning	annualized frequency (the measure FEMA's Local Mitigation Planning Handbook names)	2 records, 2003 to 2023		Lightning, 2023-06-30, \$5,000 property; \$0 crops (2023 dollars)		Event records naming jurisdictions in the plan: Flaxville town (1 record).	Storm Events lists lightning with damage or casualties.
High Wind and Strong Wind (outside NRI's Strong Wind definition)	wind speed (kt and mph)	44 records, 1999 to 2026 (44 zone-level)	35 kt (40 mph) to 65 kt (75 mph) (median 50 kt (58 mph)); 44 with a recorded value	65 kt (75 mph) measured gust, High Wind, 2021-01-13; NWS zone MTZ018	High Wind, 2000-04-05, \$30,000 property; crops not reported (zone total, 2000 dollars)	Countywide (zone-level records).	
Thunderstorm Wind	wind speed (kt and mph)	74 records, 1966 to 2026	50 kt (58 mph) to 75 kt (86 mph) (median 54 kt (62 mph)); 66 with a recorded value	75 kt (86 mph), measurement type not recorded, Thunderstorm Wind, 1988-08-17	Thunderstorm Wind, 1997-08-08, \$20,000 property; \$75,000 crops (1997 dollars)	Event records naming jurisdictions in the plan: Scobey city (20 records), Flaxville town (11 records).	
Tornado	Enhanced Fujita (Fujita before Feb 2007)	7 records, 1959 to 2023	F/EF0 to F/EF1 (median between F/EF0 and F/EF1); 4 with a recorded value	F1 tornado, 1972-06-11, 10.4 mi path length (whole path, pre-1996), 50 yd wide, \$2,500 property; crops not recorded (1972 dollars)		Event records naming jurisdictions in the plan: Scobey city (1 record).	Before 1996 a tornado is listed once, under the county where it began, with its whole path's rating and length; from 1996 on, each county lists its own segment. Length is not used to rank tornadoes (see Methods).
Wildfire	acres burned (local data)	0					
Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet	none in data (snowfall: local data)	75 records, 1996 to 2026 (75 zone-level)		No damage reported in 75 records.		Countywide (zone-level records).	

In event narratives only (local data needed): wind chill, temperature, heat index, ice thickness, acres burned and snow depth; any physical measure of debris flow and lightning.

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records from zones that no NWS zone-county file places in this county (mostly before 2020) are not counted here (the Methods page explains the zone matching).

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

Supports FEMA checklist item B1-d: previous occurrences

Federal declarations for this county: 8 declarations covering 5 separate hazard incidents counted in this packet (declarations for the same incident count once; non-natural and evacuation-only declarations are not counted).

Federal disaster declarations for this county

Sources: 1, 2, 3

						County Public Assistance		
Declared	Incident began	FEMA number	Type	Title	Mapped hazard	<i>federal share obligated, nominal dollars</i>	Flags	Notes
2023-10-11	2023-06-01	DR-4745-MT	Major disaster	Flooding	Inland Flooding	\$109,382.13	within last 5 years	
2023-08-12	2023-04-10	DR-4726-MT	Major disaster	Flooding	Inland Flooding	\$87,640.53	within last 5 years	
2020-03-31	2020-01-20	DR-4508-MT	Major disaster	COVID-19 Pandemic	Non-natural, not counted	no Public Assistance recorded		
2020-03-13	2020-01-20	EM-3476-MT	Emergency	COVID-19	Non-natural, not counted	no Public Assistance recorded		same incident as DR-4508
2019-05-24	2019-03-20	DR-4437-MT	Major disaster	Flooding	Inland Flooding	\$99,718.73		
2011-06-17	2011-04-04	DR-1996-MT	Major disaster	Severe Storms and Flooding	Inland Flooding	\$196,237.74		
2005-09-13	2005-08-29	EM-3253-MT	Emergency	Hurricane Katrina Evacuation	Hurricane: evacuation support, not a local hazard event; not counted	no Public Assistance recorded		
1986-03-15	1986-02-24	DR-761-MT	Major disaster	Heavy Rains, Landslides & Flooding	Inland Flooding (primary); also designated: Landslide	no Public Assistance recorded		

County Public Assistance: applicants the FEMA record places in this county, including any state agencies FEMA files there; statewide rows are listed on the state page; federal share obligated, nominal dollars.

Statewide declarations

Source: 2

Declared	Incident began	FEMA number	Type	Title	Mapped hazard
1964-12-18	1964-12-18	DR-182-MT	Major disaster	Severe Winter Storm	Winter Weather
1964-06-09	1964-06-09	DR-172-MT	Major disaster	Heavy Rains & Flooding	Inland Flooding
1953-06-06	1953-06-06	DR-5-MT	Major disaster	Floods	Inland Flooding

FEMA recorded these with designated area Statewide and no county, so they are listed on every county page in the state and not counted with county rows. Local data needed: whether each one affected this county.

11 Fire Management declarations (1973-08-16 to 1996-09-06) FEMA filed as Statewide with no county; each names one local fire. Listed on the state page.

Public Assistance not placed in any Montana county: 2 rows, \$679,475.72; listed on the Montana state page.

Source: 3

Previous occurrences by hazard, with explicit no-event rows

Sources: 2, 6, 7

Hazard	Storm Events records, all years on file <i>(years in the Period column)</i>	Since plan approval <i>records</i>	In the 12 months before plan approval <i>records</i>	Last 5 years <i>records</i>	Declared incidents, all years <i>separate disasters</i>	Declared since approval <i>separate disasters</i>	Period	Statement
Cold Wave	49	2	5	13	0	0	1996 to 2026-06-30	
Drought	54	5	4	25	0	0	1996 to 2026-06-30	
Earthquake	0	0	0	0	0	0		Storm Events does not record earthquakes; the USGS earthquake catalog is the source.
Hail	163	3	6	14	0	0	1955 to 2026-06-30	
Heat Wave	3	0	0	0	0	0	1996 to 2026-06-30	
Hurricane	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Ice Storm	2	0	0	0	0	0	1996 to 2026-06-30	
Inland Flooding	19	0	1	2	5	0	1996 to 2026-06-30	
Landslide	0	0	0	0	1	0	1996 to 2026-06-30	No Storm Events records of this type; 1 federal declared incident (see declarations table)
Lightning	2	0	0	1	0	0	1996 to 2026-06-30	
Strong Wind	118	6	1	15	0	0	1955 to 2026-06-30	Includes 44 High Wind records.
Tornado	7	0	0	1	0	0	1950 to 2026-06-30	
Wildfire	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Winter Weather	75	1	3	9	0	0	1996 to 2026-06-30	

Notable Storm Events records

Sources: 1, 6, 7

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Deaths, injuries <i>direct only</i>	Location	Flags	Why listed
2023-06-30	Lightning		\$5,000 property; \$0 crops (2023 dollars)	0, 0	FLAXVILLE	within last 5 years	B1-c worst recorded: Lightning
2021-02-05	Cold/Wind Chill		\$0 property; \$0 crops (zone total, 2021 dollars)	0, 0	NWS zone MTZ018 (DANIELS), zone-level		B1-c worst recorded: Cold/Wind Chill, Extreme Cold/Wind Chill
2021-01-13	High Wind	65 kt (75 mph) measured gust	\$0 property; \$0 crops (zone total, 2021 dollars)	0, 0	NWS zone MTZ018 (DANIELS), zone-level		B1-c worst recorded: High Wind and Strong Wind
2020-10-01	Drought		\$0 property; \$0 crops (zone total, 2020 dollars)	0, 0	NWS zone MTZ018 (DANIELS), zone-level		B1-c worst recorded: Drought
2010-07-26	Hail	4 in	damage not reported	0, 0	SCOBAY		B1-c worst recorded: Hail
2007-07-13	Heat		\$0 property; \$0 crops (zone total, 2007 dollars)	0, 0	NWS zone MTZ018 (DANIELS), zone-level		B1-c worst recorded: Excessive Heat, Heat
2000-08-11	Hail	3 in	\$150,000 property; \$200,000 crops (2000 dollars)	0, 0	PEERLESS		B1-c most damaging: Hail
2000-04-05	High Wind	61 kt (70 mph) estimated	\$30,000 property; crops not reported (zone total, 2000 dollars)	0, 0	NWS zone MTZ018 (DANIELS), zone-level		B1-c most damaging: High Wind and Strong Wind
1999-03-17	Flood		\$85,000 property; crops not reported (zone total, 1999 dollars)	0, 0	NWS zone MTZ018 (DANIELS), zone-level		B1-c worst recorded: Flash Flood, Flood, Lakeshore Flood
1997-08-08	Thunderstorm Wind	speed not recorded	\$20,000 property; \$75,000 crops (1997 dollars)	0, 0	FOUR BUTTES		B1-c most damaging: Thunderstorm Wind
1988-08-17	Thunderstorm Wind	75 kt (86 mph), measurement type not recorded	damage not recorded (pre-1996 record)	0, 0	location not recorded		B1-c worst recorded: Thunderstorm Wind
1972-06-11	Tornado	F1, 10.4 mi path length (whole path, pre-1996), 50 yd wide	\$2,500 property; crops not recorded (1972 dollars)	0, 0	location not recorded		B1-c worst recorded: Tornado

The full list is in the Excel file, sheet "B1-d Storm Events history" (492 rows).

Location is the place NOAA recorded, as written in its data; it need not be a jurisdiction in this plan.

Local data needed: state-declared emergencies, from your state emergency management agency (federal data do not include them).

Tribal and special-area declarations in this state are listed on the state page.

Supports FEMA checklist item B1-e: probability of future events

Probability: FEMA annualized frequency and descriptor per hazard

Sources: 5, 6

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Cold Wave	21.1	event-days per year	about 21.1 days per year	Likely	Storm Events event-days in 19 of 30 years, 1996 to 2025 (63.3%)	400	2005-11-12 to 2024-11-12 (19 years)	countywide	
Drought	31.9	event-days per year	about 31.9 days per year	Likely	Storm Events event-days in 11 of 30 years, 1996 to 2025 (36.7%)	805	2000 to 2025 (25.25 years; D3 and D4 only)	countywide	
Earthquake	0.00015	annual probability at a location	chance a given location in the county has at least minor-damage shaking in a year: 0.015%			not shown	modeled	see B1-f	No descriptor (Storm Events does not record earthquakes).
Hail	1.34	events per year	about 1.34 per year	Highly likely	FEMA annualized frequency (modeled)	50.8 (modeled)	1986 to 2023 (38 years)	countywide	
Heat Wave	1.74	event-days per year	about 1.74 days per year	Likely	Storm Events event-days in 3 of 30 years, 1996 to 2025 (10%)	19	2005-11-12 to 2024-11-12 (19 years)	countywide	
Hurricane		events per year					1851 to 2024 (Atlantic)	see B1-f	Not Applicable in NRI for this county; no descriptor.
Ice Storm	0.0149	event-days per year	about 0.0149 days per year	Possible	Storm Events event-days in 2 of 30 years, 1996 to 2025 (6.67%)	0	1946-12-31 to 2014-02-12 (67 years)	countywide	
Inland Flooding	0.5	event-days per year	about 0.5 days per year	Likely	Storm Events event-days in 9 of 30 years, 1996 to 2025 (30%)	14	1996 to 2023 (28 years)	see B1-f	
Landslide	0.236	events per year (modeled)	about 1 in 4 years	Likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Lightning	25.5	days per year with a strike	about 25.5 days per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1995 to 2023 (29 years; CONUS)	countywide	
Strong Wind	1.13	events per year	about 1.13 per year	Highly likely	FEMA annualized frequency (modeled)	43	1986 to 2023 (38 years)	countywide	
Tornado	0.113	events per year	about 1 in 9 years	Likely	FEMA annualized frequency (modeled)	not shown	1950 to 2023 (EF2+); 1986 to 2023 (EF0-1)	see B1-f	

Hazard	FEMA annualized frequency (modeled)	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
	<i>unit per row</i>								
Wildfire	0.00107	annual probability at a location	chance a given location in the county burns in a year: 0.107%		Storm Events records in 0 of 30 years, 1996 to 2025 (0%)	not shown	modeled	see B1-f	No descriptor: no Storm Events record 1996 to 2025
Winter Weather	18.5	event-days per year	about 18.5 days per year	Likely	Storm Events event- days in 25 of 30 years, 1996 to 2025 (83.3%)	351	2005-11-12 to 2024-11-12 (19 years)	countywide	

FEMA annualized frequency (modeled) is the National Risk Index v1.20 (December 2025) estimate of how often a hazard affects this county in a year; it is not recorded events divided by years, and its unit differs by hazard (events, event-days, or days with a lightning strike per year). For earthquake, wildfire, coastal flooding and tsunami the value is the chance (or number of events) at a location in the county, not across the county, so no "1 in N years" is given and the descriptor comes from Storm Events where it has a record (none for earthquake). The Methods page gives each hazard's method, from FEMA's National Risk Index Technical Documentation v1.20.

Where NRI gives event-days, the descriptor comes from the share of years with a Storm Events record; NRI's source records more events, so the two differ.

Descriptor scale used in this packet (defined per unit)

Sources: 5, 6

Unit	Descriptor	Definition
events per year	Highly likely	1 or more per year
events per year	Likely	about once in 1 to 10 years
events per year	Possible	about once in 10 to 100 years
events per year	Unlikely	less than once in 100 years
annual probability	Likely	10% to under 100% chance in a given year
annual probability	Possible	1% to under 10% chance in a given year
annual probability	Unlikely	under 1% chance in a given year
event-days (share of years)	Highly likely	event-days recorded in 90% or more of years
event-days (share of years)	Likely	event-days recorded in 10% to under 90% of years
event-days (share of years)	Possible	event-days recorded in some years but under 10% of years
lightning strike-days	Highly likely	cloud-to-ground strikes on 1 or more days per year

Intensity bands: historical frequency (Storm Events)

Source: 6

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Hail	1.00-1.99 in	1996 to 2025	84	30	2.8
Hail	2.00 in+	1996 to 2025	15	30	0.5
Thunderstorm Wind (counted as NRI Strong Wind)	50-64 kt	1996 to 2025	57	30	1.9
Thunderstorm Wind (counted as NRI Strong Wind)	65 kt+	1996 to 2025	3	30	0.1
Thunderstorm Wind (counted as NRI Strong Wind)	unmeasured or below 50 kt	1996 to 2025	6	30	0.2
Tornado	EF0-1	1996 to 2025	1	30	0.0333
Tornado	EF2-3	1996 to 2025	0	30	0
Tornado	EF4-5	1996 to 2025	0	30	0
Tornado	unrated (EFU)	1996 to 2025	1	30	0.0333

The bands show how often events of each severity were recorded in this county, to profile how severe events have been (FEMA's probability item asks for the range of intensities).

Hail smaller than 1 inch is not counted: on 2010-01-05 the National Weather Service raised its severe-hail threshold from 3/4 inch to 1 inch, so smaller reports became less common after 2009 (NWS Service Change Notice 09-52). NRI hail frequency uses a 0.75 inch threshold.

Optional: future conditions. Not a required item in the 2025 FEMA Local Mitigation Planning Policy Guide; some states ask for it. The federal Climate Mapping for Resilience and Adaptation (CMRA) site gives county exposure to future climate conditions (<https://resilience.climate.gov/>).

Supports FEMA checklist item B1-f: hazards that vary across jurisdictions

NRI risk score of the county's single census tract

Source: 5

Hazard	Tract score <i>NRI score, 0 to 100</i>	Rating
Cold Wave	99.5	Very High
Drought	91.7	Relatively Low
Earthquake	16.4	Very Low
Hail	84.9	Relatively Moderate
Heat Wave	22.7	Relatively Low
Hurricane		Not Applicable
Ice Storm	25.0	Very Low
Inland Flooding	55.3	Relatively Moderate
Landslide	69.4	Very Low
Lightning	45.5	Relatively Low
Strong Wind	76.7	Relatively Moderate
Tornado	47.1	Relatively Low

Hazard	Tract score	Rating
	NRI score, 0 to 100	
Wildfire	89.7	Relatively Moderate
Winter Weather	98.2	Very High

The score ranks a tract against all U.S. tracts (100 = highest). The rating is FEMA's category for the tract's risk value, computed differently, so the two can disagree.

Each jurisdiction (starting figures from federal data)

Sources: 1, 3, 4, 6

Jurisdiction	Type	Plan status	Repetitive loss	Public Assistance to this jurisdiction	Event records naming this place
			FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition	FEMA records matched by applicant name; federal share obligated, nominal dollars	all years; since its plan
Daniels County	County	Approved, expires 2030-03-11	FMA RL 0, SRL 0; any 0	\$449,154.10	0 total; 0 since its plan
Flaxville town	Town	Approved, expires 2030-03-11	FMA RL 0, SRL 0; any 0	no Public Assistance recorded	33 total; 0 since its plan
Scobey city	City	Approved, expires 2030-03-11	FMA RL 0, SRL 0; any 0	\$43,825.03	78 total; 3 since its plan

Repetitive-loss counts are for whole NFIP communities, which can extend beyond this county (see the note in B2-c).

Supports FEMA checklist items B2-a and B2-b: vulnerability and potential impacts

Local data needed

The table below gives county-level starting figures; the plan describes impacts for each jurisdiction and its own assets.

- Critical facilities and lifelines per hazard
- A problem statement per jurisdiction per hazard
- Changes in development in hazard-prone areas since the last approval, or a statement of none (E1-a)
- Future assets

County-level starter: exposure, expected annual loss and damage since the plan

Sources: 1, 2, 3, 5, 6, 7

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2025-03-12 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Cold Wave	\$1,981,201,300	\$54,283,253	1,661	\$18,074	\$684,143	\$777,635	0.000912%		\$0		
Drought	n/a	\$29,050,896	n/a	n/a	\$27,774	n/a	0.0956% (agriculture)		\$0		NRI has no building exposure for this hazard; agriculture shown
Earthquake	\$3,673,343,914	n/a	1,661	\$3,881	n/a	\$577	0.000106%				

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2025-03-12 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Hail	\$1,981,201,300	\$54,283,253	1,661	\$35,171	\$24,058	\$1,874	0.00178%	\$0			
Heat Wave	\$1,981,201,300	\$54,283,253	1,661	\$1,409	\$2,705	\$12,391	under 0.0001%				
Hurricane											Not Applicable in NRI for this county
Ice Storm	\$1,981,201,300	n/a	1,661	\$1,786	n/a	\$113	under 0.0001%				
Inland Flooding	\$1,980,891,674	\$0	0	\$669,958	\$0	\$0	n/a (see note)				NRI counts the full building value of any census block with some flood loss; this is not the value of buildings in the floodplain. Use local FIRM overlays for B2-a/B2-b.
Landslide	\$8,738,824	n/a	3	\$20	n/a	\$3	0.000224%				
Lightning	\$1,981,201,300	n/a	1,661	\$2,137	n/a	\$8,174	0.000108%				
Strong Wind	\$1,981,201,300	\$54,283,253	1,661	\$29,165	\$8,530	\$9,078	0.00147%	\$0	\$0		
Tornado	\$1,981,201,300	\$54,283,253	1,661	\$42,003	\$223	\$13,840	0.00212%				
Wildfire	\$195,216,549	\$6,658,956	222	\$29,233	\$20	\$480	0.015%				
Winter Weather	\$1,981,201,300	\$54,283,253	1,661	\$25,834	\$63	\$24,192	0.0013%		\$0		

Totals since 2025-03-12 (Storm Events through 2026-06-30): 5 county-coded records, 5 with a damage value recorded (including \$0), \$0; 12 zone-level records, 12 with a damage value recorded (including \$0), \$0 reported for the zone; Public Assistance: no counted declaration since the plan.

FEMA does not split Public Assistance by hazard. A declaration mapped to several hazards is listed under each of them with its full amount, so the per-hazard column does not add up to the total; the unit total counts each declaration once.

NRI computes earthquake exposure on its own basis, so it exceeds the county building value in B2-a.

Supports FEMA checklist item B2-a: vulnerability (county context)

County context

Source: 5

Measure	Value
Population	1,661
Building value (total, not at risk)	\$1,981,201,300
Agriculture value (total, not at risk)	\$54,283,253
NRI risk rating (all hazards)	Very Low
Expected annual loss, buildings and agriculture, all hazards	\$1,606,186
Expected annual loss, population equivalence, all hazards (NRI values each statistical life at \$13.7M; a modeled value of expected deaths and injuries, not property damage)	\$848,358
Social vulnerability rating	Very Low
Community resilience rating	Very Low
NRI version	December 2025

FEMA's all-hazard expected annual loss adds buildings, agriculture and population equivalence; this table gives the property part and the population-equivalence part as separate rows.

Social vulnerability: higher means people are more likely to be harmed and slower to recover. Community resilience: lower means the community is less able to recover. High social vulnerability and low resilience both raise the NRI risk rating.

Supports FEMA checklist item B2-c: repetitive loss properties

Repetitive loss in this county, both definitions

Sources: 1, 4

Definition	Properties	Severe repetitive loss	Properties
Repetitive loss, FMA definition (44 CFR 77.2)	0	Severe repetitive loss, FMA definition (44 CFR 77.2)	0
Repetitive loss, NFIP insurance definition	0	Severe repetitive loss, NFIP insurance definition	0

The state NFIP coordinator's list, the source FEMA's Handbook names, often uses the NFIP insurance definition (second row).

Repeat-flood properties: county total and NFIP communities

Sources: 1, 4

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
County total	0	0	0	0	0	0	0

Repeat-flood properties by jurisdiction in the plan (NFIP community)

Sources: 1, 4

Jurisdiction	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
Daniels County	300148	0	0	0	0	0	0	0
Flaxville town	300081	0	0	0	0	0	0	0
Scobey city	300124	0	0	0	0	0	0	0

Counts by occupancy group for each jurisdiction are in the Excel file, sheet "B2-c Jurisdictions".

Jurisdiction rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each jurisdiction row, while the county table counts only its part in this county.

County repeat-flood properties by occupancy group: 0 in every occupancy group.

Sources: 1, 4

FMA RL and FMA SRL are the Flood Mitigation Assistance definitions (44 CFR 77.2), the ones the FEMA Local Mitigation Planning Policy Guide cites. NFIP repetitive loss (the FEMA insurance definition) is 2 or more claims over \$1,000 in 10 years, and a property can leave that group once it is mitigated. Also shown: NFIP severe repetitive loss, any category, mitigated and currently insured. The Methods page gives the OpenFEMA field details.

Counts are aggregates of FEMA's public NFIP Multiple Loss Properties file (FEMA's data date 2026-08-02; file version 2026-08-04). No property is identified. County assignment is FEMA's geocode.

In this county 0 properties are FMA repetitive loss but not NFIP repetitive loss, and 0 properties are NFIP repetitive loss but not FMA repetitive loss.

Exact counts; no count suppression.

Sources

Tables cite these sources by number. The full list, for the plan's bibliography (FEMA review item A4-a):

1. FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-29T134039Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
2. FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-29T162832Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
3. FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-29T150754Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
4. FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
5. FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-30, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
6. NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-30, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

7. NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-30, <https://www.weather.gov/gis/ZoneCounty>
8. U.S. Census Bureau, Census 2024 Gazetteer, 2020 place by county, CT county-to-cousub crosswalk, version 2024-gazetteer, pulled 2026-09-30, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_counties_national.zip, [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_cousubs_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_cousubs_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_place_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_place_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_unsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_unsd_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_elcd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_elcd_national.zip), https://www2.census.gov/geo/docs/reference/codes2020/national_place_by_county2020.txt, https://www2.census.gov/geo/docs/reference/ct_change/ct_cou_to_cousub_crosswalk.xlsx (used to match place names and codes; no table prints its values)

What this packet is and what the plan adds

This packet is the federal data for the plan's risk assessment (the summary on page 1 says how it is organized); the plan and FEMA's review decide whether each item is met.

The plan adds what only the community has: local data on assets, critical facilities, development and each jurisdiction's impacts; local hazard history, including state-declared emergencies; the mitigation strategy; and adoption.

How the federal data are built: National Risk Index values are FEMA's model, not counts of events. Storm Events is more complete from 1996; zone-level records are placed by forecast zone, not by location in the county. Public Assistance for a jurisdiction is matched by applicant name. The Methods page gives every rule and the known edge cases.

OpenFEMA disclaimer

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Reuse, citation and corrections

Reuse and citation: Hazard Plain text and tables are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0, <https://creativecommons.org/licenses/by/4.0/>); credit Hazard Plain and the release. The underlying federal data are public domain; OpenFEMA data are also subject to the OpenFEMA terms and conditions.

Cite this: Hazard Plain (2026). Daniels County, MT: risk-assessment baseline packet, release 2026-10 (data as of 2026-09-30; County FIPS 30019). Automated baseline. <https://hazardplain.org/mt/30019/> Built from FEMA OpenFEMA, the FEMA National Risk Index and NOAA NCEI Storm Events; source versions in the packet's Sources list.

Corrections: to report an error, name the packet, the table and what your records show. Contact: contact@hazardplain.org