

Lancaster County, NE

Risk-assessment baseline packet

Unit **County area 31109** Release **2026-10** As of **2026-09-28** Storm Events data through **2026-06-30**

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

A starting point for the plan's risk assessment (FEMA Local Mitigation Plan Review Tool, Element B). It does not replace local data or FEMA review. Section headings say which FEMA review item each table supports; whether an item is satisfied is decided by the plan and its reviewers.

OPENFEMA DISCLAIMER

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Plan clock

Status	Approved, expires 2030-06-01	Plan	Lower Platte South Natural Resources (FEMA plan 110567)
Approved	2025-06-02	Expires	2030-06-01
As of	2026-09-28	Days	1,342 days to expiry

What changed since your last plan (approved 2025-06-02)

New federal declarations	DR-4896-NE (1 declaration row; 1 counted incident)	Storm Events records since approval	80 (data through 2026-06-30)
Repetitive loss now	FMA RL 0, SRL 1 (44 CFR 77.2); any definition: 9	Repeat-flood change	First release: no prior release to compare.

SOURCES: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API); FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API); NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>; FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

Plan status for every jurisdiction listed in this county: 20 rows, in the section "Plan clock: Plan status for every jurisdiction listed in this county" after these cover pages.

State plan status and tribal plans in this state: see the state page.

CONTENTS

1. Plan clock, page 1

2. What changed since your last plan (approved 2025-06-02), page 1

3. Supports B1-a: hazards, page 4

4. Supports B1-b: location, page 5

5. Supports B1-c: extent, page 6

6. Supports B1-d: previous occurrences, page 10
7. Supports B1-e: probability, page 15

8. Supports B1-f: variation across the planning area, page 18

9. Supports B2-a and B2-b: assets and impacts, page 20

10. Supports B2-a: context, page 22

11. Supports B2-c: repetitive loss, page 22

12. Sources and OpenFEMA disclaimer, page 24

Plan clock

Plan status for every jurisdiction listed in this county

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry negative = days since expiry	Update underway	Notes
Lancaster County	County	Approved, expires 2030-06-01	Lower Platte South Natural Resources (FEMA plan 110567)	2025-06-02	2030-06-01	1,342		member approved 2025-12-01
Bennet village	Village	Plan 110567 approved 2025-06-02, pending adoption here; not yet eligible	Lower Platte South Natural Resources (FEMA plan 110567), pending adoption here	2025-06-02 by FEMA; not yet adopted here	2030-06-01 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.
Davey village	Village	Plan 110567 approved 2025-06-02, pending adoption here; not yet eligible	Lower Platte South Natural Resources (FEMA plan 110567), pending adoption here	2025-06-02 by FEMA; not yet adopted here	2030-06-01 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.
Denton village	Village	Plan 110567 approved 2025-06-02, pending adoption here; not yet eligible	Lower Platte South Natural Resources (FEMA plan 110567), pending adoption here	2025-06-02 by FEMA; not yet adopted here	2030-06-01 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.
Firth village	Village	Approved, expires 2030-06-01	Lower Platte South Natural Resources (FEMA plan 110567)	2025-06-02	2030-06-01	1,342		member approved 2025-12-01
Hallam village	Village	Approved, expires 2030-06-01	Lower Platte South Natural Resources (FEMA plan 110567)	2025-06-02	2030-06-01	1,342		member approved 2025-12-01
Hickman city	City	Approved, expires 2030-06-01	Lower Platte South Natural Resources (FEMA plan 110567)	2025-06-02	2030-06-01	1,342		member approved 2025-12-17
Lincoln city	City	Plan 110567 approved 2025-06-02, pending adoption here; not yet eligible	Lower Platte South Natural Resources (FEMA plan 110567), pending adoption here	2025-06-02 by FEMA; not yet adopted here	2030-06-01 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.
Malcolm village	Village	Approved, expires 2030-06-01	Lower Platte South Natural Resources (FEMA plan 110567)	2025-06-02	2030-06-01	1,342		member approved 2025-12-01

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry	Update underway	Notes
						<i>negative = days since expiry</i>		
Panama village	Village	Plan 110567 approved 2025-06-02, pending adoption here; not yet eligible	Lower Platte South Natural Resources (FEMA plan 110567), pending adoption here	2025-06-02 by FEMA; not yet adopted here	2030-06-01 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.
Raymond village	Village	Plan 110567 approved 2025-06-02, pending adoption here; not yet eligible	Lower Platte South Natural Resources (FEMA plan 110567), pending adoption here	2025-06-02 by FEMA; not yet adopted here	2030-06-01 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.
Roca village	Village	Approved, expires 2030-06-01	Lower Platte South Natural Resources (FEMA plan 110567)	2025-06-02	2030-06-01	1,342		member approved 2025-12-17
Sprague village	Village	Plan 110567 approved 2025-06-02, pending adoption here; not yet eligible	Lower Platte South Natural Resources (FEMA plan 110567), pending adoption here	2025-06-02 by FEMA; not yet adopted here	2030-06-01 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.
Waverly city	City	Plan 110567 approved 2025-06-02, pending adoption here; not yet eligible	Lower Platte South Natural Resources (FEMA plan 110567), pending adoption here	2025-06-02 by FEMA; not yet adopted here	2030-06-01 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.
Lincoln Public Schools	School/School District	Plan 110567 approved 2025-06-02, pending adoption here; not yet eligible	Lower Platte South Natural Resources (FEMA plan 110567), pending adoption here	2025-06-02 by FEMA; not yet adopted here	2030-06-01 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.
Norris School District 160	School/School District	Approved, expires 2030-06-01	Lower Platte South Natural Resources (FEMA plan 110567)	2025-06-02	2030-06-01	1,342		member approved 2025-12-01
Palmyra District OR-1	Fire/EMS District	Plan 111395 approved 2026-05-04, pending adoption here; not yet eligible	Nemaha NRD Update (FEMA plan 111395), pending adoption here	2026-05-04 by FEMA; not yet adopted here	2031-05-03 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.
Raymond Central Public Schools	School/School District	Approved, expires 2030-06-01	Lower Platte South Natural Resources (FEMA plan 110567)	2025-06-02	2030-06-01	1,342		member approved 2025-12-01
Lower Platte South Natural Resource District	Natural Resources	Approved, expires 2030-06-01	Lower Platte South Natural Resources (FEMA plan 110567)	2025-06-02	2030-06-01	1,342		member approved 2025-12-17
UNL	College/ University	No approved plan on record	none	none	none		FEMA tracker shows a plan awaiting revisions	

Plan 110567 lists 23 other participants not on this page, 11 of them not covered by it yet (named in the XLSX file).

SOURCE

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Supports B1-a: hazards

Hazards NRI does not cover: check locally

- dam failure (incl. upstream dams)
- levee failure
- flash flood as its own subtype
- ice jams
- debris flows
- erosion (riverine and coastal)
- land subsidence and sinkholes
- expansive soils

The 18 National Risk Index hazards, ranked by expected annual loss (EAL)

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records since 1996 <i>count</i>	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
1	Tornado	Relatively High	Very High	\$17,441,570	\$15,254	\$24,701,669	\$42,158,494	32		
2	Inland Flooding	Relatively Moderate	Relatively Moderate	\$33,673,773	\$357,244	\$144,841	\$34,175,859	62		
3	Strong Wind	Very High	Very High	\$6,191,458	\$204,933	\$6,020,920	\$12,417,311	306		Includes 42 High Wind records and 3 Strong Wind records, event types the NRI definition of this hazard leaves out.
4	Hail	Relatively High	Relatively High	\$10,482,250	\$1,021,160	\$604,686	\$12,108,096	427		
5	Cold Wave	Relatively Moderate	Relatively High	\$6,122	\$1,105	\$4,186,700	\$4,193,927	36		
6	Wildfire	Relatively Moderate	Relatively Moderate	\$3,129,966	\$271	\$126,392	\$3,256,629	2		
7	Lightning	Relatively High	Relatively High	\$130,552		\$1,614,008	\$1,744,559	11		
8	Winter Weather	Very High	Very High	\$447,770	\$399	\$1,141,384	\$1,589,553	94		
9	Heat Wave	Relatively Low	Relatively Moderate	\$64,689	\$6	\$1,521,844	\$1,586,539	27		
10	Ice Storm	Relatively High	Relatively High	\$1,152,367		\$114,597	\$1,266,964	3		
11	Drought	Relatively Moderate	Relatively Moderate		\$653,110		\$653,110	17		
12	Earthquake	Very Low	Very Low	\$168,949		\$34,460	\$203,409			Not in Storm Events. Storm Events coverage of this hazard is limited; absence is not evidence of low risk.

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records since 1996 <i>count</i>	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
13	Landslide	Very Low	Very Low	\$1,013		\$2,224	\$3,237	0		No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
14	Hurricane	No Rating	No Expected Annual Losses	\$0	\$0	\$0	\$0	0		No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Avalanche	Not Applicable	Not Applicable					0	NRI rates avalanche Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Coastal Flooding	Not Applicable	Not Applicable					0	NRI rates coastal flooding Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Tsunami	Not Applicable	Not Applicable					0	NRI rates tsunami Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
	Volcanic Activity	Not Applicable	Not Applicable					0	NRI rates volcanic activity Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Check your state hazard mitigation plan's hazard list for this county; explain any hazard you drop.

Supports B1-b: location

Where each hazard occurs

Hazard	Location	Census tracts rated <i>rated of all tracts</i>
Avalanche	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 81
Coastal Flooding	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 81

Hazard	Location	Census tracts rated <i>rated of all tracts</i>
Cold Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	81 of 81
Drought	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	32 of 81
Earthquake	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	81 of 81
Hail	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	81 of 81
Heat Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	81 of 81
Hurricane	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 81
Ice Storm	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	81 of 81
Inland Flooding	The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (https://msc.fema.gov) for this county.	81 of 81
Landslide	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	81 of 81
Lightning	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	81 of 81
Strong Wind	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	81 of 81
Tornado	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	81 of 81
Tsunami	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 81
Volcanic Activity	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 81
Wildfire	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	68 of 81
Winter Weather	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	81 of 81

SOURCE
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B1-c: extent

Extent: scale, observed range and worst recorded event per hazard

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Avalanche	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Coastal Flood, Storm Surge/ Tide	none in data (FIRM for depth)	0					Flood depth: see the FEMA Flood Insurance Rate Map.
Cold/Wind Chill, Extreme Cold/Wind Chill	wind chill	36, 1996 to 2025 (36 zone-level)	1 day to 5 days (median 2 days); 31 with a recorded value	5 consecutive days, 2024-01-12 to 2024-01-16, zone-level	Cold/Wind Chill, 1996-01-19, \$100,000 property; crops not reported, reported for the zone (1996 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	Wind chill: in event narratives only; local data required. Cold/ Wind Chill records from May to September (a frost night, not a cold wave) are counted but not used for the longest run.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Frost/Freeze (outside NRI Cold Wave definition)	crop damage	0					Temperature: in event narratives only; local data required.
Drought	US Drought Monitor D- scale	17, 1999 to 2026 (17 zone- level)	22 days to 312 days (median 50.5 days); 4 with a recorded value	312 days (about 10.2 months), 2012-07-21 to 2013-05-28, a run of 11 consecutive Storm Events drought records, zone- level		Zone-level records: applies countywide; national data do not locate these events within the county.	Storm Events enters a drought at D2 or worse east of the Rockies and D3 or worse from the Rockies west (NWS Instruction 10-1605); NRI drought counts D3 and D4 only.
Earthquake	Modified Mercalli (local data)	0					No Storm Events record; local data required (e.g., USGS).
Hail	hail size (inches)	510, 1957 to 2026	0.52 in to 5 in (median 1 in); 510 with a recorded value	5 in hail, 2016-05-09	Hail, 2000-07-20, \$2,000,000 property; \$1,000,000 crops (2000 dollars)	Event records naming member places: Lincoln city (71 records), Waverly city (37 records), Malcolm village (27 records), Bennet village (22 records), Raymond village (21 records), Davey village (19 records), Hickman city (11 records), Roca village (11 records), Denton village (10 records), Firth village (10 records); and 3 more member places (see the XLSX file).	
Excessive Heat, Heat	heat index (narratives)	27, 1999 to 2026 (27 zone- level)	1 day to 13 days (median 2.5 days); 24 with a recorded value	13 consecutive days, 2001-07-28 to 2001-08-09, zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Heat index: in event narratives only; local data required.
Hurricane, Tropical Storm, Tropical Depression	Saffir-Simpson	0					Storm Events files every zone of a storm's episode under the storm's event type and category, so a Hurricane (Typhoon) record, especially an inland or remnant one, does not by itself mean hurricane-force winds here; read the damage and wind columns.
Ice Storm	Sperry-Piltz (local data)	3, 2007 to 2017 (3 zone- level)		No damage reported in 3 records.		Zone-level records: applies countywide; national data do not locate these events within the county.	Ice thickness: in event narratives only; local data required.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Flash Flood, Flood, Lakeshore Flood	damage and flood days (FIRM for depth)	62, 1996 to 2026 (1 zone-level)		Flood, 2015-05-06, \$100,000,000 property; \$50,000 crops (2015 dollars)		Event records naming member places: Roca village (6 records), Waverly city (6 records), Lincoln city (4 records), Panama village (4 records), Davey village (3 records), Denton village (3 records), Firth village (3 records), Hickman city (3 records), Raymond village (3 records), Bennet village (2 records); and 1 more member place (see the XLSX file). Zone-level records (1) apply countywide.	Flood depth: see the FEMA Flood Insurance Rate Map. Storm Events damage can be \$0 or blank even for a major flood, so the worst record here may not be the worst flood; compare FEMA Public Assistance by declaration in B1-d.
Debris Flow	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Lightning	annualized frequency (the measure FEMA's Local Mitigation Planning Handbook names)	11, 1996 to 2011		Lightning, 2002-07-26, \$479,000 property; crops not reported (2002 dollars)		Event records naming member places: Lincoln city (8 records), Panama village (1 record), Raymond village (1 record).	Storm Events lists lightning with damage or casualties; physical measure in event narratives only; local data required.
High Wind and Strong Wind (outside NRI Strong Wind definition)	wind speed (kt and mph)	45, 1996 to 2026 (45 zone-level)	27 kt (31 mph) to 68 kt (78 mph) (median 51 kt (59 mph)); 45 with a recorded value	68 kt (78 mph) measured gust, High Wind, 2021-12-15; NWS zone NEZ066 (LANCASTER), zone-level: may include parts of neighboring counties	High Wind, 1996-10-26, \$25,000 property; crops not reported, reported for the zone (1996 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	
Thunderstorm Wind	wind speed (kt and mph)	352, 1956 to 2026	45 kt (52 mph) to 87 kt (100 mph) (median 55 kt (63 mph)); 314 with a recorded value	87 kt (100 mph) estimated gust, Thunderstorm Wind, 2025-08-09, 5 direct injuries		Event records naming member places: Lincoln city (39 records), Waverly city (22 records), Firth village (13 records), Bennet village (10 records), Denton village (8 records), Roca village (8 records), Davey village (6 records), Malcolm village (6 records), Hickman city (5 records), Sprague village (5 records); and 3 more member places (see the XLSX file).	

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Tornado	Enhanced Fujita (F before Feb 2007)	51, 1950 to 2024	F/EF0 to F/EF4 (median F/EF1); 48 with a recorded value	F4 tornado, 2004-05-22, 19.5 mi within this county, 4,400 yd wide, \$100,000,000 property; crops not reported (2004 dollars), 1 direct death, 30 direct injuries		Event records naming member places: Waverly city (4 records), Bennet village (3 records), Davey village (3 records), Hallam village (3 records), Firth village (2 records), Hickman city (2 records), Raymond village (2 records), Lincoln city (1 record), Malcolm village (1 record).	From 1996 on, tornado records are per-county segments and length is the path length within this county (NWS Instruction 10-1605); records before 1996 may give the whole path length, including the path outside this county, and before 1996 a tornado is listed once, under the county where it began, with the whole path's rating; counties farther along the path may not list it. Length is not used to rank tornadoes.
Tsunami	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Volcanic Ash, Volcanic Ashfall	Volcanic Explosivity Index (local data)	0					Physical measure: in event narratives only; local data required.
Wildfire	acres burned (local data)	2, 2014 to 2014 (2 zone-level)		Wildfire, 2014-03-15, \$200,000 property; \$0 crops, reported for the zone (2014 dollars); NWS zone NEZ066 (LANCASTER), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Acres burned: in event narratives only; local data required.
Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet	none in data (snowfall local)	94, 1996 to 2026 (94 zone-level)		Heavy Snow, 1997-10-25, \$16,000,000 property; \$200,000 crops, reported for the zone (1997 dollars); NWS zone NEZ066 (LANCASTER), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Snow depth: in event narratives only; local data required.

Where a hazard names more than 10 member places, the table lists the 10 with the most records; every place is in the XLSX file, sheet "B1-c Extent".

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

Supports B1-d: previous occurrences

Declaration rows

16

Counted incidents

13

Federal disaster declarations for this county

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance federal share obligated, nominal dollars	Flags	Notes
2025-10-22	2025-08-08	DR-4896-NE	Major disaster	SEVERE STORMS, STRAIGHT-LINE WINDS, AND FLOODING	Inland Flooding; Strong Wind	\$3,918,794.29	new since last plan; within last 5 years	
2025-05-21	2025-03-18	DR-4868-NE	Major disaster	SEVERE WINTER STORM AND STRAIGHT-LINE WINDS	Winter Weather	\$1,229,345.41	during plan review, check whether your last plan included it; within last 5 years	
2024-10-21	2024-07-31	DR-4838-NE	Major disaster	SEVERE STORMS, STRAIGHT-LINE WINDS, TORNADOES, AND FLOODING	Inland Flooding; Strong Wind; Tornado	\$2,137,490.78	during plan review, check whether your last plan included it; within last 5 years	
2020-04-04	2020-01-20	DR-4521-NE	Major disaster	COVID-19 PANDEMIC	Non-natural, not counted	\$59,007,107.38		
2020-03-13	2020-01-20	EM-3483-NE	Emergency	COVID-19	Non-natural, not counted	none found		same incident as DR-4521
2019-03-21	2019-03-09	DR-4420-NE	Major disaster	SEVERE WINTER STORM, STRAIGHT-LINE WINDS, AND FLOODING	Inland Flooding (primary); also designated: Strong Wind, Winter Weather	\$25,134,995.69		
2015-06-25	2015-05-06	DR-4225-NE	Major disaster	SEVERE STORMS, TORNADOES, STRAIGHT-LINE WINDS, AND FLOODING	Inland Flooding; Strong Wind; Tornado	\$5,475,213.40		
2010-04-21	2010-03-06	DR-1902-NE	Major disaster	SEVERE STORMS, ICE JAMS, AND FLOODING	Inland Flooding	\$252,994.77		
2010-02-25	2009-12-22	DR-1878-NE	Major disaster	SEVERE WINTER STORMS AND SNOWSTORM	Winter Weather	\$187,730.74		
2008-06-20	2008-05-22	DR-1770-NE	Major disaster	SEVERE STORMS, TORNADOES, AND FLOODING	Inland Flooding; Tornado	\$1,506,568.16		
2005-09-13	2005-08-29	EM-3245-NE	Emergency	HURRICANE KATRINA EVACUEES	Hurricane: evacuation support, not a local hazard event; not counted	none found		
2004-05-25	2004-05-20	DR-1517-NE	Major disaster	SEVERE STORMS, TORNADOES AND FLOODING	Inland Flooding; Tornado	\$4,554,928.57		
1997-11-01	1997-10-24	DR-1190-NE	Major disaster	SEVERE SNOW STORMS, RAIN, AND STRONG WINDS	Winter Weather	none found		
1993-07-19	1993-06-23	DR-998-NE	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	none found		
1973-10-20	1973-10-20	DR-406-NE	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	none found		

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance	Flags	Notes
						<i>federal share obligated, nominal dollars</i>		
1967-07-18	1967-07-18	DR-228-NE	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	none found		

County Public Assistance: applicants the FEMA record places in this county, including any state agencies FEMA files there; statewide rows are listed on the state page; federal share obligated, nominal dollars.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Statewide declarations

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	Flags	Notes
1964-07-20	1964-07-20	DR-174-NE	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding		
1963-07-17	1963-07-17	DR-156-NE	Major disaster	HEAVY RAINS & FLOODING	Inland Flooding		
1962-09-05	1962-09-05	DR-134-NE	Major disaster	FLOODS	Inland Flooding		
1962-05-10	1962-05-10	DR-131-NE	Major disaster	FLOODS	Inland Flooding		
1960-04-04	1960-04-04	DR-98-NE	Major disaster	FLOODS	Inland Flooding		

FEMA recorded these with designated area Statewide and no county. Listed on every county page in the state; not counted with county rows.

SOURCE

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

Public Assistance filed under this county for declarations that do not list it: 13 rows, \$3,797,000.30

FEMA number	Declared	Title	Applicant	PA obligated
				<i>federal share obligated, nominal dollars</i>
DR-4375-NE	2018-06-29	SEVERE WINTER STORM AND STRAIGHT-LINE WINDS	Nebraska State Patrol	\$14,579.64
DR-4183-NE	2014-07-24	SEVERE STORMS, TORNADOES, STRAIGHT-LINE WINDS, AND FLOODING	Nebraska State Patrol	\$77,177.78
DR-4179-NE	2014-06-17	SEVERE STORMS, TORNADOES, STRAIGHT-LINE WINDS, AND FLOODING	Nebraska State Patrol	\$3,045.69
DR-4156-NE	2013-11-26	SEVERE STORMS, WINTER STORMS, TORNADOES AND FLOODING	Nebraska State Patrol	\$14,375.72
DR-4013-NE	2011-08-12	FLOODING	Nebraska State Patrol	\$91,841.42
DR-4013-NE	2011-08-12	FLOODING	Nebraska State Game and Parks Commission	\$190,705.76
DR-4013-NE	2011-08-12	FLOODING	Nebraska Department of Corrections	\$64,077.53
DR-1924-NE	2010-07-15	SEVERE STORMS AND FLOODING	Nebraska State Game and Parks Commission	\$2,622,531.08
DR-1739-NE	2008-01-11	SEVERE WINTER STORM	Nebraska State Game and Parks Commission	\$69,432.39
DR-1721-NE	2007-08-29	SEVERE STORMS AND FLOODING	Nebraska State Game and Parks Commission	\$255,495.53
DR-1714-NE	2007-07-24	SEVERE STORMS AND FLOODING	Nebraska State Game and Parks Commission	\$14,933.22
DR-1706-NE	2007-06-06	SEVERE STORMS, FLOODING, AND TORNADOES	Nebraska State Game and Parks Commission	\$184,628.37
DR-1674-NE	2007-01-07	SEVERE WINTER STORMS	Nebraska State Game and Parks Commission	\$194,176.17

FEMA's Public Assistance summaries file these applicants under this county, but FEMA's declaration rows for these disasters do not designate it (an electric cooperative or district serving several counties, for example). Not in any declaration row above and not counted.

SOURCES

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

Public Assistance not placed in a county in this state: 7 rows, \$3,747,676.55

Disaster number	Declared	Applicant	County field in FEMA data	PA obligated <i>federal share obligated, nominal dollars</i>	Why not placed
4786	2024-05-24	High West Energy	Laramie County	\$2,659,017.27	county field is a county of another state and the applicant name does not identify a place in the declaring state
4420	2019-03-21	Kansas Bostwick Irrigation District 2 (Bostwick Irrigation District)	Republic County	\$752,963.17	county field is a county of another state and the applicant name does not identify a place in the declaring state
4420	2019-03-21	Harrison County Rural Electric Cooperative	Harrison County	\$35,574.43	county field is a county of another state and the applicant name does not identify a place in the declaring state
4225	2015-06-25	Kansas Bostwick Irrigation District 2 (Bostwick Irrigation District)	Republic County	\$6,406.13	county field is a county of another state and the applicant name does not identify a place in the declaring state
4013	2011-08-12	Harrison County Rural Electric Cooperative	Harrison County	\$26,849.36	county field is a county of another state and the applicant name does not identify a place in the declaring state
1770	2008-06-20	Kansas Bostwick Irrigation District 2 (Bostwick Irrigation District)	Republic County	\$7,046.35	county field is a county of another state and the applicant name does not identify a place in the declaring state
1373	2001-05-16	High West Energy	Laramie County	\$259,819.84	county field is a county of another state and the applicant name does not identify a place in the declaring state

FEMA's Public Assistance summaries file these applicants under a county field that is not a county of this state (an Alaska school area, the former Valdez-Cordova Census Area, or another state's county), and the applicant name does not identify one place here. They are listed for the whole state and are not in any county total. Check whether any of them worked in your county.

SOURCE

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

Previous occurrences by hazard, with explicit no-event rows

Hazard	Storm Events records <i>full period</i>	Since plan approval records	During plan review records	Last 5 years records	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Avalanche	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Coastal Flooding	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Cold Wave	36	0	2	4	0	0	1996 to 2026-06-30	
Drought	17	4	1	5	0	0	1996 to 2026-06-30	
Earthquake	0	0	0	0	0	0		No Storm Events record; local data required (e.g., USGS).
Hail	510	31	12	88	0	0	1955 to 2026-06-30	

Hazard	Storm Events records <i>full period</i>	Since plan approval records	During plan review records	Last 5 years records	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Heat Wave	27	4	3	9	0	0	1996 to 2026-06-30	
Hurricane	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Ice Storm	3	0	0	0	0	0	1996 to 2026-06-30	
Inland Flooding	62	2	2	4	10	1	1996 to 2026-06-30	
Landslide	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Lightning	11	0	0	0	0	0	1996 to 2026-06-30	
Strong Wind	397	36	12	91	4	1	1955 to 2026-06-30	Includes 42 High Wind records and 3 Strong Wind records, event types the NRI definition of this hazard leaves out.
Tornado	51	0	1	7	4	0	1950 to 2026-06-30	
Tsunami	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Volcanic Activity	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Wildfire	2	0	0	0	0	0	1996 to 2026-06-30	
Winter Weather	94	3	2	11	4	0	1996 to 2026-06-30	

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Notable Storm Events records

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Direct deaths, injuries <i>indirect not counted</i>	Location	Flags	Why listed
2025-08-09	Thunderstorm Wind	87 kt (100 mph) estimated gust	\$3,410,000 property; crops not reported (2025 dollars)	0, 5	BERKS to WAVERLY	new since last plan; within last 5 years	B1-c worst recorded: Thunderstorm Wind
2024-06-24	Heat		\$0 property; \$0 crops, reported for the zone (2024 dollars)	0, 13	NWS zone NEZ066 (LANCASTER), zone-level: may include parts of neighboring counties	during plan review, check whether your last plan included it; within last 5 years	deaths or injuries recorded
2024-01-12	Extreme Cold/ Wind Chill		damage not reported	0, 12	NWS zone NEZ066 (LANCASTER), zone-level: may include parts of neighboring counties	within last 5 years	deaths or injuries recorded

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Direct deaths, injuries <i>indirect not counted</i>	Location	Flags	Why listed
2021-12-15	High Wind	68 kt (78 mph) measured gust	damage not reported	0, 0	NWS zone NEZ066 (LANCASTER), zone-level: may include parts of neighboring counties	within last 5 years	B1-c worst recorded: High Wind and Strong Wind (outside NRI Strong Wind definition)
2016-05-09	Hail	5 in	\$0 property; \$0 crops (2016 dollars)	0, 0	CHENEYS		B1-c worst recorded: Hail
2015-05-06	Flood		\$100,000,000 property; \$50,000 crops (2015 dollars)	0, 0	ROCA to LAKEVIEW		B1-c worst recorded: Flash Flood, Flood, Lakeshore Flood
2014-03-15	Wildfire		\$200,000 property; \$0 crops, reported for the zone (2014 dollars)	0, 0	NWS zone NEZ066 (LANCASTER), zone-level: may include parts of neighboring counties		B1-c worst recorded: Wildfire
2012-07-21	Drought		damage not reported	0, 0	NWS zone NEZ066 (LANCASTER), zone-level: may include parts of neighboring counties		B1-c worst recorded: Drought
2004-05-22	Tornado	F4, 19.5 mi within this county, 4,400 yd wide	\$100,000,000 property; crops not reported (2004 dollars)	1, 30	HALLAM		deaths or injuries recorded
2002-07-26	Lightning		\$479,000 property; crops not reported (2002 dollars)	0, 0	CHENEYS		B1-c worst recorded: Lightning
2001-07-28	Heat		damage not reported	0, 0	NWS zone NEZ066 (LANCASTER), zone-level: may include parts of neighboring counties		B1-c worst recorded: Excessive Heat, Heat
1997-10-25	Heavy Snow		\$16,000,000 property; \$200,000 crops, reported for the zone (1997 dollars)	0, 0	NWS zone NEZ066 (LANCASTER), zone-level: may include parts of neighboring counties		B1-c worst recorded: Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet

The full list is in the XLSX file, sheet "B1-d Storm Events history" (1,210 rows).

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

State-declared emergencies are not in federal data. Add them from your state emergency management agency.

Tribal and special-area declarations in this state are listed on the state page.

Supports B1-e: probability

Probability: FEMA annualized frequency and descriptor per hazard

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area- weighted, so can be fractional)	NRI period	Location	Note
Avalanche		events per year					1994 to 2023 (30 years)	see B1-f	Not Applicable in NRI for this county; no descriptor.
Coastal Flooding		events per year at a location (modeled)				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Cold Wave	3.84	event-days per year	about 3.84 days per year	Likely	event-days in 17 of 30 years, 1996 to 2025 (56.7%)	73	2005-11-12 to 2024-11-12 (19 years)	countywide	Frost/Freeze records are not counted in this descriptor: they record crop freezes, not cold waves.
Drought	17.2	event-days per year	about 17.2 days per year	Likely	event-days in 4 of 30 years, 1996 to 2025 (13.3%)	679	2000 to 2025 (25.25 years; D3 and D4 only)	countywide	NRI gives about 17.2 drought event-days a year here (its annualized frequency over 25.25 years; not its event count divided by the years), but Storm Events has a record in only 4 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.
Earthquake	0.000551	annual probability at a location	chance a given location in the county has at least minor- damage shaking in a year: 0.0551%			not shown	modeled	see B1-f	Descriptor not assigned: the NRI value is the chance at a location in the county, not how often the hazard affects the county, and Storm Events does not record earthquakes.
Hail	7.78	events per year	about 7.78 per year	Highly likely	FEMA annualized frequency (modeled)	295.8 (modeled)	1986 to 2023 (38 years)	countywide	
Heat Wave	8.26	event-days per year	about 8.26 days per year	Likely	event-days in 11 of 30 years, 1996 to 2025 (36.7%)	124	2005-11-12 to 2024-11-12 (19 years)	countywide	NRI gives about 8.26 heat wave event-days a year here (its annualized frequency over 19 years; not its event count divided by the years), but Storm Events has a record in only 11 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.
Hurricane	0	events per year	none modeled	Unlikely	FEMA annualized frequency (modeled)	0	1851 to 2024 (Atlantic)	see B1-f	NRI counts hurricane and tropical storm tracks passing within storm-force wind range; federal declarations are counted separately in B1-d and need not match.

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area- weighted, so can be fractional)	NRI period	Location	Note
Ice Storm	0.875	event-days per year	about 0.875 days per year	Possible	event-days in 2 of 30 years, 1996 to 2025 (6.67%)	59	1946-12-31 to 2014-02-12 (67 years)	countywide	
Inland Flooding	1.43	event-days per year	about 1.43 days per year	Likely	event-days in 21 of 30 years, 1996 to 2025 (70%)	40	1996 to 2023 (28 years)	see B1-f	
Landslide	0.152	events per year (modeled)	about 1 in 7 years	Likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Lightning	45.9	days per year with a strike	about 45.9 days per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1995 to 2023 (29 years; CONUS)	countywide	
Strong Wind	4.48	events per year	about 4.48 per year	Highly likely	FEMA annualized frequency (modeled)	171	1986 to 2023 (38 years)	countywide	
Tornado	0.776	events per year	about 0.78 per year	Likely	FEMA annualized frequency (modeled)	not shown	1950 to 2023 (EF2+); 1986 to 2023 (EF0-1)	see B1-f	
Tsunami		annual probability at the most exposed location (used in place of a county value)				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Volcanic Activity		annual probability				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Wildfire	0.00152	annual probability at a location	chance a given location in the county burns in a year: 0.152%	Possible	Storm Events records in 1 of 30 years, 1996 to 2025 (3.33%)	not shown	modeled	see B1-f	Descriptor from Storm Events, not NRI: the NRI value is the chance at a location in the county, not how often the hazard affects the county.
Winter Weather	13.5	event-days per year	about 13.5 days per year	Highly likely	event-days in 29 of 30 years, 1996 to 2025 (96.7%)	257	2005-11-12 to 2024-11-12 (19 years)	countywide	

FEMA annualized frequency (modeled) comes from the National Risk Index v1.20 (December 2025). It is not recorded events divided by years, and what it measures depends on the hazard. For most hazards it estimates how often the hazard affects this county each year: it counts events or event-days (drought, heat wave, cold wave, winter weather, ice storm and inland flooding are in days per year; lightning is the number of days per year with a recorded cloud-to-ground strike, from the NOAA Storm Prediction Center daily lightning climatology); it may count events in the surrounding area (hail, strong wind, tornado, hurricane and ice storm use a 49 km grid and buffers) and is averaged over the county's area; and some hazards use a minimum value for places with no recorded event. Earthquake, wildfire and coastal flooding are different: FEMA computes them for each census block and averages them over the county, so the value is the chance (for coastal flooding, the modeled number of floods per year) at a location in the county, which is lower than the chance that the hazard strikes somewhere in the county. Earthquake is the chance of at least minor-damage shaking (U.S. Geological Survey model); wildfire is the chance that a location

burns in a large fire (U.S. Forest Service burn probability); coastal flooding comes from FEMA flood zones and NOAA high-tide flooding, so it can be above 1 where high-tide flooding is frequent. Tsunami is the value at the county's most exposed location, from recorded events and modeled return periods. For these four hazards the packet gives no "1 in N years" and takes the descriptor from Storm Events (none for earthquake) unless the value is 1 or more a year. Landslide is a U.S. Geological Survey modeled county rate spread by slope susceptibility. Volcanic activity is the chance that a volcano affecting the county erupts in a year. Drought counts only extreme and exceptional drought (D3 and D4). Source: FEMA, National Risk Index Technical Documentation v1.20, sections 5.2.2 (Table 5), 5.2.3, 7.4, 10.4, 16.5, 17.1, 17.3.1, 17.5, 20.3.1, 21.4, 22.4 and 6 to 23.

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Descriptor scale used in this packet (defined per unit)

Unit	Descriptor	Definition
events per year	Highly likely	1 or more per year
events per year	Likely	about once in 1 to 10 years
events per year	Possible	about once in 10 to 100 years
events per year	Unlikely	less than once in 100 years
annual probability	Likely	10% to under 100% chance in a given year
annual probability	Possible	1% to under 10% chance in a given year
annual probability	Unlikely	under 1% chance in a given year
event-days (share of years)	Highly likely	event-days recorded in 90% or more of years
event-days (share of years)	Likely	event-days recorded in 10% to under 90% of years
event-days (share of years)	Possible	event-days recorded in some years but under 10% of years
lightning strike-days	Highly likely	cloud-to-ground strikes on 1 or more days per year

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Intensity bands: historical frequency (Storm Events)

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Hail	1.00-1.99 in	1996 to 2025	232	30	7.73
Hail	2.00 in+	1996 to 2025	24	30	0.8
Strong Wind (Thunderstorm Wind records)	50-64 kt	1996 to 2025	210	30	7
Strong Wind (Thunderstorm Wind records)	65 kt+	1996 to 2025	31	30	1.03
Strong Wind (Thunderstorm Wind records)	unmeasured or below 50 kt	1996 to 2025	2	30	0.0667
Tornado	EF0-1	1996 to 2025	24	30	0.8
Tornado	EF2-3	1996 to 2025	6	30	0.2
Tornado	EF4-5	1996 to 2025	1	30	0.0333
Tornado	unrated (EFU)	1996 to 2025	1	30	0.0333

Hail smaller than 1 inch is not counted: on 2010-01-05 the National Weather Service raised its severe-hail threshold from 3/4 inch to 1 inch, so smaller reports became less common after 2009 (NWS Service Change Notice 09-52). NRI hail frequency uses a 0.75 inch threshold.

SOURCE
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Optional: future conditions. Not a required item in the 2025 FEMA Local Mitigation Planning Policy Guide; some states ask for it. The federal Climate Mapping for Resilience and Adaptation (CMRA) site gives county exposure to future climate conditions.

Supports B1-f: variation across the planning area

Range of census tract risk within the county

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>	Median	Max	Tracts by rating	Note
Avalanche	0 of 81				Not Applicable 81	
Coastal Flooding	0 of 81				Not Applicable 81	
Cold Wave	81 of 81	15.8	44.6	64.0	Relatively Moderate 36, Relatively Low 43, Very Low 2	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Drought	32 of 81	68.2	78.3	96.4	Relatively Moderate 4, Relatively Low 12, Very Low 16, No Rating 49	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. Agriculture is all of NRI's expected annual loss for this hazard in the county, so the tract range above mostly reflects where crop and livestock value is, not where buildings and people are. Confirm locally.
Earthquake	81 of 81	0.2	7.8	34.9	Very Low 81	
Hail	81 of 81	29.8	91.3	99.2	Very High 5, Relatively High 45, Relatively Moderate 29, Relatively Low 1, Very Low 1	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Heat Wave	81 of 81	1.9	21.7	45.2	Relatively Low 59, Very Low 22	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Hurricane	0 of 81				No Rating 81	
Ice Storm	81 of 81	2.6	73.4	94.1	Relatively High 3, Relatively Moderate 43, Relatively Low 33, Very Low 2	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Inland Flooding	81 of 81	0.3	22.1	86.0	Relatively High 1, Relatively Moderate 9, Relatively Low 41, Very Low 30	
Landslide	81 of 81	11.4	45.8	90.9	Relatively Low 4, Very Low 77	
Lightning	81 of 81	1.1	61.5	86.1	Relatively High 10, Relatively Moderate 55, Relatively Low 14, Very Low 2	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Strong Wind	81 of 81	17.3	92.7	99.4	Very High 15, Relatively High 56, Relatively Moderate 8, Relatively Low 1, Very Low 1	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>	Median	Max	Tracts by rating	Note
Tornado	81 of 81	24.3	91.9	99.7	Very High 37, Relatively High 37, Relatively Moderate 5, Relatively Low 1, Very Low 1	
Tsunami	0 of 81				Not Applicable 81	
Volcanic Activity	0 of 81				Not Applicable 81	
Wildfire	68 of 81	19.2	76.5	97.8	Relatively High 3, Relatively Moderate 14, Relatively Low 22, Very Low 29, No Rating 13	
Winter Weather	81 of 81	23.7	89.5	97.8	Very High 4, Relatively High 64, Relatively Moderate 11, Relatively Low 2	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.

Rated tracts only: No Rating (score 0.0), Not Applicable and Insufficient Data tracts are counted but not used for the minimum, median and maximum.

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Per-member block (Starter, confirm locally)

Member	Type	Plan status	Repetitive loss <i>FMA RL and SRL (44 CFR 77.2); repeat- flood, any definition</i>	Public Assistance matched <i>federal share obligated, nominal dollars</i>	Event records naming this place <i>all years; since the member's plan</i>	Notes
Lancaster County	County	Approved, expires 2030-06-01	FMA RL 0, SRL 0; any 1	\$1,565,682.90	0; 0	
Bennet village	Village	Plan 110567 approved 2025-06-02, pending adoption here; not yet eligible	FMA RL 0, SRL 0; any 0	\$11,402.33	37; no approved plan	
Davey village	Village	Plan 110567 approved 2025-06-02, pending adoption here; not yet eligible	FMA RL 0, SRL 0; any 0	\$2,040.21	31; no approved plan	
Denton village	Village	Plan 110567 approved 2025-06-02, pending adoption here; not yet eligible	FMA RL 0, SRL 0; any 0	none found	21; no approved plan	
Firth village	Village	Approved, expires 2030-06-01	FMA RL 0, SRL 0; any 0	none found	28; 0	
Hallam village	Village	Approved, expires 2030-06-01	FMA RL 0, SRL 0; any 0	\$1,785,522.34	13; 0	

Member	Type	Plan status	Repetitive loss <i>FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition</i>	Public Assistance matched <i>federal share obligated, nominal dollars</i>	Event records naming this place <i>all years; since the member's plan</i>	Notes
Hickman city	City	Approved, expires 2030-06-01	FMA RL 0, SRL 0; any 0	\$280,631.66	21; 0	Includes \$16,785.48 for declarations not counted as hazard incidents (DR-4521-NE).
Lincoln city	City	Plan 110567 approved 2025-06-02, pending adoption here; not yet eligible	FMA RL 0, SRL 1; any 7	none found	123; no approved plan	
Malcolm village	Village	Approved, expires 2030-06-01	FMA RL 0, SRL 0; any 0	\$65,179.34	36; 3	
Panama village	Village	Plan 110567 approved 2025-06-02, pending adoption here; not yet eligible	FMA RL 0, SRL 0; any 0	none found	18; no approved plan	
Raymond village	Village	Plan 110567 approved 2025-06-02, pending adoption here; not yet eligible	FMA RL 0, SRL 0; any 0	\$27,016	30; no approved plan	
Roca village	Village	Approved, expires 2030-06-01	FMA RL 0, SRL 0; any 1	none found	25; 2	
Sprague village	Village	Plan 110567 approved 2025-06-02, pending adoption here; not yet eligible	FMA RL 0, SRL 0; any 0	none found	10; no approved plan	
Waverly city	City	Plan 110567 approved 2025-06-02, pending adoption here; not yet eligible	FMA RL 0, SRL 0; any 0	none found	69; no approved plan	

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

School districts and special districts get a plan clock row only.

SOURCES

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Supports B2-a and B2-b: assets and impacts

Local data required

County-level starter. The plan must describe impacts for each participant and its own assets.

- Critical facilities and lifelines per hazard
- A problem statement per participant per hazard

- Changes in development in hazard-prone areas since the last approval, or a statement of none (E1-a)
- Future assets

County-level starter: exposure, expected annual loss and damage since the plan

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2025-06-02 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Avalanche											Not Applicable in NRI for this county
Coastal Flooding											Not Applicable in NRI for this county
Cold Wave	\$60,407,437,594	\$243,145,444	322,200	\$6,122	\$1,105	\$4,186,700	under 0.0001%				
Drought		\$158,140,786			\$653,110		0.413% (agriculture)		\$0		NRI has no building exposure for this hazard; agriculture shown
Earthquake	\$105,742,715,035		322,608	\$168,949		\$34,460	0.00016%				
Hail	\$60,407,471,734	\$243,145,444	322,200	\$10,482,250	\$1,021,160	\$604,686	0.0174%	\$0			
Heat Wave	\$60,407,437,594	\$243,145,444	322,200	\$64,689	\$6	\$1,521,844	0.000107%		\$0		
Hurricane	\$60,407,471,734	\$243,145,444	322,200	\$0	\$0	\$0	0%				
Ice Storm	\$60,366,675,207		321,927	\$1,152,367		\$114,597	0.00191%				
Inland Flooding	\$60,386,030,372	\$26,061,350	11,828	\$33,673,773	\$357,244	\$144,841	n/a (see note)	\$0		\$3,918,794.29	NRI counts the full building value of any census block with some flood loss; this is not the value of buildings in the floodplain. Use local FIRM overlays for B2-a/B2-b. EAL as % of exposure: n/a.
Landslide	\$423,080,327		1,959	\$1,013		\$2,224	0.000239%				
Lightning	\$60,407,471,734		322,200	\$130,552		\$1,614,008	0.000216%				
Strong Wind	\$60,407,471,734	\$243,145,444	322,200	\$6,191,458	\$204,933	\$6,020,920	0.0102%	\$3,410,000	\$0	\$3,918,794.29	
Tornado	\$60,407,471,734	\$243,145,444	322,200	\$17,441,570	\$15,254	\$24,701,669	0.0289%				
Tsunami											Not Applicable in NRI for this county
Volcanic Activity											Not Applicable in NRI for this county
Wildfire	\$8,012,164,922	\$59,756,338	36,919	\$3,129,966	\$271	\$126,392	0.0391%				
Winter Weather	\$60,407,437,594	\$243,145,444	322,200	\$447,770	\$399	\$1,141,384	0.000741%		\$0		

Totals since 2025-06-02 (Storm Events through 2026-06-30): 63 county-coded records, 63 with a damage value recorded (including \$0), \$3,410,000; 17 zone-level records, 17 with a damage value recorded (including \$0), \$0 reported for the zone; Public Assistance on counted declarations \$3,918,794.29 (1 declaration, 1 with PA).

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

FEMA does not split Public Assistance by hazard. A declaration mapped to several hazards is listed under each of them with its full amount, so the per-hazard column must not be added up; the unit total counts each declaration once.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Supports B2-a: context

County context

Measure	Value
Population	322,200
Building value (total, not at risk)	\$60,407,471,734
Agriculture value (total, not at risk)	\$243,145,444
NRI risk rating (all hazards)	Relatively Moderate
Expected annual loss, buildings and agriculture, all hazards	\$75,143,960
Expected annual loss, population equivalence, all hazards (NRI values each statistical life at \$13.7M; a modeled value of expected deaths and injuries, not property damage)	\$40,213,725
Social vulnerability rating	Very Low
Community resilience rating	Very High
NRI version	December 2025

FEMA's all-hazard expected annual loss total adds buildings, agriculture and population equivalence; the two parts are shown separately so the property figure is not read as including the statistical value of life.

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B2-c: repetitive loss

Repetitive loss in this county, both definitions

Definition	Properties	Severe repetitive loss	Properties
Repetitive loss, FMA definition (44 CFR 77.2)	0	Severe repetitive loss, FMA definition (44 CFR 77.2)	1
Repetitive loss, NFIP insurance definition	9	Severe repetitive loss, NFIP insurance definition	1

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

SOURCESFEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)**Repeat-flood properties: county and state-level rows**

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
County total	0	1	9	1	9	0	4
LANCASTER COUNTY *	0	0	1	0	1	0	0
ROCA, VILLAGE OF	0	0	1	0	1	0	0
LINCOLN, CITY OF	0	1	7	1	7	0	4
State level, not in this county: county not reported	0	0	2	0	2	0	0

SOURCESFEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)**Repeat-flood properties by plan member (NFIP community)**

Member	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>	Note
Lancaster County	310134	0	0	1	0	1	0	0	
Bennet village	310251	0	0	0	0	0	0	0	
Davey village	310497	0	0	0	0	0	0	0	
Denton village	310498	0	0	0	0	0	0	0	
Firth village	310135	0	0	0	0	0	0	0	
Hallam village	310499	0	0	0	0	0	0	0	
Hickman city	310136	0	0	0	0	0	0	0	
Lincoln city	315273	0	1	7	1	7	0	4	
Malcolm village	310500	0	0	0	0	0	0	0	
Panama village	310501	0	0	0	0	0	0	0	
Raymond village	310138	0	0	0	0	0	0	0	
Roca village	310139	0	0	1	0	1	0	0	
Sprague village	310495	0	0	0	0	0	0	0	
Waverly city	310140	0	0	0	0	0	0	0	

Per-member types: XLSX sheet 'B2-c Members'.

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

SOURCESFEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

County repeat-flood properties by occupancy group

Occupancy group	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
single-family residential	0	0	6	0	6	0	3
2 to 4 unit residential	0	0	0	0	0	0	0
other residential	0	0	0	0	0	0	0
non-residential	0	1	3	1	3	0	1
not reported	0	0	0	0	0	0	0

Institutional properties cannot be separated in this data: FEMA's occupancy groups have no institutional class, so they fall in non-residential or other residential in the table by occupancy group.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FMA RL and FMA SRL are the Flood Mitigation Assistance definitions (44 CFR 77.2), the ones the FEMA Local Mitigation Planning Policy Guide cites; OpenFEMA's fmaRI field description omits the Increased Cost of Compliance clause of 44 CFR 77.2(i). NFIP repetitive loss (FEMA insurance definition, nfipRI) is 2 or more claims over \$1,000 in 10 years and can drop to false when a property is mitigated. Also shown: NFIP severe repetitive loss, any category, mitigated and currently insured.

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

Counts are aggregates of FEMA's public NFIP Multiple Loss Properties file (as of 2026-08-02). No property is identified. County assignment is FEMA's geocode.

Counts may differ from your state NFIP coordinator's list, which is the source the Handbook names.

In this county 0 properties are FMA repetitive loss but not NFIP repetitive loss, and 9 properties are NFIP repetitive loss but not FMA repetitive loss.

Exact counts; no count suppression.

Sources

Every table above lists its own sources. The full list, for the plan's bibliography (FEMA review item A4-a):

1. FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
2. FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
3. FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
4. FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
5. FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
6. NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
7. NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
8. U.S. Census Bureau, Census 2024 Gazetteer, 2020 place by county, CT county-to-cousub crosswalk, version 2024-gazetteer, pulled 2026-09-28, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_counties_national.zip, [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_cousubs_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_cousubs_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_place_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_place_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_unsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_unsd_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_elsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_elsd_national.zip)

gazetteer/2024_Gazetteer/2024_Gaz_scsd_national.zip, https://www2.census.gov/geo/docs/reference/codes2020/national_place_by_county2020.txt, https://www2.census.gov/geo/docs/reference/ct_change/ct_cou_to_cousub_crosswalk.xlsx

OpenFEMA disclaimer

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

Reuse, citation and corrections

Reuse and citation: Hazard Plain text and tables are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0, <https://creativecommons.org/licenses/by/4.0/>); credit Hazard Plain and the release. The underlying federal data are public domain; OpenFEMA data are also subject to the OpenFEMA terms and conditions.

Cite this: Hazard Plain (2026). Lancaster County, NE: risk-assessment baseline packet, release 2026-10 (data as of 2026-09-28; County area 31109). Preview: automated baseline. Built from FEMA OpenFEMA, the FEMA National Risk Index and NOAA NCEI Storm Events; source versions in the packet's Sources list.

Corrections: to report an error, name the packet, the table and what your records show. Contact: to be added

Hazard Plain release 2026-10. As of 2026-09-28; Storm Events data through 2026-06-30. File hazard-plain_2026-10_NE_31109. Preview: automated baseline.