

Curry County, NM

Risk-assessment baseline packet

County FIPS: 35009 Release: 2026-10 Data as of: 2026-09-30 Storm Events data through: 2026-06-30

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

Summary

Plan status as of 2026-09-30: Approved, expires 2027-08-21. Plan: Curry County (FEMA plan 107019), approved 2022-08-22.

Since the plan was approved on 2022-08-22: no new hazard declaration and 139 NOAA Storm Events records; details under "What changed since your last plan".

Highest expected annual loss (FEMA National Risk Index, modeled total; see B1-a): Inland Flooding (\$6,710,279 a year), Drought (\$4,336,315) and Wildfire (\$4,099,637).

The tables that follow are organized by the items of FEMA's Local Mitigation Plan Review Tool, Element B (B1-a to B2-c); each heading says which item its tables support.

TERMS USED

EAL: expected annual loss: FEMA's modeled average yearly loss from a hazard.

NRI: FEMA's National Risk Index (version 1.20, December 2025).

NFIP: National Flood Insurance Program.

RL, SRL: repetitive loss and severe repetitive loss: flood-insured properties with repeated claims (definitions in B2-c).

FMA, HMGP: Flood Mitigation Assistance and Hazard Mitigation Grant Program, FEMA mitigation grants.

PA: FEMA Public Assistance: disaster aid to governments and some nonprofits.

Zone-level: NOAA logged the event for a National Weather Service forecast zone, which may include parts of neighboring counties.

County-coded: NOAA logged the event to this county.

FIPS: the federal code for a place; 35009 is this area.

D0 to D4: U.S. Drought Monitor categories, from abnormally dry (D0) to exceptional drought (D4).

F/EF, EFU: Fujita and Enhanced Fujita tornado ratings; EFU is an unrated tornado.

kt, CONUS: knots (1 kt is about 1.15 mph); the contiguous United States.

CFR: Code of Federal Regulations.

A4-a, E1-a: other items of FEMA's Local Mitigation Plan Review Tool (sources, and changes since the last plan).

Dollars: nominal (as reported, labeled with the year), not adjusted for inflation.

CONTENTS

1. Summary and terms used, page 1
2. Plan clock, page 2
3. What changed since your last plan (approved 2022-08-22), page 2
4. B1-a: hazard identification, page 3
5. B1-b: hazard location, page 4
6. B1-c: hazard extent, page 5
7. B1-d: previous occurrences, page 7
8. B1-e: probability of future events, page 10
9. B1-f: hazards that vary across jurisdictions, page 12
10. B2-a and B2-b: vulnerability and potential impacts, page 13
11. B2-a: vulnerability (county context), page 15
12. B2-c: repetitive loss properties, page 16
13. Sources, what the plan adds, disclaimer and citation, page 17

Plan clock

Status:	Approved, expires 2027-08-21	Plan:	Curry County (FEMA plan 107019)
Approved:	2022-08-22	Days to expiry:	325
Update underway:	none recorded in FEMA's plan tracker		

What changed since your last plan (approved 2022-08-22)

New federal declarations:	none	Storm Events records since approval:	139 records (data through 2026-06-30)
Repetitive loss now:	FMA RL 0, SRL 1 (44 CFR 77.2); any definition: 2	Repeat-flood change:	this release sets the baseline count.

Sources: 1, 2, 4, 6 (numbered list at the end)

Plan status for every jurisdiction listed in this county

Source: 1

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry <i>negative = days since expiry</i>	Update underway
Curry County	County	Approved, expires 2027-08-21	Curry County (FEMA plan 107019)	2022-08-22	2027-08-21	325	
Clovis city	City	Approved, expires 2027-08-21	Curry County (FEMA plan 107019)	2022-08-22	2027-08-21	325	FEMA tracker shows a plan in progress
Grady village	Village	Approved, expires 2027-08-21	Curry County (FEMA plan 107019)	2022-08-22	2027-08-21	325	
Melrose village	Village	Approved, expires 2027-08-21	Curry County (FEMA plan 107019)	2022-08-22	2027-08-21	325	
Texico city	City	Approved, expires 2027-08-21	Curry County (FEMA plan 107019)	2022-08-22	2027-08-21	325	

State plan status and tribal plans in this state: see the state page.

Supports FEMA checklist item B1-a: hazard identification

Hazards NRI does not cover (local data needed)

- dam failure (incl. upstream dams)
- levee failure
- flash flood as its own subtype
- ice jams
- debris flows
- erosion (riverine and coastal)
- land subsidence and sinkholes
- expansive soils

The 18 National Risk Index hazards, ranked by expected annual loss (EAL)

Sources: 5, 6

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records, 1996 to 2026-06-30 <i>count</i>	Storm Events coverage note
1	Inland Flooding	Relatively Low	Relatively Low	\$6,642,032	\$12,440	\$55,808	\$6,710,279	33	
2	Drought	Relatively High	Relatively High	n/a	\$4,336,315	n/a	\$4,336,315	96	
3	Wildfire	Relatively Moderate	Relatively Moderate	\$3,967,172	\$12,956	\$119,509	\$4,099,637	4	
4	Tornado	Relatively Low	Relatively Low	\$1,255,050	\$6,105	\$353,108	\$1,614,263	23	
5	Hail	Relatively Moderate	Relatively Moderate	\$806,916	\$596,895	\$66,154	\$1,469,965	262	
6	Cold Wave	Relatively Low	Relatively Low	\$1,962	\$34	\$703,756	\$705,752	6	
7	Winter Weather	Relatively High	Relatively High	\$211,167	\$21,806	\$445,205	\$678,178	27	
8	Strong Wind	Relatively Moderate	Relatively Moderate	\$293,779	\$13,999	\$336,664	\$644,442	240	Includes 81 High Wind and 2 Strong Wind records (NOAA non-thunderstorm wind types, outside NRI's Strong Wind definition).
9	Heat Wave	Relatively Low	Relatively Low	\$37	\$2,498	\$630,999	\$633,534	1	
10	Lightning	Relatively Moderate	Relatively Low	\$14,781	n/a	\$279,398	\$294,179	5	
11	Earthquake	Very Low	Very Low	\$74,267	n/a	\$15,806	\$90,072		Storm Events does not record earthquakes.
12	Ice Storm	Relatively Low	Relatively Low	\$14,830	n/a	\$26,097	\$40,927	1	

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records, 1996 to 2026-06-30 <i>count</i>	Storm Events coverage note
13	Landslide	Very Low	Very Low	\$5	n/a	under \$1	\$5	0	No recorded events in Storm Events since 1996 (data through 2026-06-30).
14	Volcanic Activity	Very Low	Very Low	under \$1	n/a	under \$1	under \$1	0	No recorded events in Storm Events since 1996 (data through 2026-06-30).
15	Hurricane	No Rating	No Expected Annual Losses	\$0	\$0	\$0	\$0	0	No recorded events in Storm Events since 1996 (data through 2026-06-30).

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

NRI risk rating combines expected annual loss with social vulnerability and community resilience; EAL rating rates expected annual loss alone. Both compare this county with all U.S. counties.

Local data needed: state and local landslide and volcanic activity records (Storm Events records these hazards only in part).

Not applicable to this county per NRI, with no federal declaration and no Storm Events record since 1996: avalanche, coastal flooding and tsunami. That is the evidence for leaving them out of the plan.

The state hazard mitigation plan also lists hazards for this county; FEMA asks the plan to explain any hazard it leaves out.

Supports FEMA checklist item B1-b: hazard location

Affects the whole county (national data give no location within it): Cold Wave, Drought, Hail, Heat Wave, Ice Storm, Lightning, Strong Wind and Winter Weather.

Inland Flooding: The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (<https://msc.fema.gov>) for this county.

Hazards that vary within the county: highest-rated census tracts

Source: 5

Hazard	Highest-rated census tracts <i>NRI risk rating, score 0 to 100</i>
Earthquake	tract 1 (Very Low, 37.4); tract 4 (Very Low, 34.2); tract 6.03 (Very Low, 30.8)
Hurricane	no tract has a National Risk Index rating for this hazard
Landslide	tract 6.02 (Very Low, 53.4); tract 6.03 (Very Low, 35.1); tract 6.01 (Very Low, 33.5)
Tornado	tract 6.03 (Relatively High, 77.3); tract 6.02 (Relatively High, 77.2); tract 1 (Relatively Moderate, 74.2)
Volcanic Activity	tract 6.01 (Very Low, 42.5); tract 9 (Very Low, 40.6); tract 6.03 (Very Low, 40.5)
Wildfire	tract 6.02 (Very High, 99.3); tract 6.01 (Very High, 99.2); tract 6.03 (Relatively High, 98.4)

Up to 3 census tracts per hazard, highest National Risk Index rating first, then highest score; a tract number is the Census tract number (for example 1 is Census Tract 1). FEMA's Resilience Analysis and Planning Tool maps the National Risk Index for every tract: <https://www.fema.gov/emergency-managers/practitioners/resilience-analysis-and-planning-tool>

Supports FEMA checklist item B1-c: hazard extent

Extent: scale, observed range and worst recorded event per hazard

Sources: 6, 7

Hazard	Scale	Records <i>count and years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to jurisdictions	Note
Cold/Wind Chill, Extreme Cold/Wind Chill	wind chill	6 records, 2011 to 2026 (6 zone-level)	1 day to 2 days (median 1.5 days); 6 with a recorded value	2 consecutive days, 2026-01-25 to 2026-01-26, zone-level		Countywide (zone-level records).	
Frost/Freeze (outside NRI's Cold Wave definition)	crop damage	0					
Drought	U.S. Drought Monitor scale (D0 to D4)	96 records, 2011 to 2026 (96 zone-level)	31 days to 1,225 days (median 304 days); 7 with a recorded value	1225 days (about 40.2 months), 2011-02-22 to 2014-06-30, a run of 41 consecutive Storm Events drought records, zone-level		Countywide (zone-level records).	Storm Events enters a drought at D2 or worse east of the Rockies and D3 or worse from the Rockies west (NWS Instruction 10-1605); NRI drought counts D3 and D4 only.
Earthquake	Modified Mercalli (local data)	0					Storm Events does not record earthquakes; the USGS earthquake catalog is the source.
Hail	hail size (inches)	342 records, 1955 to 2025	0.75 in to 4.5 in (median 1 in); 340 with a recorded value	4.5 in hail, 2012-06-12; same size also recorded on 1992-06-27, 2012-06-12	Hail, 2010-06-12, \$1,250,000 property; \$25,000 crops (2010 dollars)	Event records naming jurisdictions in the plan: Clovis city (118 records), Melrose village (25 records), Grady village (16 records), Texico city (6 records).	
Excessive Heat, Heat	heat index (in event narratives)	1 record, 2017 (1 zone-level)	5 days; 1 with a recorded value	5 consecutive days, 2017-06-20 to 2017-06-24, zone-level		Countywide (zone-level records).	
Hurricane, Tropical Storm, Tropical Depression	Saffir-Simpson	0					Storm Events files every zone of a storm's episode under the storm's type; flooding from the storm is filed as Flood or Flash Flood records.
Ice Storm	Sperry-Piltz ice scale (local data)	1 record, 2015 (1 zone-level)		Ice Storm, 2015-11-26, \$50,000 property; \$0 crops (2015 dollars); Storm Events area CURRY COUNTY (legacy zone code NMZ535)		Countywide (zone-level records).	
Flash Flood, Flood, Lakeshore Flood	damage and flood days (flood depth: FIRM)	33 records, 1998 to 2025		Flash Flood, 2015-05-04, \$3,000,000 property; \$0 crops (2015 dollars)		Event records naming jurisdictions in the plan: Clovis city (17 records), Melrose village (3 records), Grady village (2 records), Texico city (2 records).	Flood depth: see the FEMA Flood Insurance Rate Map. Storm Events damage is often \$0 or blank for floods, major ones included; FEMA Public Assistance by declaration (B1-d) shows which floods cost the most.
Debris Flow	none (count and damage only)	0					

Hazard	Scale	Records <i>count and years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to jurisdictions	Note
Lightning	annualized frequency (the measure FEMA's Local Mitigation Planning Handbook names)	5 records, 1999 to 2019		Lightning, 2015-08-08, \$100,000 property; \$0 crops (2015 dollars)		Event records naming jurisdictions in the plan: Clovis city (5 records).	Storm Events lists lightning with damage or casualties.
High Wind and Strong Wind (outside NRI's Strong Wind definition)	wind speed (kt and mph)	83 records, 2009 to 2026 (83 zone-level)	35 kt (40 mph) to 78 kt (90 mph) (median 52 kt (60 mph)); 83 with a recorded value	78 kt (90 mph) measured gust, High Wind, 2023-02-26; NWS zone NMZ235		Countywide (zone-level records).	
Thunderstorm Wind	wind speed (kt and mph)	198 records, 1956 to 2026	35 kt (40 mph) to 83 kt (96 mph) (median 54 kt (62 mph)); 184 with a recorded value	83 kt (96 mph) estimated gust, Thunderstorm Wind, 2003-06-13	Thunderstorm Wind, 1995-05-06, \$1,500,000 property; crops not recorded (1995 dollars)	Event records naming jurisdictions in the plan: Clovis city (32 records), Melrose village (8 records), Grady village (5 records), Texico city (5 records).	
Tornado	Enhanced Fujita (Fujita before Feb 2007)	51 records, 1955 to 2024	F/EF0 to F/EF2 (median F/EF0); 44 with a recorded value	EF2 tornado, 2007-03-23, 8.02 mi within this county, 350 yd wide, \$16,500,000 property; crops not reported (2007 dollars), 2 direct deaths, 33 direct injuries		Event records naming jurisdictions in the plan: Clovis city (5 records), Grady village (3 records), Melrose village (3 records), Texico city (1 record).	Before 1996 a tornado is listed once, under the county where it began, with its whole path's rating and length; from 1996 on, each county lists its own segment. Length is not used to rank tornadoes (see Methods).
Volcanic Ash, Volcanic Ashfall	Volcanic Explosivity Index (local data)	0					
Wildfire	acres burned (local data)	4 records, 2011 to 2023 (4 zone-level)		Wildfire, 2011-04-17, \$300,000 property; \$0 crops (2011 dollars), 3 direct injuries (reported for the zone); Storm Events area CURRY COUNTY (legacy zone code NMZ535)		Countywide (zone-level records).	
Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet	none in data (snowfall: local data)	27 records, 2010 to 2025 (27 zone-level)		Blizzard, 2015-12-26, \$100,000,000 property; \$0 crops (2015 dollars); Storm Events area CURRY COUNTY (legacy zone code NMZ535)		Countywide (zone-level records).	

In event narratives only (local data needed): wind chill, temperature, heat index, ice thickness, acres burned and snow depth; any physical measure of debris flow, lightning and volcanic ash, volcanic ashfall.

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records from zones that no NWS zone-county file places in this county (mostly before 2020) are not counted here (the Methods page explains the zone matching).

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

Supports FEMA checklist item B1-d: previous occurrences

Federal declarations for this county: 6 declarations covering 3 separate hazard incidents counted in this packet (declarations for the same incident count once; non-natural and evacuation-only declarations are not counted).

Federal disaster declarations for this county

Sources: 1, 2, 3

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance <i>federal share obligated, nominal dollars</i>	Notes
2020-04-05	2020-01-20	DR-4529-NM	Major disaster	COVID-19 Pandemic	Non-natural, not counted	\$52,874.08	
2020-03-13	2020-01-20	EM-3460-NM	Emergency	COVID-19	Non-natural, not counted	no Public Assistance recorded	same incident as DR-4529
2011-04-17	2011-04-17	FM-2897-NM	Fire management	Tire Fire	Wildfire	no Public Assistance recorded	
2007-04-02	2007-03-23	DR-1690-NM	Major disaster	Severe Storms and Tornadoes	Tornado	PA not declared for this county	
2005-09-07	2005-08-29	EM-3229-NM	Emergency	Hurricane Katrina Evacuation	Hurricane: evacuation support, not a local hazard event; not counted	no Public Assistance recorded	
2000-05-10	2000-05-05	EM-3154-NM	Emergency	Severe Fire Threats	Wildfire	no Public Assistance recorded	

County Public Assistance: applicants the FEMA record places in this county, including any state agencies FEMA files there; statewide rows are listed on the state page; federal share obligated, nominal dollars.

Statewide declarations

Source: 2

Declared	Incident began	FEMA number	Type	Title	Mapped hazard
1998-07-02	1998-06-29	EM-3128-NM	Emergency	Extreme Fire Hazards	Wildfire
1955-08-15	1955-08-15	DR-38-NM	Major disaster	Flood	Inland Flooding
1954-10-13	1954-10-13	DR-27-NM	Major disaster	Flood	Inland Flooding

FEMA recorded these with designated area Statewide and no county, so they are listed on every county page in the state and not counted with county rows. Local data needed: whether each one affected this county.

5 Fire Management declarations (1974-05-21 to 2003-05-10) FEMA filed as Statewide with no county; each names one local fire. Listed on the state page.

Public Assistance not placed in any New Mexico county: 1 row, \$6,157.13; listed on the New Mexico state page.

Source: 3

Previous occurrences by hazard, with explicit no-event rows

Sources: 2, 6, 7

Hazard	Storm Events records, all years on file <i>(years in the Period column)</i>	Since plan approval <i>records</i>	In the 12 months before plan approval <i>records</i>	Last 5 years <i>records</i>	Declared incidents, all years <i>separate disasters</i>	Declared since approval <i>separate disasters</i>	Period	Statement
Cold Wave	6	4	0	4	0	0	1996 to 2026-06-30	
Drought	96	20	10	30	0	0	1996 to 2026-06-30	
Earthquake	0	0	0	0	0	0		Storm Events does not record earthquakes; the USGS earthquake catalog is the source.
Hail	342	43	7	50	0	0	1955 to 2026-06-30	
Heat Wave	1	0	0	0	0	0	1996 to 2026-06-30	
Hurricane	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Ice Storm	1	0	0	0	0	0	1996 to 2026-06-30	
Inland Flooding	33	12	0	12	0	0	1996 to 2026-06-30	
Landslide	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Lightning	5	0	0	0	0	0	1996 to 2026-06-30	
Strong Wind	281	49	7	56	0	0	1955 to 2026-06-30	Includes 81 High Wind and 2 Strong Wind records.
Tornado	51	5	0	5	1	0	1950 to 2026-06-30	
Volcanic Activity	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Wildfire	4	1	0	1	2	0	1996 to 2026-06-30	
Winter Weather	27	5	0	5	0	0	1996 to 2026-06-30	

Notable Storm Events records

Sources: 1, 6, 7

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Deaths, injuries <i>direct only</i>	Location	Flags	Why listed
2026-01-25	Extreme Cold/ Wind Chill		damage not reported	0, 0	NWS zone NMZ235 (CURRY COUNTY), zone-level	new since last plan; within last 5 years	B1-c worst recorded: Cold/Wind Chill, Extreme Cold/Wind Chill
2023-02-26	High Wind	78 kt (90 mph) measured gust	\$3,000,000 property; crops not reported (zone total, 2023 dollars)	0, 0	NWS zone NMZ235 (CURRY COUNTY), zone-level	new since last plan; within last 5 years	B1-c worst recorded: High Wind and Strong Wind
2017-06-20	Heat		\$0 property; \$0 crops (zone total, 2017 dollars)	0, 0	Storm Events area CURRY COUNTY (legacy zone code NMZ535), zone-level		B1-c worst recorded: Excessive Heat, Heat
2015-12-26	Blizzard		\$100,000,000 property; \$0 crops (zone total, 2015 dollars)	0, 0	Storm Events area CURRY COUNTY (legacy zone code NMZ535), zone-level		B1-c worst recorded: Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet
2015-08-08	Lightning		\$100,000 property; \$0 crops (2015 dollars)	0, 0	CLOVIS		B1-c worst recorded: Lightning
2015-05-04	Flash Flood		\$3,000,000 property; \$0 crops (2015 dollars)	0, 0	RANCHVALE to PLEASANT HILL		B1-c worst recorded: Flash Flood, Flood, Lakeshore Flood
2012-06-12	Hail	4.5 in	\$100,000 property; \$0 crops (2012 dollars)	0, 0	MELROSE		B1-c worst recorded: Hail
2011-04-17	Wildfire		\$300,000 property; \$0 crops (zone total, 2011 dollars)	0, 3	Storm Events area CURRY COUNTY (legacy zone code NMZ535), zone-level		deaths or injuries recorded
2011-02-22	Drought		\$0 property; \$0 crops (zone total, 2011 dollars)	0, 0	Storm Events area CURRY COUNTY (legacy zone code NMZ535), zone-level		B1-c worst recorded: Drought
2007-03-23	Tornado	EF2, 8.02 mi within this county, 350 yd wide	\$16,500,000 property; crops not reported (2007 dollars)	2, 33	CLOVIS HILLCREST ARP to CLOVIS		deaths or injuries recorded
2003-06-13	Thunderstorm Wind	83 kt (96 mph) estimated gust	damage not reported	0, 0	CANNON AFB		B1-c worst recorded: Thunderstorm Wind
1992-06-27	Hail	2.75 in	damage not recorded (pre-1996 record)	0, 6	location not recorded		deaths or injuries recorded

The full list is in the Excel file, sheet "B1-d Storm Events history" (847 rows).

Location is the place NOAA recorded, as written in its data; it need not be a jurisdiction in this plan.

Local data needed: state-declared emergencies, from your state emergency management agency (federal data do not include them).

Tribal and special-area declarations in this state are listed on the state page.

Supports FEMA checklist item B1-e: probability of future events

Probability: FEMA annualized frequency and descriptor per hazard

Sources: 5, 6

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Cold Wave	0.474	event-days per year	about 0.474 days per year	Likely	Storm Events event- days in 4 of 30 years, 1996 to 2025 (13.3%)	9	2005-11-12 to 2024-11-12 (19 years)	countywide	
Drought	104	event-days per year	about 104 days per year	Likely	Storm Events event- days in 10 of 30 years, 1996 to 2025 (33.3%)	3,213	2000 to 2025 (25.25 years; D3 and D4 only)	countywide	
Earthquake	0.000413	annual probability at a location	chance a given location in the county has at least minor-damage shaking in a year: 0.0413%			not shown	modeled	see B1-f	No descriptor (Storm Events does not record earthquakes).
Hail	2.91	events per year	about 2.91 per year	Highly likely	FEMA annualized frequency (modeled)	110.7 (modeled)	1986 to 2023 (38 years)	countywide	
Heat Wave	1.27	event-days per year	about 1.27 days per year	Possible	Storm Events event- days in 1 of 30 years, 1996 to 2025 (3.33%)	22.1	2005-11-12 to 2024-11-12 (19 years)	countywide	
Hurricane	0	events per year	none modeled	Unlikely	FEMA annualized frequency (modeled)	0	1851 to 2024 (Atlantic)	see B1-f	NRI counts hurricane and tropical storm tracks passing within storm-force wind range; federal declarations are in B1-d.
Ice Storm	0.372	event-days per year	about 0.372 days per year	Possible	Storm Events event- days in 1 of 30 years, 1996 to 2025 (3.33%)	26	1946-12-31 to 2014-02-12 (67 years)	countywide	
Inland Flooding	0.786	event-days per year	about 0.786 days per year	Likely	Storm Events event- days in 15 of 30 years, 1996 to 2025 (50%)	22	1996 to 2023 (28 years)	see B1-f	
Landslide	0.134	events per year (modeled)	about 1 in 7 years	Likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Lightning	49.9	days per year with a strike	about 49.9 days per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1995 to 2023 (29 years; CONUS)	countywide	

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Strong Wind	1.3	events per year	about 1.3 per year	Highly likely	FEMA annualized frequency (modeled)	50	1986 to 2023 (38 years)	countywide	
Tornado	0.494	events per year	about 1 in 2 years	Likely	FEMA annualized frequency (modeled)	not shown	1950 to 2023 (EF2+); 1986 to 2023 (EF0-1)	see B1-f	
Volcanic Activity	0.0001	annual probability	about 1 in 10,000 years	Unlikely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Wildfire	0.00858	annual probability at a location	chance a given location in the county burns in a year: 0.858%	Possible	Storm Events records in 2 of 30 years, 1996 to 2025 (6.67%)	not shown	modeled	see B1-f	
Winter Weather	8.48	event-days per year	about 8.48 days per year	Likely	Storm Events event-days in 11 of 30 years, 1996 to 2025 (36.7%)	161	2005-11-12 to 2024-11-12 (19 years)	countywide	

FEMA annualized frequency (modeled) is the National Risk Index v1.20 (December 2025) estimate of how often a hazard affects this county in a year; it is not recorded events divided by years, and its unit differs by hazard (events, event-days, or days with a lightning strike per year). For earthquake, wildfire, coastal flooding and tsunami the value is the chance (or number of events) at a location in the county, not across the county, so no "1 in N years" is given and the descriptor comes from Storm Events where it has a record (none for earthquake). The Methods page gives each hazard's method, from FEMA's National Risk Index Technical Documentation v1.20.

Where NRI gives event-days, the descriptor comes from the share of years with a Storm Events record; NRI's source records more events, so the two differ.

Descriptor scale used in this packet (defined per unit)

Sources: 5, 6

Unit	Descriptor	Definition
events per year	Highly likely	1 or more per year
events per year	Likely	about once in 1 to 10 years
events per year	Possible	about once in 10 to 100 years
events per year	Unlikely	less than once in 100 years
annual probability	Likely	10% to under 100% chance in a given year
annual probability	Possible	1% to under 10% chance in a given year
annual probability	Unlikely	under 1% chance in a given year
event-days (share of years)	Highly likely	event-days recorded in 90% or more of years
event-days (share of years)	Likely	event-days recorded in 10% to under 90% of years
event-days (share of years)	Possible	event-days recorded in some years but under 10% of years
lightning strike-days	Highly likely	cloud-to-ground strikes on 1 or more days per year

Intensity bands: historical frequency (Storm Events)

Source: 6

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Hail	1.00-1.99 in	1996 to 2025	149	30	4.97
Hail	2.00 in+	1996 to 2025	26	30	0.867
Thunderstorm Wind (counted as NRI Strong Wind)	50-64 kt	1996 to 2025	137	30	4.57
Thunderstorm Wind (counted as NRI Strong Wind)	65 kt+	1996 to 2025	17	30	0.567
Thunderstorm Wind (counted as NRI Strong Wind)	unmeasured or below 50 kt	1996 to 2025	1	30	0.0333
Tornado	EF0-1	1996 to 2025	17	30	0.567
Tornado	EF2-3	1996 to 2025	1	30	0.0333
Tornado	EF4-5	1996 to 2025	0	30	0
Tornado	unrated (EFU)	1996 to 2025	5	30	0.167

The bands show how often events of each severity were recorded in this county, to profile how severe events have been (FEMA's probability item asks for the range of intensities).

Hail smaller than 1 inch is not counted: on 2010-01-05 the National Weather Service raised its severe-hail threshold from 3/4 inch to 1 inch, so smaller reports became less common after 2009 (NWS Service Change Notice 09-52). NRI hail frequency uses a 0.75 inch threshold.

Optional: future conditions. Not a required item in the 2025 FEMA Local Mitigation Planning Policy Guide; some states ask for it. The federal Climate Mapping for Resilience and Adaptation (CMRA) site gives county exposure to future climate conditions (<https://resilience.climate.gov/>).

Supports FEMA checklist item B1-f: hazards that vary across jurisdictions

Range of census tract risk within the county

Source: 5

Hazard	Tracts <i>rated of all</i>	NRI risk score, 0 to 100			Tracts by rating
		Min	Median	Max	
Cold Wave	14 of 14	30.0	50.3	69.5	Relatively Moderate 9, Relatively Low 5
Drought	12 of 14	67.2	84.3	99.8	Very High 1, Relatively High 2, Relatively Low 8, Very Low 1, No Rating 2
Earthquake	14 of 14	12.6	21.0	37.4	Very Low 14
Hail	14 of 14	79.5	84.8	99.6	Very High 1, Relatively High 2, Relatively Moderate 11
Heat Wave	14 of 14	23.4	56.2	78.5	Relatively Moderate 7, Relatively Low 7
Hurricane	0 of 14				No Rating 14
Ice Storm	14 of 14	18.6	36.9	54.5	Relatively Low 10, Very Low 4
Inland Flooding	14 of 14	6.5	40.5	71.4	Relatively Moderate 5, Relatively Low 8, Very Low 1
Landslide	13 of 14	8.6	10.7	53.4	Very Low 13, No Rating 1
Lightning	14 of 14	39.4	70.2	89.9	Relatively High 4, Relatively Moderate 8, Relatively Low 2
Strong Wind	14 of 14	48.9	76.6	89.9	Relatively High 4, Relatively Moderate 9, Relatively Low 1

Hazard	Tracts <i>rated of all</i>	NRI risk score, 0 to 100			Tracts by rating
		Min	Median	Max	
Tornado	14 of 14	41.4	61.1	77.3	Relatively High 2, Relatively Moderate 11, Relatively Low 1
Volcanic Activity	4 of 14	40.4	40.6	42.5	Very Low 4, No Rating 10
Wildfire	14 of 14	52.5	94.4	99.3	Very High 2, Relatively High 3, Relatively Moderate 4, Relatively Low 4, Very Low 1
Winter Weather	14 of 14	93.5	98.1	99.7	Very High 12, Relatively High 2

Drought: Agriculture is all of NRI's expected annual loss for this hazard in the county, so the tract range mostly reflects where crop and livestock value is.

Rated tracts only: No Rating (score 0.0), Not Applicable and Insufficient Data tracts are counted but not used for the minimum, median and maximum.

The score ranks a tract against all U.S. tracts (100 = highest). The rating is FEMA's category for the tract's risk value, computed differently, so the two can disagree.

Frequency data for cold wave, drought, hail, heat wave, ice storm, lightning, strong wind and winter weather are county-wide or coarse (49 km grid or NWS zone), the same for every jurisdiction; the tract range mostly reflects where buildings and people are (crop and livestock value where a line above names agriculture).

Each jurisdiction (starting figures from federal data)

Sources: 1, 3, 4, 6

Jurisdiction	Type	Plan status	Repetitive loss <i>FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition</i>	Public Assistance to this jurisdiction <i>FEMA records matched by applicant name; federal share obligated, nominal dollars</i>	Event records naming this place <i>all years; since its plan</i>	Notes
Curry County	County	Approved, expires 2027-08-21	FMA RL 0, SRL 0; any 0	no Public Assistance recorded	0 total; 0 since its plan	
Clovis city	City	Approved, expires 2027-08-21	FMA RL 0, SRL 1; any 2	\$35,873.12	177 total; 13 since its plan	Includes \$35,873.12 for declarations not counted as hazard incidents (DR-4529-NM).
Grady village	Village	Approved, expires 2027-08-21	FMA RL 0, SRL 0; any 0	no Public Assistance recorded	26 total; 6 since its plan	
Melrose village	Village	Approved, expires 2027-08-21	FMA RL 0, SRL 0; any 0	no Public Assistance recorded	39 total; 2 since its plan	
Texico city	City	Approved, expires 2027-08-21	FMA RL 0, SRL 0; any 0	no Public Assistance recorded	14 total; 4 since its plan	

Repetitive-loss counts are for whole NFIP communities, which can extend beyond this county (see the note in B2-c).

County Public Assistance in B1-d also includes applicants filed under the county that are not jurisdictions in this plan (for example state agencies, special districts and nonprofits), so the jurisdiction rows add up to less.

Supports FEMA checklist items B2-a and B2-b: vulnerability and potential impacts

Local data needed

The table below gives county-level starting figures; the plan describes impacts for each jurisdiction and its own assets.

- Critical facilities and lifelines per hazard
- A problem statement per jurisdiction per hazard

- Changes in development in hazard-prone areas since the last approval, or a statement of none (E1-a)
- Future assets

County-level starter: exposure, expected annual loss and damage since the plan

Sources: 1, 2, 3, 5, 6, 7

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2022-08-22 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Cold Wave	\$13,447,049,184	\$618,743,271	48,395	\$1,962	\$34	\$703,756	under 0.0001%		\$0		
Drought	n/a	\$24,298,308	n/a	n/a	\$4,336,315	n/a	17.8% (agriculture)		\$0		NRI has no building exposure for this hazard; agriculture shown
Earthquake	\$23,338,553,524	n/a	48,430	\$74,267	n/a	\$15,806	0.000318%				
Hail	\$13,447,049,184	\$618,743,271	48,395	\$806,916	\$596,895	\$66,154	0.006%	\$26,000			
Heat Wave	\$13,447,049,184	\$618,743,271	48,395	\$37	\$2,498	\$630,999	under 0.0001%				
Hurricane	\$13,447,049,184	\$618,743,271	48,395	\$0	\$0	\$0	0%				
Ice Storm	\$13,447,049,184	n/a	48,395	\$14,830	n/a	\$26,097	0.00011%				
Inland Flooding	\$13,446,197,530	\$1,077,131	1,666	\$6,642,032	\$12,440	\$55,808	n/a (see note)	\$551,000			NRI counts the full building value of any census block with some flood loss; this is not the value of buildings in the floodplain. Use local FIRM overlays for B2-a/B2-b.
Landslide	\$3,618,617	n/a	9	\$5	n/a	under \$1	0.000127%				
Lightning	\$13,447,049,184	n/a	48,395	\$14,781	n/a	\$279,398	0.00011%				
Strong Wind	\$13,447,049,184	\$618,743,271	48,395	\$293,779	\$13,999	\$336,664	0.00218%	\$1,272,000	\$3,070,000		Storm Events damage since the plan includes 3 zone-level High Wind records (\$3,070,000): a NOAA non-thunderstorm wind type, outside NRI's Strong Wind definition.
Tornado	\$13,447,049,184	\$618,743,271	48,395	\$1,255,050	\$6,105	\$353,108	0.00933%	\$0			
Volcanic Activity	\$13,447,049,184	n/a	48,395	under \$1	n/a	under \$1	under 0.0001%				

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year; not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2022-08-22 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Wildfire	\$2,070,669,503	\$414,031,646	8,752	\$3,967,172	\$12,956	\$119,509	0.192%		\$10,000		
Winter Weather	\$13,447,049,184	\$618,743,271	48,395	\$211,167	\$21,806	\$445,205	0.00157%		\$0		

Totals since 2022-08-22 (Storm Events through 2026-06-30): 88 county-coded records, 52 with a damage value recorded (including \$0), \$1,849,000; 51 zone-level records, 20 with a damage value recorded (including \$0), \$3,080,000 reported for the zone; Public Assistance: no counted declaration since the plan.

FEMA does not split Public Assistance by hazard. A declaration mapped to several hazards is listed under each of them with its full amount, so the per-hazard column does not add up to the total; the unit total counts each declaration once.

NRI computes earthquake exposure on its own basis, so it exceeds the county building value in B2-a.

Supports FEMA checklist item B2-a: vulnerability (county context)

County context

Source: 5

Measure	Value
Population	48,395
Building value (total, not at risk)	\$13,447,049,184
Agriculture value (total, not at risk)	\$618,743,271
NRI risk rating (all hazards)	Relatively Low
Expected annual loss, buildings and agriculture, all hazards	\$18,285,043
Expected annual loss, population equivalence, all hazards (NRI values each statistical life at \$13.7M; a modeled value of expected deaths and injuries, not property damage)	\$3,032,506
Social vulnerability rating	Relatively Moderate
Community resilience rating	Very Low
NRI version	December 2025

FEMA's all-hazard expected annual loss adds buildings, agriculture and population equivalence; this table gives the property part and the population-equivalence part as separate rows.

Social vulnerability: higher means people are more likely to be harmed and slower to recover. Community resilience: lower means the community is less able to recover. High social vulnerability and low resilience both raise the NRI risk rating.

Supports FEMA checklist item B2-c: repetitive loss properties

Repetitive loss in this county, both definitions

Sources: 1, 4

Definition	Properties	Severe repetitive loss	Properties
Repetitive loss, FMA definition (44 CFR 77.2)	0	Severe repetitive loss, FMA definition (44 CFR 77.2)	1
Repetitive loss, NFIP insurance definition	2	Severe repetitive loss, NFIP insurance definition	1

The state NFIP coordinator's list, the source FEMA's Handbook names, often uses the NFIP insurance definition (second row).

Repeat-flood properties: county total and NFIP communities

Sources: 1, 4

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
County total	0	1	2	1	2	0	2
of which: Clovis city	0	1	2	1	2	0	2

Repeat-flood properties by jurisdiction in the plan (NFIP community)

Sources: 1, 4

Jurisdiction	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
Curry County	350127	0	0	0	0	0	0	0
Clovis city	350010	0	1	2	1	2	0	2
Grady village	350051	0	0	0	0	0	0	0
Melrose village	350115	0	0	0	0	0	0	0
Texico city	350117	0	0	0	0	0	0	0

Counts by occupancy group for each jurisdiction are in the Excel file, sheet "B2-c Jurisdictions".

Jurisdiction rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each jurisdiction row, while the county table counts only its part in this county.

County repeat-flood properties by occupancy group

Sources: 1, 4

Occupancy group	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
single-family residential	0	0	0	0	0	0	0
2 to 4 unit residential	0	0	0	0	0	0	0
other residential	0	0	0	0	0	0	0
non-residential	0	1	2	1	2	0	2
not reported	0	0	0	0	0	0	0

FEMA's occupancy groups have no institutional class; institutional properties are counted in non-residential or other residential in the table by occupancy group.

FMA RL and FMA SRL are the Flood Mitigation Assistance definitions (44 CFR 77.2), the ones the FEMA Local Mitigation Planning Policy Guide cites. NFIP repetitive loss (the FEMA insurance definition) is 2 or more claims over \$1,000 in 10 years, and a property can leave that group once it is mitigated. Also shown: NFIP severe repetitive loss, any category, mitigated and currently insured. The Methods page gives the OpenFEMA field details.

Counts are aggregates of FEMA's public NFIP Multiple Loss Properties file (FEMA's data date 2026-08-02; file version 2026-08-04). No property is identified. County assignment is FEMA's geocode.

In this county 0 properties are FMA repetitive loss but not NFIP repetitive loss, and 2 properties are NFIP repetitive loss but not FMA repetitive loss.

Exact counts; no count suppression.

Sources

Tables cite these sources by number. The full list, for the plan's bibliography (FEMA review item A4-a):

1. FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-29T134039Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
2. FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-29T162832Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
3. FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-29T150754Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
4. FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
5. FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-30, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
6. NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-30, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
7. NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-30, <https://www.weather.gov/gis/ZoneCounty>
8. U.S. Census Bureau, Census 2024 Gazetteer, 2020 place by county, CT county-to-cousub crosswalk, version 2024-gazetteer, pulled 2026-09-30, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_counties_national.zip, [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_cousubs_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_cousubs_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_place_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_place_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_unsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_unsd_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_elsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_elsd_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_scsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_scsd_national.zip), https://www2.census.gov/geo/docs/reference/codes2020/national_place_by_county2020.txt, https://www2.census.gov/geo/docs/reference/ct_change/ct_cou_to_cousub_crosswalk.xlsx (used to match place names and codes; no table prints its values)

What this packet is and what the plan adds

This packet is the federal data for the plan's risk assessment (the summary on page 1 says how it is organized); the plan and FEMA's review decide whether each item is met.

The plan adds what only the community has: local data on assets, critical facilities, development and each jurisdiction's impacts; local hazard history, including state-declared emergencies; the mitigation strategy; and adoption.

How the federal data are built: National Risk Index values are FEMA's model, not counts of events. Storm Events is more complete from 1996; zone-level records are placed by forecast zone, not by location in the county. Public Assistance for a jurisdiction is matched by applicant name. The Methods page gives every rule and the known edge cases.

OpenFEMA disclaimer

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Reuse, citation and corrections

Reuse and citation: Hazard Plain text and tables are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0, <https://creativecommons.org/licenses/by/4.0/>); credit Hazard Plain and the release. The underlying federal data are public domain; OpenFEMA data are also subject to the OpenFEMA terms and conditions.

Cite this: Hazard Plain (2026). Curry County, NM: risk-assessment baseline packet, release 2026-10 (data as of 2026-09-30; County FIPS 35009). Automated baseline. <https://hazardplain.org/nm/35009/> Built from FEMA OpenFEMA, the FEMA National Risk Index and NOAA NCEI Storm Events; source versions in the packet's Sources list.

Corrections: to report an error, name the packet, the table and what your records show. Contact: contact@hazardplain.org