

Somerset County, PA

Risk-assessment baseline packet

Unit **County area 42111** Release **2026-10** As of **2026-09-28** Storm Events data through **2026-06-30**

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

A starting point for the plan's risk assessment (FEMA Local Mitigation Plan Review Tool, Element B). It does not replace local data or FEMA review. Section headings say which FEMA review item each table supports; whether an item is satisfied is decided by the plan and its reviewers.

OPENFEMA DISCLAIMER

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Plan clock

Status	Approved, expires 2030-09-08	Plan	Somerset County Hazard Mitigation Plan (FEMA plan 109092)
Approved	2025-09-09	Expires	2030-09-08
As of	2026-09-28	Days	1,441 days to expiry

What changed since your last plan (approved 2025-09-09)

New federal declarations	none (0 declaration rows; 0 counted incidents)	Storm Events records since approval	33 (data through 2026-06-30)
Repetitive loss now	FMA RL 0, SRL 1 (44 CFR 77.2); any definition: 24	Repeat-flood change	First release: no prior release to compare.

SOURCES: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API); FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API); NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>; FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

Plan status for every jurisdiction listed in this county: 34 rows, in the section "Plan clock: Plan status for every jurisdiction listed in this county" after these cover pages.

State plan status and tribal plans in this state: see the state page.

CONTENTS

1. Plan clock, page 1
2. What changed since your last plan (approved 2025-09-09), page 1
3. Supports B1-a: hazards, page 4
4. Supports B1-b: location, page 6
5. Supports B1-c: extent, page 6
6. Supports B1-d: previous occurrences, page 10
7. Supports B1-e: probability, page 14
8. Supports B1-f: variation across the planning area, page 17
9. Supports B2-a and B2-b: assets and impacts, page 20
10. Supports B2-a: context, page 22
11. Supports B2-c: repetitive loss, page 22
12. Sources and OpenFEMA disclaimer, page 25

Plan clock

Plan status for every jurisdiction listed in this county

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry <i>negative = days since expiry</i>	Update underway	Notes
Somerset County	County	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		
Addison borough	Organized Borough	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-10-06
Berlin borough	Organized Borough	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-10-02
Boswell borough	Organized Borough	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-09-22
Callimont borough	Organized Borough	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-10-14
Confluence borough	Organized Borough	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-11-04
Jennerstown borough	Organized Borough	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-10-02
Meyersdale borough	Organized Borough	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		
New Centerville borough	Organized Borough	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-10-06
Paint borough	Organized Borough	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-11-13
Salisbury borough	Organized Borough	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-10-13
Somerset borough	Organized Borough	Plan 109092 approved 2025-09-09, pending adoption here; not yet eligible	Somerset County Hazard Mitigation Plan (FEMA plan 109092), pending adoption here	2025-09-09 by FEMA; not yet adopted here	2030-09-08 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.
Stoystown borough	Organized Borough	Plan 109092 approved 2025-09-09, pending adoption here; not yet eligible	Somerset County Hazard Mitigation Plan (FEMA plan 109092), pending adoption here	2025-09-09 by FEMA; not yet adopted here	2030-09-08 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry	Update underway	Notes
						<i>negative = days since expiry</i>		
Ursina borough	Organized Borough	Plan 109092 approved 2025-09-09, pending adoption here; not yet eligible	Somerset County Hazard Mitigation Plan (FEMA plan 109092), pending adoption here	2025-09-09 by FEMA; not yet adopted here	2030-09-08 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.
Addison township	Township	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-12-02
Brothersvalley township	Township	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-09-10
Conemaugh township	Township	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-09-17
Elk Lick township	Township	Plan 109092 approved 2025-09-09, pending adoption here; not yet eligible	Somerset County Hazard Mitigation Plan (FEMA plan 109092), pending adoption here	2025-09-09 by FEMA; not yet adopted here	2030-09-08 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.
Greenville township	Township	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-10-13
Jefferson township	Township	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-09-18
Jenner township	Township	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		
Larimer township	Township	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-10-06
Lower Turkeyfoot township	Township	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-10-06
Middlecreek township	Township	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-10-03
Milford township	Township	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-09-15
Northampton township	Township	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		
Quemahoning township	Township	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-10-13
Somerset township	Township	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-09-11
Summit township	Township	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-10-16
Berlin Brothersvalley School District	Special District	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-10-09
Cambria Somerset Authority	Special District	Plan 109092 approved 2025-09-09, pending adoption here; not yet eligible	Somerset County Hazard Mitigation Plan (FEMA plan 109092), pending adoption here	2025-09-09 by FEMA; not yet adopted here	2030-09-08 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry <i>negative = days since expiry</i>	Update underway	Notes
Conemaugh Meyersdale Medical Center	Special District	Plan 109092 approved 2025-09-09, pending adoption here; not yet eligible	Somerset County Hazard Mitigation Plan (FEMA plan 109092), pending adoption here	2025-09-09 by FEMA; not yet adopted here	2030-09-08 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.
Laurel Highlands Municipal Authority	Special District	Approved, expires 2030-09-08	Somerset County Hazard Mitigation Plan (FEMA plan 109092)	2025-09-09	2030-09-08	1,441		member approved 2025-10-06
Somerset County Planning Commission	Special District	Plan 109092 approved 2025-09-09, pending adoption here; not yet eligible	Somerset County Hazard Mitigation Plan (FEMA plan 109092), pending adoption here	2025-09-09 by FEMA; not yet adopted here	2030-09-08 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.

SOURCE
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Supports B1-a: hazards

Hazards NRI does not cover: check locally

- dam failure (incl. upstream dams)
 - levee failure
 - flash flood as its own subtype
 - ice jams
- debris flows
 - erosion (riverine and coastal)
 - land subsidence and sinkholes
 - expansive soils

The 18 National Risk Index hazards, ranked by expected annual loss (EAL)

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records since 1996 <i>count</i>	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
1	Inland Flooding	Relatively Moderate	Relatively Moderate	\$17,822,942	\$60,264	\$100,522	\$17,983,728	85		
2	Hurricane	Relatively Low	Relatively Low	\$602,575	\$99,947	\$18,544	\$721,066	1		
3	Strong Wind	Relatively Moderate	Relatively Moderate	\$113,720	\$4,629	\$597,122	\$715,471	279		Includes 28 High Wind records and 4 Strong Wind records, event types the NRI definition of this hazard leaves out.
4	Lightning	Relatively Moderate	Relatively Moderate	\$20,769		\$636,071	\$656,841	3		
5	Tornado	Relatively Low	Relatively Low	\$499,396	\$1,714	\$129,830	\$630,940	9		
6	Hail	Relatively Low	Relatively Low	\$304,631	\$8,519	\$63,715	\$376,864	28		

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records since 1996 <i>count</i>	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
7	Earthquake	Very Low	Relatively Low	\$247,874		\$66,831	\$314,705			Not in Storm Events. Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
8	Winter Weather	Relatively Moderate	Relatively Moderate	\$68,451	\$63	\$85,596	\$154,110	127		
9	Drought	Relatively Low	Relatively Low		\$141,281		\$141,281	10		
10	Cold Wave	Very Low	Very Low	\$1,146	\$53,509	\$39,991	\$94,647	26		
11	Heat Wave	Very Low	Very Low	\$3	\$7	\$57,942	\$57,952	0		No recorded events in Storm Events since 1996 (data through 2026-06-30).
12	Ice Storm	Relatively Low	Relatively Low	\$14,441		\$14,626	\$29,067	14		
13	Wildfire	Very Low	Very Low	\$21,525	\$39	\$3,923	\$25,487	0		No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
14	Landslide	Relatively Low	Relatively Low	\$5,758		\$11,470	\$17,228	0		No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
15	Avalanche	Very Low	Very Low	\$0		\$335	\$335	0		No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Coastal Flooding	Not Applicable	Not Applicable					0	NRI rates coastal flooding Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Tsunami	Not Applicable	Not Applicable					0	NRI rates tsunami Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
	Volcanic Activity	Not Applicable	Not Applicable					0	NRI rates volcanic activity Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
 NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Check your state hazard mitigation plan's hazard list for this county; explain any hazard you drop.

Supports B1-b: location

Where each hazard occurs

Hazard	Location	Census tracts rated <i>rated of all tracts</i>
Avalanche	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	7 of 24
Coastal Flooding	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 24
Cold Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	24 of 24
Drought	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	9 of 24
Earthquake	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	24 of 24
Hail	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	24 of 24
Heat Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	24 of 24
Hurricane	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	24 of 24
Ice Storm	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	24 of 24
Inland Flooding	The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (https://msc.fema.gov) for this county.	24 of 24
Landslide	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	24 of 24
Lightning	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	24 of 24
Strong Wind	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	24 of 24
Tornado	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	24 of 24
Tsunami	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 24
Volcanic Activity	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 24
Wildfire	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	24 of 24
Winter Weather	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	24 of 24

SOURCE
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B1-c: extent

Extent: scale, observed range and worst recorded event per hazard

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Avalanche	none (count and damage)	0					Physical measure: in event narratives only; local data required.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Coastal Flood, Storm Surge/ Tide	none in data (FIRM for depth)	0					Flood depth: see the FEMA Flood Insurance Rate Map.
Cold/Wind Chill, Extreme Cold/Wind Chill	wind chill	26, 2004 to 2026 (26 zone-level)	1 day to 6 days (median 2 days); 23 with a recorded value	6 consecutive days, 2007-02-03 to 2007-02-08, zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Wind chill: in event narratives only; local data required.
Frost/Freeze (outside NRI Cold Wave definition)	crop damage	0					Temperature: in event narratives only; local data required.
Drought	US Drought Monitor D-scale	10, 1997 to 2024 (10 zone-level)	1 day to 94 days (median 23 days); 5 with a recorded value	94 days (about 3.1 months), 2024-09-01 to 2024-12-03, a run of 4 consecutive Storm Events drought records, zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Storm Events enters a drought at D2 or worse east of the Rockies and D3 or worse from the Rockies west (NWS Instruction 10-1605); NRI drought counts D3 and D4 only.
Earthquake	Modified Mercalli (local data)	0					No Storm Events record; local data required (e.g., USGS).
Hail	hail size (inches)	36, 1971 to 2025	0.75 in to 2 in (median 1 in); 35 with a recorded value	2 in hail, 2011-03-23	Hail, 1994-07-20, property not recorded; \$5,000 crops (1994 dollars)	Event records naming member places: Somerset borough (3 records), Somerset township (3 records), Meyersdale borough (2 records), Berlin borough (1 record), Confluence borough (1 record), Salisbury borough (1 record).	
Excessive Heat, Heat	heat index (narratives)	0					Heat index: in event narratives only; local data required.
Hurricane, Tropical Storm, Tropical Depression	Saffir-Simpson	1, 2003 to 2003 (1 zone-level)		Strongest recorded (records with damage, a wind speed or direct casualties first, then storm type, category and wind): Tropical Storm record, 2003-09-18 to 2003-09-19, damage not reported; NWS zone PAZ033 (SOMERSET), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Storm Events files every zone of a storm's episode under the storm's event type and category, so a Hurricane (Typhoon) record, especially an inland or remnant one, does not by itself mean hurricane-force winds here; read the damage and wind columns.
Ice Storm	Sperry-Piltz (local data)	14, 1997 to 2025 (14 zone-level)		Ice Storm, 2025-02-08, \$50,000 property; \$0 crops, reported for the zone (2025 dollars); NWS zone PAZ033 (SOMERSET), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Ice thickness: in event narratives only; local data required.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Flash Flood, Flood, Lakeshore Flood	damage and flood days (FIRM for depth)	85, 1996 to 2025 (7 zone-level)		Flash Flood, 2019-07-05, \$1,000,000 property; \$0 crops (2019 dollars)		Event records naming member places: Somerset borough (10 records), Somerset township (10 records), Meyersdale borough (7 records), Boswell borough (4 records), Confluence borough (3 records), Salisbury borough (3 records), Ursina borough (3 records), Addison borough (2 records), Addison township (2 records), Berlin borough (2 records). Zone-level records (7) apply countywide.	Flood depth: see the FEMA Flood Insurance Rate Map. Storm Events damage can be \$0 or blank even for a major flood, so the worst record here may not be the worst flood; compare FEMA Public Assistance by declaration in B1-d.
Debris Flow	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Lightning	annualized frequency (the measure FEMA's Local Mitigation Planning Handbook names)	3, 2006 to 2012		Lightning, 2012-07-24, \$0 property; \$0 crops (2012 dollars), 1 direct death, 1 direct injury		Event records naming member places: Berlin borough (1 record).	Storm Events lists lightning with damage or casualties; physical measure in event narratives only; local data required.
High Wind and Strong Wind (outside NRI Strong Wind definition)	wind speed (kt and mph)	32, 1997 to 2026 (32 zone-level)	30 kt (35 mph) to 60 kt (69 mph) (median 51.5 kt (59 mph)); 30 with a recorded value	60 kt (69 mph) estimated gust, High Wind, 2004-12-23; same speed and measurement basis also recorded on 2001-12-14, 2003-11-13, 2004-12-01; NWS zone PAZ033 (SOMERSET), zone-level: may include parts of neighboring counties	High Wind, 2009-02-12, \$300,000 property; crops not reported, reported for the zone (2009 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	
Thunderstorm Wind	wind speed (kt and mph)	299, 1968 to 2026	43 kt (49 mph) to 83 kt (96 mph) (median 52 kt (60 mph)); 235 with a recorded value	83 kt (96 mph) estimated gust, Thunderstorm Wind, 2025-04-19; same speed and measurement basis also recorded on 2020-07-21		Event records naming member places: Somerset borough (34 records), Somerset township (34 records), Meyersdale borough (11 records), Stoystown borough (10 records), New Centerville borough (8 records), Jennerstown borough (7 records), Addison borough (6 records), Addison township (6 records), Berlin borough (6 records), Confluence borough (6 records); and 3 more member places (see the XLSX file).	

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Tornado	Enhanced Fujita (F before Feb 2007)	15, 1951 to 2021	F/EF0 to F/EF3 (median F/EF1); 15 with a recorded value	F3 tornado, 1998-05-31, 13 mi within this county, 880 yd wide, \$4,000,000 property; crops not reported (1998 dollars), 1 direct death, 15 direct injuries		Event records naming member places: Salisbury borough (2 records).	From 1996 on, tornado records are per-county segments and length is the path length within this county (NWS Instruction 10-1605); records before 1996 may give the whole path length, including the path outside this county, and before 1996 a tornado is listed once, under the county where it began, with the whole path's rating; counties farther along the path may not list it. Length is not used to rank tornadoes.
Tsunami	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Volcanic Ash, Volcanic Ashfall	Volcanic Explosivity Index (local data)	0					Physical measure: in event narratives only; local data required.
Wildfire	acres burned (local data)	0					Acres burned: in event narratives only; local data required.
Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet	none in data (snowfall local)	127, 1996 to 2026 (127 zone-level)		Heavy Snow, 2024-11-22, \$10,000 property; \$0 crops, reported for the zone (2024 dollars); NWS zone PAZ033 (SOMERSET), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Snow depth: in event narratives only; local data required.

Where a hazard names more than 10 member places, the table lists the 10 with the most records; every place is in the XLSX file, sheet "B1-c Extent".

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Supports B1-d: previous occurrences

Declaration rows

21

Counted incidents

16

Federal disaster declarations for this county

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance <i>federal share obligated, nominal dollars</i>	Flags	Notes
2020-03-30	2020-01-20	DR-4506-PA	Major disaster	COVID-19 PANDEMIC	Non-natural, not counted	\$1,669,632.28		
2020-03-13	2020-01-20	EM-3441-PA	Emergency	COVID-19	Non-natural, not counted	none found		same incident as DR-4506
2016-03-23	2016-01-22	DR-4267-PA	Major disaster	SEVERE WINTER STORM AND SNOWSTORM	Winter Weather	\$341,970.03		
2013-01-10	2012-10-26	DR-4099-PA	Major disaster	HURRICANE SANDY	Hurricane	\$555,900.08		
2012-10-29	2012-10-26	EM-3356-PA	Emergency	HURRICANE SANDY	Hurricane	none found		same incident as DR-4099
2011-09-08	2011-09-03	EM-3340-PA	Emergency	REMNANTS OF TROPICAL STORM LEE	Inland Flooding (primary); also designated: Hurricane	\$21,112.65		
2010-04-16	2010-02-05	DR-1898-PA	Major disaster	SEVERE WINTER STORMS AND SNOWSTORMS	Winter Weather	\$473,837.25		
2005-09-10	2005-08-29	EM-3235-PA	Emergency	HURRICANE KATRINA	Hurricane: evacuation support, not a local hazard event; not counted	none found		
2004-09-19	2004-09-17	DR-1557-PA	Major disaster	TROPICAL DEPRESSION IVAN	Hurricane	\$260,360.72		
2004-09-19	2004-09-08	DR-1555-PA	Major disaster	SEVERE STORMS AND FLOODING ASSOCIATED WITH TROPICAL DEPRESSION FRANCES	Hurricane; Inland Flooding: designated for Hazard Mitigation only (no Public or Individual Assistance for this county); not counted	PA not declared for this county		
2003-03-14	2003-02-14	EM-3180-PA	Emergency	SNOW	Winter Weather	\$156,085.25		
1998-06-08	1998-05-31	DR-1219-PA	Major disaster	SEVERE STORMS, TORNADOES, AND FLOODING	Inland Flooding; Tornado	none found		
1996-01-21	1996-01-19	DR-1093-PA	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	none found		
1996-01-13	1996-01-06	DR-1085-PA	Major disaster	BLIZZARD OF 96	Winter Weather	none found		
1994-03-10	1994-01-04	DR-1015-PA	Major disaster	SEVERE WINTER STORMS	Winter Weather	none found		
1993-03-16	1993-03-13	EM-3105-PA	Emergency	SEVERE SNOWFALL & WINTER STORM	Winter Weather	none found		
1985-11-09	1985-11-03	DR-754-PA	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	none found		
1984-08-27	1984-08-27	DR-721-PA	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	none found		

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance		
						<i>federal share obligated, nominal dollars</i>	Flags	Notes
1977-07-21	1977-07-21	DR-537-PA	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	none found		
1977-01-29	1977-01-29	EM-3026-PA	Emergency	SNOWSTORMS	Winter Weather	none found		
1972-06-23	1972-06-23	DR-340-PA	Major disaster	TROPICAL STORM AGNES	Inland Flooding (primary); also designated: Hurricane	none found		

County Public Assistance: applicants the FEMA record places in this county, including any state agencies FEMA files there; statewide rows are listed on the state page; federal share obligated, nominal dollars. Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Statewide declarations

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	Flags	Notes
2003-08-23	2003-07-21	DR-1485-PA	Major disaster	SEVERE STORMS, TORNADOES, AND FLOODING	Inland Flooding; Tornado		
1959-01-23	1959-01-23	DR-89-PA	Major disaster	FLOODS	Inland Flooding		
1956-08-09	1956-08-09	DR-61-PA	Major disaster	STORM	Hazard not mapped (severe storm title names no single hazard); not counted		
1956-05-21	1956-05-21	DR-58-PA	Major disaster	SEVERE STORM	Hazard not mapped (severe storm title names no single hazard); not counted		
1956-03-15	1956-03-15	DR-51-PA	Major disaster	FLOOD	Inland Flooding		
1955-08-20	1955-08-20	DR-40-PA	Major disaster	FLOODS & RAINS	Inland Flooding		

FEMA recorded these with designated area Statewide and no county. Listed on every county page in the state; not counted with county rows.

SOURCE

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

Previous occurrences by hazard, with explicit no-event rows

Hazard	Storm Events records <i>full period</i>	Since plan approval <i>records</i>	During plan review <i>records</i>	Last 5 years <i>records</i>	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Avalanche	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Coastal Flooding	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Cold Wave	26	6	1	8	0	0	1996 to 2026-06-30	
Drought	10	0	3	6	0	0	1996 to 2026-06-30	
Earthquake	0	0	0	0	0	0		No Storm Events record; local data required (e.g., USGS).
Hail	36	0	1	1	0	0	1955 to 2026-06-30	

Hazard	Storm Events records <i>full period</i>	Since plan approval records	During plan review records	Last 5 years records	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Heat Wave	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Hurricane	1	0	0	0	4	0	1996 to 2026-06-30	
Ice Storm	14	0	1	3	0	0	1996 to 2026-06-30	
Inland Flooding	85	0	15	16	7	0	1996 to 2026-06-30	
Landslide	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Lightning	3	0	0	0	0	0	1996 to 2026-06-30	
Strong Wind	331	21	14	63	0	0	1955 to 2026-06-30	Includes 28 High Wind records and 4 Strong Wind records, event types the NRI definition of this hazard leaves out.
Tornado	15	0	0	0	1	0	1950 to 2026-06-30	
Tsunami	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Volcanic Activity	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Wildfire	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Winter Weather	127	6	5	24	7	0	1996 to 2026-06-30	

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Notable Storm Events records

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Direct deaths, injuries <i>indirect not counted</i>	Location	Flags	Why listed
2025-04-19	Thunderstorm Wind	83 kt (96 mph) estimated gust	\$120,000 property; \$0 crops (2025 dollars)	0, 0	ADDISON to WEST SALISBURY	during plan review, check whether your last plan included it; within last 5 years	B1-c worst recorded: Thunderstorm Wind
2025-02-08	Ice Storm		\$50,000 property; \$0 crops, reported for the zone (2025 dollars)	0, 0	NWS zone PAZ033 (SOMERSET), zone-level: may include parts of neighboring counties	during plan review, check whether your last plan included it; within last 5 years	B1-c worst recorded: Ice Storm

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Direct deaths, injuries <i>indirect not counted</i>	Location	Flags	Why listed
2024-11-22	Heavy Snow		\$10,000 property; \$0 crops, reported for the zone (2024 dollars)	0, 0	NWS zone PAZ033 (SOMERSET), zone-level: may include parts of neighboring counties	during plan review, check whether your last plan included it; within last 5 years	B1-c worst recorded: Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet
2024-09-01	Drought		\$0 property; \$0 crops, reported for the zone (2024 dollars)	0, 0	NWS zone PAZ033 (SOMERSET), zone-level: may include parts of neighboring counties	within last 5 years	B1-c worst recorded: Drought
2019-07-05	Flash Flood		\$1,000,000 property; \$0 crops (2019 dollars)	0, 0	LISTIE		B1-c worst recorded: Flash Flood, Flood, Lakeshore Flood
2012-07-24	Lightning		\$0 property; \$0 crops (2012 dollars)	1, 1	GARRETT		deaths or injuries recorded
2011-03-23	Hail	2 in	property not reported; \$0 crops (2011 dollars)	0, 0	JEROME		B1-c worst recorded: Hail
2007-02-03	Extreme Cold/ Wind Chill		\$0 property; \$0 crops, reported for the zone (2007 dollars)	0, 0	NWS zone PAZ033 (SOMERSET), zone-level: may include parts of neighboring counties		B1-c worst recorded: Cold/Wind Chill, Extreme Cold/Wind Chill
2004-12-23	High Wind	60 kt (69 mph) estimated gust	damage not reported	0, 0	NWS zone PAZ033 (SOMERSET), zone-level: may include parts of neighboring counties		B1-c worst recorded: High Wind and Strong Wind (outside NRI Strong Wind definition)
2003-09-18	Tropical Storm		damage not reported	0, 0	NWS zone PAZ033 (SOMERSET), zone-level: may include parts of neighboring counties		B1-c worst recorded: Hurricane, Tropical Storm, Tropical Depression
1998-05-31	Tornado	F3, 13 mi within this county, 880 yd wide	\$4,000,000 property; crops not reported (1998 dollars)	1, 15	SALISBURY to POCAHONTAS		deaths or injuries recorded
1995-11-11	Thunderstorm Wind	speed not recorded	damage not recorded (pre-1996 record)	1, 4	Somerset		deaths or injuries recorded

The full list is in the XLSX file, sheet "B1-d Storm Events history" (648 rows).

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
 NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
 FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

State-declared emergencies are not in federal data. Add them from your state emergency management agency.

FEMA's declaration data list no tribal or special-area declarations for this state.

Supports B1-e: probability

Probability: FEMA annualized frequency and descriptor per hazard

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Avalanche	0.01	events per year	about 1 in 100 years	Possible	FEMA annualized frequency (modeled)	0	1994 to 2023 (30 years)	see B1-f	0.01 is NRI's minimum avalanche frequency for a county in an avalanche susceptibility zone; NRI records no avalanche here, so the descriptor reflects the floor, not local events.
Coastal Flooding		events per year at a location (modeled)				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Cold Wave	4.11	event-days per year	about 4.11 days per year	Likely	event-days in 9 of 30 years, 1996 to 2025 (30%)	78	2005-11-12 to 2024-11-12 (19 years)	countywide	NRI gives about 4.11 cold wave event-days a year here (its annualized frequency over 19 years; not its event count divided by the years), but Storm Events has a record in only 9 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together. Frost/Freeze records are not counted in this descriptor: they record crop freezes, not cold waves.
Drought	0.306	event-days per year	about 0.306 days per year	Likely	event-days in 4 of 30 years, 1996 to 2025 (13.3%)	14	2000 to 2025 (25.25 years; D3 and D4 only)	countywide	
Earthquake	0.00065	annual probability at a location	chance a given location in the county has at least minor- damage shaking in a year: 0.065%			not shown	modeled	see B1-f	Descriptor not assigned: the NRI value is the chance at a location in the county, not how often the hazard affects the county, and Storm Events does not record earthquakes.
Hail	2.3	events per year	about 2.3 per year	Highly likely	FEMA annualized frequency (modeled)	87.6 (modeled)	1986 to 2023 (38 years)	countywide	
Heat Wave	0.421	event-days per year	about 0.421 days per year		event-days in 0 of 30 years, 1996 to 2025 (0%)	8.01	2005-11-12 to 2024-11-12 (19 years)	countywide	No recorded event-days, 1996 to 2025; descriptor not assigned
Hurricane	0.0278	events per year	about 1 in 36 years	Possible	FEMA annualized frequency (modeled)	10	1851 to 2024 (Atlantic)	see B1-f	NRI counts hurricane and tropical storm tracks passing within storm-force wind range; federal declarations are counted separately in B1-d and need not match.

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Ice Storm	0.292	event-days per year	about 0.292 days per year	Likely	event-days in 11 of 30 years, 1996 to 2025 (36.7%)	20	1946-12-31 to 2014-02-12 (67 years)	countywide	
Inland Flooding	1.79	event-days per year	about 1.79 days per year	Likely	event-days in 23 of 30 years, 1996 to 2025 (76.7%)	50	1996 to 2023 (28 years)	see B1-f	
Landslide	1.12	events per year (modeled)	about 1.12 per year	Highly likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Lightning	39.7	days per year with a strike	about 39.7 days per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1995 to 2023 (29 years; CONUS)	countywide	
Strong Wind	2.73	events per year	about 2.73 per year	Highly likely	FEMA annualized frequency (modeled)	104	1986 to 2023 (38 years)	countywide	
Tornado	0.314	events per year	about 1 in 3 years	Likely	FEMA annualized frequency (modeled)	not shown	1950 to 2023 (EF2+); 1986 to 2023 (EF0-1)	see B1-f	
Tsunami		annual probability at the most exposed location (used in place of a county value)				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Volcanic Activity		annual probability				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Wildfire	0.000181	annual probability at a location	chance a given location in the county burns in a year: 0.0181%		Storm Events records in 0 of 30 years, 1996 to 2025 (0%)	not shown	modeled	see B1-f	No Storm Events record of this hazard, 1996 to 2025; descriptor not assigned (the NRI value is the chance at a location in the county, not how often the hazard affects the county)
Winter Weather	26.2	event-days per year	about 26.2 days per year	Highly likely	event-days in 29 of 30 years, 1996 to 2025 (96.7%)	498	2005-11-12 to 2024-11-12 (19 years)	countywide	

FEMA annualized frequency (modeled) comes from the National Risk Index v1.20 (December 2025). It is not recorded events divided by years, and what it measures depends on the hazard. For most hazards it estimates how often the hazard affects this county each year: it counts events or event-days (drought, heat wave, cold wave, winter weather, ice storm and inland flooding are in days per year; lightning is the number of days per year with a recorded cloud-to-ground strike, from the NOAA Storm Prediction Center daily lightning climatology); it may count events in the surrounding area (hail, strong wind, tornado, hurricane and ice storm use a 49 km grid and buffers) and is averaged over the county's area; and some hazards use a minimum value for places with no recorded event. Earthquake, wildfire and coastal flooding are different: FEMA computes them for each census block and averages them over the county, so the value is the chance (for coastal flooding, the modeled number of floods per year) at a location in the county,

which is lower than the chance that the hazard strikes somewhere in the county. Earthquake is the chance of at least minor-damage shaking (U.S. Geological Survey model); wildfire is the chance that a location burns in a large fire (U.S. Forest Service burn probability); coastal flooding comes from FEMA flood zones and NOAA high-tide flooding, so it can be above 1 where high-tide flooding is frequent. Tsunami is the value at the county's most exposed location, from recorded events and modeled return periods. For these four hazards the packet gives no "1 in N years" and takes the descriptor from Storm Events (none for earthquake) unless the value is 1 or more a year. Landslide is a U.S. Geological Survey modeled county rate spread by slope susceptibility. Volcanic activity is the chance that a volcano affecting the county erupts in a year. Drought counts only extreme and exceptional drought (D3 and D4). Source: FEMA, National Risk Index Technical Documentation v1.20, sections 5.2.2 (Table 5), 5.2.3, 7.4, 10.4, 16.5, 17.1, 17.3.1, 17.5, 20.3.1, 21.4, 22.4 and 6 to 23.

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Descriptor scale used in this packet (defined per unit)

Unit	Descriptor	Definition
events per year	Highly likely	1 or more per year
events per year	Likely	about once in 1 to 10 years
events per year	Possible	about once in 10 to 100 years
events per year	Unlikely	less than once in 100 years
annual probability	Likely	10% to under 100% chance in a given year
annual probability	Possible	1% to under 10% chance in a given year
annual probability	Unlikely	under 1% chance in a given year
event-days (share of years)	Highly likely	event-days recorded in 90% or more of years
event-days (share of years)	Likely	event-days recorded in 10% to under 90% of years
event-days (share of years)	Possible	event-days recorded in some years but under 10% of years
lightning strike-days	Highly likely	cloud-to-ground strikes on 1 or more days per year

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Intensity bands: historical frequency (Storm Events)

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Hail	1.00-1.99 in	1996 to 2025	12	30	0.4
Hail	2.00 in+	1996 to 2025	1	30	0.0333
Strong Wind (Thunderstorm Wind records)	50-64 kt	1996 to 2025	206	30	6.87
Strong Wind (Thunderstorm Wind records)	65 kt+	1996 to 2025	6	30	0.2
Strong Wind (Thunderstorm Wind records)	unmeasured or below 50 kt	1996 to 2025	16	30	0.533
Tornado	EF0-1	1996 to 2025	6	30	0.2
Tornado	EF2-3	1996 to 2025	3	30	0.1
Tornado	EF4-5	1996 to 2025	0	30	0
Tornado	unrated (EFU)	1996 to 2025	0	30	0

Hail smaller than 1 inch is not counted: on 2010-01-05 the National Weather Service raised its severe-hail threshold from 3/4 inch to 1 inch, so smaller reports became less common after 2009 (NWS Service Change Notice 09-52). NRI hail frequency uses a 0.75 inch threshold.

SOURCE
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Optional: future conditions. Not a required item in the 2025 FEMA Local Mitigation Planning Policy Guide; some states ask for it. The federal Climate Mapping for Resilience and Adaptation (CMRA) site gives county exposure to future climate conditions.

Supports B1-f: variation across the planning area

Range of census tract risk within the county

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>	Median	Max	Tracts by rating	Note
Avalanche	7 of 24	30.5	31.9	33.8	Very Low 7, Not Applicable 17	
Coastal Flooding	0 of 24				Not Applicable 24	
Cold Wave	24 of 24	17.0	20.5	22.8	Relatively Low 17, Very Low 7	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. Agriculture is 57% of NRI's expected annual loss for this hazard in the county, so the tract range above mostly reflects where crop and livestock value is, not where buildings and people are. Confirm locally.
Drought	9 of 24	72.2	89.7	94.0	Relatively Moderate 1, Relatively Low 6, Very Low 2, No Rating 15	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. Agriculture is all of NRI's expected annual loss for this hazard in the county, so the tract range above mostly reflects where crop and livestock value is, not where buildings and people are. Confirm locally.
Earthquake	24 of 24	20.0	32.1	46.4	Relatively Low 5, Very Low 19	
Hail	24 of 24	55.0	65.9	75.4	Relatively Moderate 7, Relatively Low 17	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Heat Wave	24 of 24	2.2	3.7	5.5	Very Low 24	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Hurricane	24 of 24	53.7	61.5	70.4	Relatively Low 24	
Ice Storm	24 of 24	6.9	14.9	30.7	Very Low 24	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Inland Flooding	24 of 24	30.6	64.6	91.1	Relatively High 6, Relatively Moderate 13, Relatively Low 5	
Landslide	24 of 24	31.0	88.2	97.8	Relatively Moderate 1, Relatively Low 15, Very Low 8	
Lightning	24 of 24	42.4	81.1	92.1	Relatively High 14, Relatively Moderate 9, Relatively Low 1	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Strong Wind	24 of 24	37.0	69.4	81.5	Relatively Moderate 21, Relatively Low 3	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Tornado	24 of 24	26.6	36.5	47.0	Relatively Low 21, Very Low 3	

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>	Median	Max	Tracts by rating	Note
Tsunami	0 of 24				Not Applicable 24	
Volcanic Activity	0 of 24				Not Applicable 24	
Wildfire	24 of 24	29.3	67.1	77.6	Relatively Low 9, Very Low 15	
Winter Weather	24 of 24	56.5	73.3	85.7	Relatively High 6, Relatively Moderate 18	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.

Rated tracts only: No Rating (score 0.0), Not Applicable and Insufficient Data tracts are counted but not used for the minimum, median and maximum.

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Per-member block (Starter, confirm locally)

Member	Type	Plan status	Repetitive loss <i>FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition</i>	Public Assistance matched <i>federal share obligated, nominal dollars</i>	Event records naming this place <i>all years; since the member's plan</i>	Notes
Somerset County	County	Approved, expires 2030-09-08		\$84,145.85	0; 0	No NFIP community ID on this member's plan row. Includes \$69,135.22 for declarations not counted as hazard incidents (DR-4506-PA).
Addison borough	Organized Borough	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 0	none found	8; 0	
Berlin borough	Organized Borough	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 0	\$21,167.44	10; 1	
Boswell borough	Organized Borough	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 0	none found	8; 0	
Callimont borough	Organized Borough	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 0	\$27,219.19	0; 0	
Confluence borough	Organized Borough	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 0	\$13,527.03	10; 1	
Jennerstown borough	Organized Borough	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 0	\$8,931.40	7; 0	
Meyersdale borough	Organized Borough	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 1	\$32,993.87	20; 0	
New Centerville borough	Organized Borough	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 0	\$1,052.51	8; 0	
Paint borough	Organized Borough	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 0	\$7,040.34	0; 0	
Salisbury borough	Organized Borough	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 0	\$10,257.16	8; 0	

Member	Type	Plan status	Repetitive loss <i>FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition</i>	Public Assistance matched <i>federal share obligated, nominal dollars</i>	Event records naming this place <i>all years; since the member's plan</i>	Notes
Somerset borough	Organized Borough	Plan 109092 approved 2025-09-09, pending adoption here; not yet eligible	FMA RL 0, SRL 0; any 2	\$103,100.82	47; no approved plan	
Stoystown borough	Organized Borough	Plan 109092 approved 2025-09-09, pending adoption here; not yet eligible	FMA RL 0, SRL 0; any 0	\$1,994.85	10; no approved plan	
Ursina borough	Organized Borough	Plan 109092 approved 2025-09-09, pending adoption here; not yet eligible	FMA RL 0, SRL 0; any 1	\$1,998.68	4; no approved plan	
Addison township	Township	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 0	\$9,222.99	8; 0	
Brothersvalley township	Township	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 0	\$28,743.74	0; 0	
Conemaugh township	Township	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 2	none found	0; 0	
Elk Lick township	Township	Plan 109092 approved 2025-09-09, pending adoption here; not yet eligible	FMA RL 0, SRL 0; any 1	\$20,688.70	0; no approved plan	
Greenville township	Township	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 0	\$22,432.31	0; 0	
Jefferson township	Township	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 0	\$38,273.28	0; 0	
Jenner township	Township	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 0	\$24,299.94	0; 0	
Larimer township	Township	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 0	\$52,133.61	0; 0	
Lower Turkeyfoot township	Township	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 0	\$19,432.45	0; 0	
Middlecreek township	Township	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 1	\$11,910.47	0; 0	
Milford township	Township	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 0	\$20,831.64	0; 0	
Northampton township	Township	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 0	\$21,430.48	0; 0	
Quemahoning township	Township	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 1	\$25,033.17	0; 0	

Member	Type	Plan status	Repetitive loss <i>FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition</i>	Public Assistance matched <i>federal share obligated, nominal dollars</i>	Event records naming this place <i>all years; since the member's plan</i>	Notes
Somerset township	Township	Approved, expires 2030-09-08	FMA RL 0, SRL 0; any 1	\$77,706.98	47; 1	
Summit township	Township	Approved, expires 2030-09-08	FMA RL 0, SRL 1; any 6	\$79,801.48	0; 0	

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

School districts and special districts get a plan clock row only.

SOURCES

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Supports B2-a and B2-b: assets and impacts

Local data required

County-level starter. The plan must describe impacts for each participant and its own assets.

- Critical facilities and lifelines per hazard
- A problem statement per participant per hazard
- Changes in development in hazard-prone areas since the last approval, or a statement of none (E1-a)
- Future assets

County-level starter: exposure, expected annual loss and damage since the plan

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2025-09-09 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Avalanche	\$0		under 1	\$0		\$335					building exposure is 0 in NRI
Coastal Flooding											Not Applicable in NRI for this county
Cold Wave	\$25,963,828,749	\$148,642,063	74,099	\$1,146	\$53,509	\$39,991	under 0.0001%		\$0		
Drought		\$11,724,467			\$141,281		1.21% (agriculture)				NRI has no building exposure for this hazard; agriculture shown
Earthquake	\$47,560,586,190		74,129	\$247,874		\$66,831	0.000521%				
Hail	\$25,963,828,749	\$148,642,063	74,099	\$304,631	\$8,519	\$63,715	0.00117%				

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2025-09-09 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Heat Wave	\$25,963,828,749	\$148,642,063	74,099	\$3	\$7	\$57,942	under 0.0001%				
Hurricane	\$25,956,257,889	\$148,351,670	74,063	\$602,575	\$99,947	\$18,544	0.00232%				
Ice Storm	\$25,955,583,013		74,044	\$14,441		\$14,626	under 0.0001%				
Inland Flooding	\$25,926,258,422	\$3,752,712	3,090	\$17,822,942	\$60,264	\$100,522	n/a (see note)				NRI counts the full building value of any census block with some flood loss; this is not the value of buildings in the floodplain. Use local FIRM overlays for B2-a/B2-b. EAL as % of exposure: n/a.
Landslide	\$1,702,471,042		4,329	\$5,758		\$11,470	0.000338%				
Lightning	\$25,963,828,749		74,099	\$20,769		\$636,071	under 0.0001%				
Strong Wind	\$25,963,828,749	\$148,642,063	74,099	\$113,720	\$4,629	\$597,122	0.000438%	\$79,000	\$0		
Tornado	\$25,963,828,749	\$148,642,063	74,099	\$499,396	\$1,714	\$129,830	0.00192%				
Tsunami											Not Applicable in NRI for this county
Volcanic Activity											Not Applicable in NRI for this county
Wildfire	\$5,174,780,273	\$26,586,842	17,037	\$21,525	\$39	\$3,923	0.000416%				
Winter Weather	\$25,963,828,749	\$148,642,063	74,099	\$68,451	\$63	\$85,596	0.000264%		\$0		

Totals since 2025-09-09 (Storm Events through 2026-06-30): 19 county-coded records, 19 with a damage value recorded (including \$0), \$79,000; 14 zone-level records, 14 with a damage value recorded (including \$0), \$0 reported for the zone; Public Assistance on counted declarations none found (0 declarations, 0 with PA).

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

FEMA does not split Public Assistance by hazard. A declaration mapped to several hazards is listed under each of them with its full amount, so the per-hazard column must not be added up; the unit total counts each declaration once.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Supports B2-a: context

County context

Measure	Value
Population	74,099
Building value (total, not at risk)	\$25,963,828,749
Agriculture value (total, not at risk)	\$148,642,063
NRI risk rating (all hazards)	Relatively Low
Expected annual loss, buildings and agriculture, all hazards	\$20,093,204
Expected annual loss, population equivalence, all hazards (NRI values each statistical life at \$13.7M; a modeled value of expected deaths and injuries, not property damage)	\$1,826,518
Social vulnerability rating	Relatively Moderate
Community resilience rating	Very High
NRI version	December 2025

FEMA's all-hazard expected annual loss total adds buildings, agriculture and population equivalence; the two parts are shown separately so the property figure is not read as including the statistical value of life.

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B2-c: repetitive loss

Repetitive loss in this county, both definitions

Definition	Properties	Severe repetitive loss	Properties
Repetitive loss, FMA definition (44 CFR 77.2)	0	Severe repetitive loss, FMA definition (44 CFR 77.2)	1
Repetitive loss, NFIP insurance definition	24	Severe repetitive loss, NFIP insurance definition	1

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Repeat-flood properties: county and state-level rows

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
County total	0	1	24	1	24	0	6
GARRETT, BOROUGH OF (community ID not in plan data)	0	0	5	0	5	0	2
SOMERSET, BOROUGH OF	0	0	2	0	2	0	0
URSINA, BOROUGH OF	0	0	1	0	1	0	0
MEYERSDALE, BOROUGH OF	0	0	1	0	1	0	0

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
WINDBER, BOROUGH OF (community ID not in plan data)	0	0	3	0	3	0	1
CONEMAUGH, TOWNSHIP OF	0	0	2	0	2	0	1
ELK LICK, TOWNSHIP OF	0	0	1	0	1	0	1
QUEMAHOMING, TOWNSHIP OF	0	0	1	0	1	0	0
SOMERSET, TOWNSHIP OF	0	0	1	0	1	0	1
SUMMIT, TOWNSHIP OF	0	1	6	1	6	0	0
MIDDLECREEK, TOWNSHIP OF	0	0	1	0	1	0	0
State level, not in this county: county not reported	0	0	1	0	1	0	0

SOURCESFEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)**Repeat-flood properties by plan member (NFIP community)**

Member	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>	Note
Addison borough	422727	0	0	0	0	0	0	0	
Berlin borough	422723	0	0	0	0	0	0	0	
Boswell borough	420794	0	0	0	0	0	0	0	
Callimont borough	422724	0	0	0	0	0	0	0	
Confluence borough	422043	0	0	0	0	0	0	0	
Jennerstown borough	422514	0	0	0	0	0	0	0	
Meyersdale borough	422044	0	0	1	0	1	0	0	
New Centerville borough	422653	0	0	0	0	0	0	0	
Paint borough	420800	0	0	0	0	0	0	0	
Salisbury borough	420801	0	0	0	0	0	0	0	
Somerset borough	420803	0	0	2	0	2	0	0	
Stoystown borough	422726	0	0	0	0	0	0	0	
Ursina borough	420804	0	0	1	0	1	0	0	
Addison township	422508	0	0	0	0	0	0	0	
Brothersvalley township	422511	0	0	0	0	0	0	0	
Conemaugh township	422047	0	0	2	0	2	0	1	
Elk Lick township	422048	0	0	1	0	1	0	1	
Greenville township	422512	0	0	0	0	0	0	0	
Jefferson township	422050	0	0	0	0	0	0	0	
Jenner township	422051	0	0	0	0	0	0	0	
Larimer township	422515	0	0	0	0	0	0	0	

Member	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>	Note
Lower Turkeyfoot township	422517	0	0	0	0	0	0	0	
Middlecreek township	422518	0	0	1	0	1	0	0	
Milford township	422519	0	0	0	0	0	0	0	
Northampton township	422520	0	0	0	0	0	0	0	
Quemahoning township	422053	0	0	1	0	1	0	0	
Somerset township	422055	0	0	1	0	1	0	1	
Summit township	422056	0	1	6	1	6	0	0	

Per-member types: XLSX sheet 'B2-c Members'.

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

County repeat-flood properties by occupancy group

Occupancy group	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
single-family residential	0	1	18	1	18	0	4
2 to 4 unit residential	0	0	0	0	0	0	0
other residential	0	0	1	0	1	0	0
non-residential	0	0	5	0	5	0	2
not reported	0	0	0	0	0	0	0

Institutional properties cannot be separated in this data: FEMA's occupancy groups have no institutional class, so they fall in non-residential or other residential in the table by occupancy group.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FMA RL and FMA SRL are the Flood Mitigation Assistance definitions (44 CFR 77.2), the ones the FEMA Local Mitigation Planning Policy Guide cites; OpenFEMA's fmaRI field description omits the Increased Cost of Compliance clause of 44 CFR 77.2(i). NFIP repetitive loss (FEMA insurance definition, nfipRI) is 2 or more claims over \$1,000 in 10 years and can drop to false when a property is mitigated. Also shown: NFIP severe repetitive loss, any category, mitigated and currently insured.

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

Counts are aggregates of FEMA's public NFIP Multiple Loss Properties file (as of 2026-08-02). No property is identified. County assignment is FEMA's geocode.

Counts may differ from your state NFIP coordinator's list, which is the source the Handbook names.

In this county 0 properties are FMA repetitive loss but not NFIP repetitive loss, and 24 properties are NFIP repetitive loss but not FMA repetitive loss.

Exact counts; no count suppression.

Sources

Every table above lists its own sources. The full list, for the plan's bibliography (FEMA review item A4-a):

1. FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
 2. FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
 3. FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
 4. FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
 5. FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
 6. NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
 7. NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
 8. U.S. Census Bureau, Census 2024 Gazetteer, 2020 place by county, CT county-to-cousub crosswalk, version 2024-gazetteer, pulled 2026-09-28, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_counties_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_place_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_unsd_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_elsd_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_scscd_national.zip, https://www2.census.gov/geo/docs/reference/codes2020/national_place_by_county2020.txt, https://www2.census.gov/geo/docs/reference/ct_change/ct_cou_to_cousub_crosswalk.xlsx
-

OpenFEMA disclaimer

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

Reuse, citation and corrections

Reuse and citation: Hazard Plain text and tables are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0, <https://creativecommons.org/licenses/by/4.0/>); credit Hazard Plain and the release. The underlying federal data are public domain; OpenFEMA data are also subject to the OpenFEMA terms and conditions.

Cite this: Hazard Plain (2026). Somerset County, PA: risk-assessment baseline packet, release 2026-10 (data as of 2026-09-28; County area 42111). Preview: automated baseline. Built from FEMA OpenFEMA, the FEMA National Risk Index and NOAA NCEI Storm Events; source versions in the packet's Sources list.

Corrections: to report an error, name the packet, the table and what your records show. Contact: to be added

Hazard Plain release 2026-10. As of 2026-09-28; Storm Events data through 2026-06-30. File hazard-plain_2026-10_PA_42111. Preview: automated baseline.