

Nueces County, TX

Risk-assessment baseline packet

Unit **County area 48355** Release **2026-10** As of **2026-09-28** Storm Events data through **2026-06-30**

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

A starting point for the plan's risk assessment (FEMA Local Mitigation Plan Review Tool, Element B). It does not replace local data or FEMA review. Section headings say which FEMA review item each table supports; whether an item is satisfied is decided by the plan and its reviewers.

OPENFEMA DISCLAIMER

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Plan clock

Status	Approved, expires 2029-09-29	Plan	Nueces County (FEMA plan 107709)
Approved	2024-09-30	Expires	2029-09-29
As of	2026-09-28	Days	1,097 days to expiry

What changed since your last plan (approved 2024-09-30)

New federal declarations	none (0 declaration rows; 0 counted incidents)	Storm Events records since approval	104 (data through 2026-06-30)
Repetitive loss now	FMA RL 14, SRL 44 (44 CFR 77.2); any definition: 307	Repeat-flood change	First release: no prior release to compare.

SOURCES: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API); FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API); NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>; FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

Plan status for every jurisdiction listed in this county: 16 rows, in the section "Plan clock: Plan status for every jurisdiction listed in this county" after these cover pages.

State plan status and tribal plans in this state: see the state page.

CONTENTS

1. Plan clock, page 1

2. What changed since your last plan (approved 2024-09-30), page 1

3. Supports B1-a: hazards, page 3

4. Supports B1-b: location, page 4

5. Supports B1-c: extent, page 5

6. Supports B1-d: previous occurrences, page 9
7. Supports B1-e: probability, page 14

8. Supports B1-f: variation across the planning area, page 17

9. Supports B2-a and B2-b: assets and impacts, page 19

10. Supports B2-a: context, page 21

11. Supports B2-c: repetitive loss, page 22

12. Sources and OpenFEMA disclaimer, page 24

Plan clock

Plan status for every jurisdiction listed in this county

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry negative = days since expiry	Update underway	Notes
Nueces County	County	Approved, expires 2029-09-29	Nueces County (FEMA plan 107709)	2024-09-30	2029-09-29	1,097		
Agua Dulce city	City	Approved, expires 2029-09-29	Nueces County (FEMA plan 107709)	2024-09-30	2029-09-29	1,097		
Aransas Pass city	City	Approved, expires 2031-03-30	San Patricio County (FEMA plan 110050)	2026-03-31	2031-03-30	1,644		
Bishop city	City	Approved, expires 2029-09-29	Nueces County (FEMA plan 107709)	2024-09-30	2029-09-29	1,097		
Corpus Christi city	City	Approved, expires 2029-09-29	Nueces County (FEMA plan 107709)	2024-09-30	2029-09-29	1,097		
Driscoll city	City	Approved, expires 2029-09-29	Nueces County (FEMA plan 107709)	2024-09-30	2029-09-29	1,097		
Petronila city	City	Approved, expires 2029-09-29	Nueces County (FEMA plan 107709)	2024-09-30	2029-09-29	1,097		
Port Aransas city	City	Approved, expires 2029-09-29	Nueces County (FEMA plan 107709)	2024-09-30	2029-09-29	1,097		
Portland city	City	Approved, expires 2031-03-30	San Patricio County (FEMA plan 110050)	2026-03-31	2031-03-30	1,644		
Robstown city	City	Approved, expires 2029-09-29	Nueces County (FEMA plan 107709)	2024-09-30	2029-09-29	1,097		
Banquete Independent School District	School/School District	Approved, expires 2029-09-29	Nueces County (FEMA plan 107709)	2024-09-30	2029-09-29	1,097		
Corpus Christi Independent School District	School/School District	Expired on 2026-06-16	Corpus Christi ISD (FEMA plan 107412)	2021-06-17	2026-06-16	-104		
Drainage District #2	Water/Sewer Authority	Approved, expires 2029-09-29	Nueces County (FEMA plan 107709)	2024-09-30	2029-09-29	1,097		
Port of Corpus Christi Authority	Highway/Port/Rail	Approved, expires 2030-02-03	Port of Corpus Christi (FEMA plan 109598)	2025-02-04	2030-02-03	1,224		
Water Control & Improvement District Number 4	Water/Sewer Authority	Approved, expires 2029-09-29	Nueces County (FEMA plan 107709)	2024-09-30	2029-09-29	1,097		
Water Control and Improvement District #3	Water/Sewer Authority	Approved, expires 2029-09-29	Nueces County (FEMA plan 107709)	2024-09-30	2029-09-29	1,097		

SOURCE

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Supports B1-a: hazards

Hazards NRI does not cover: check locally

- dam failure (incl. upstream dams)
- levee failure
- flash flood as its own subtype
- ice jams
- debris flows
- erosion (riverine and coastal)
- land subsidence and sinkholes
- expansive soils

The 18 National Risk Index hazards, ranked by expected annual loss (EAL)

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records since 1996 <i>count</i>	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
1	Hurricane	Very High	Very High	\$75,684,415	\$1,254,514	\$6,478,796	\$83,417,725	7		
2	Inland Flooding	Relatively High	Relatively Moderate	\$41,787,364	\$119,374	\$1,710,925	\$43,617,663	293		
3	Cold Wave	Very High	Very High	\$148,294	\$472,959	\$24,866,367	\$25,487,620	24		Includes 8 Frost/Freeze records, event types the NRI definition of this hazard leaves out.
4	Tornado	Relatively High	Relatively High	\$2,225,036	\$1,105	\$9,426,824	\$11,652,966	25		
5	Heat Wave	Relatively High	Relatively High	\$716	\$963	\$11,447,580	\$11,449,259	172		
6	Drought	Relatively High	Relatively High		\$3,518,392		\$3,518,392	104		
7	Strong Wind	Relatively High	Relatively High	\$776,169	\$8,018	\$1,351,334	\$2,135,521	233		Includes 15 High Wind records and 2 Strong Wind records, event types the NRI definition of this hazard leaves out.
8	Hail	Relatively Moderate	Relatively Moderate	\$1,253,772	\$88,807	\$187,730	\$1,530,310	107		
9	Lightning	Relatively High	Relatively High	\$100,251		\$1,254,706	\$1,354,957	11		
10	Coastal Flooding	Relatively Moderate	Relatively Moderate	\$885,067		\$116,569	\$1,001,636	29		
11	Ice Storm	Relatively Moderate	Relatively Moderate	\$31,375		\$318,283	\$349,658	5		
12	Winter Weather	Relatively Moderate	Relatively Moderate	\$10,283	\$53	\$174,988	\$185,325	6		
13	Wildfire	Relatively Low	Relatively Low	\$158,887	\$140	\$23,197	\$182,224	9		

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records since 1996 <i>count</i>	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
14	Earthquake	Very Low	Very Low	\$110,422		\$63,560	\$173,982			Not in Storm Events. Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
15	Landslide	Very Low	Very Low	\$741		\$2	\$743	0		No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
	Avalanche	Not Applicable	Not Applicable					0	NRI rates avalanche Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Tsunami	Insufficient Data	Insufficient Data					0		No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
	Volcanic Activity	Not Applicable	Not Applicable					0	NRI rates volcanic activity Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Check your state hazard mitigation plan's hazard list for this county; explain any hazard you drop.

Supports B1-b: location

Where each hazard occurs

Hazard	Location	Census tracts rated <i>rated of all tracts</i>
Avalanche	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 96
Coastal Flooding	The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (https://msc.fema.gov) for this county.	51 of 96
Cold Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	96 of 96
Drought	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	36 of 96
Earthquake	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	96 of 96
Hail	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	96 of 96

Hazard	Location	Census tracts rated <i>rated of all tracts</i>
Heat Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	96 of 96
Hurricane	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	96 of 96
Ice Storm	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	96 of 96
Inland Flooding	The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (https://msc.fema.gov) for this county.	96 of 96
Landslide	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	90 of 96
Lightning	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	96 of 96
Strong Wind	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	96 of 96
Tornado	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	96 of 96
Tsunami	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 96
Volcanic Activity	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 96
Wildfire	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	73 of 96
Winter Weather	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	96 of 96

SOURCE
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B1-c: extent

Extent: scale, observed range and worst recorded event per hazard

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Avalanche	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Coastal Flood, Storm Surge/ Tide	none in data (FIRM for depth)	29, 1996 to 2024 (28 zone-level)		Storm Surge/Tide, 2017-08-25, \$300,000,000 property; crops not reported, reported for the zone (2017 dollars); NWS zone TXZ243 (NUECES), zone-level: may include parts of neighboring counties		No event record names a member place. Zone-level records (28) apply countywide.	Flood depth: see the FEMA Flood Insurance Rate Map.
Cold/Wind Chill, Extreme Cold/Wind Chill	wind chill	16, 2018 to 2026 (16 zone-level)	1 day to 6 days (median 4 days); 8 with a recorded value	6 consecutive days, 2024-01-14 to 2024-01-19, zone-level	Cold/Wind Chill, 2021-02-14, \$6,000,000 property; \$0 crops, reported for the zone (2021 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	Wind chill: in event narratives only; local data required.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Frost/Freeze (outside NRI Cold Wave definition)	crop damage	8, 2010 to 2026 (8 zone- level)		No crop damage reported in 8 records.		Zone-level records: applies countywide; national data do not locate these events within the county.	Temperature: in event narratives only; local data required.
Drought	US Drought Monitor D- scale	104, 2006 to 2026 (104 zone-level)	4 days to 936 days (median 79.5 days); 18 with a recorded value	936 days (about 30.7 months), 2011-05-05 to 2013-11-25, a run of 31 consecutive Storm Events drought records, zone- level		Zone-level records: applies countywide; national data do not locate these events within the county.	Storm Events enters a drought at D2 or worse east of the Rockies and D3 or worse from the Rockies west (NWS Instruction 10-1605); NRI drought counts D3 and D4 only.
Earthquake	Modified Mercalli (local data)	0					No Storm Events record; local data required (e.g., USGS).
Hail	hail size (inches)	134, 1956 to 2025	0.75 in to 3 in (median 1 in); 134 with a recorded value	3 in hail, 2025-11-01	Hail, 1993-05-02, \$5,000,000 property; \$500,000 crops (1993 dollars)	Event records naming member places: Corpus Christi city (34 records), Robstown city (18 records), Driscoll city (6 records), Bishop city (5 records), Agua Dulce city (2 records), Petronila city (1 record), Port Aransas city (1 record).	
Excessive Heat, Heat	heat index (narratives)	172, 2000 to 2024 (172 zone-level)	1 day to 22 days (median 2 days); 41 with a recorded value	22 consecutive days, 2023-07-30 to 2023-08-20, zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Heat index: in event narratives only; local data required.
Hurricane, Tropical Storm, Tropical Depression	Saffir-Simpson	7, 2008 to 2023 (7 zone- level)		Strongest recorded (records with damage, a wind speed or direct casualties first, then storm type, category and wind): Hurricane (Typhoon) record, 2017-08-25 to 2017-08-26, category 4, \$1,000,000,000 property; \$0 crops, reported for the zone (2017 dollars); NWS zone TXZ243 (NUECES), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Storm Events files every zone of a storm's episode under the storm's event type and category, so a Hurricane (Typhoon) record, especially an inland or remnant one, does not by itself mean hurricane-force winds here; read the damage and wind columns.
Ice Storm	Sperry-Piltz (local data)	5, 2011 to 2024 (5 zone- level)		Ice Storm, 2011-02-03, \$750,000 property; \$0 crops, reported for the zone (2011 dollars); NWS zone TXZ243 (NUECES), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Ice thickness: in event narratives only; local data required.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Flash Flood, Flood, Lakeshore Flood	damage and flood days (FIRM for depth)	293, 1996 to 2026 (4 zone-level)		Flash Flood, 2010-09-19, \$3,540,000 property; \$0 crops (2010 dollars)		Event records naming member places: Corpus Christi city (75 records), Robstown city (17 records), Port Aransas city (11 records), Bishop city (9 records), Agua Dulce city (5 records), Petronila city (4 records). Zone-level records (4) apply countywide.	Flood depth: see the FEMA Flood Insurance Rate Map. Storm Events damage can be \$0 or blank even for a major flood, so the worst record here may not be the worst flood; compare FEMA Public Assistance by declaration in B1-d.
Debris Flow	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Lightning	annualized frequency (the measure FEMA's Local Mitigation Planning Handbook names)	11, 2004 to 2017		Lightning, 2009-03-15, \$0 property; \$0 crops (2009 dollars), 1 direct death	Lightning, 2017-05-29, \$1,000,000 property; \$0 crops (2017 dollars)	Event records naming member places: Corpus Christi city (2 records).	Storm Events lists lightning with damage or casualties; physical measure in event narratives only; local data required.
High Wind and Strong Wind (outside NRI Strong Wind definition)	wind speed (kt and mph)	17, 2000 to 2026 (17 zone-level)	40 kt (46 mph) to 61 kt (70 mph) (median 53 kt (61 mph)); 17 with a recorded value	61 kt (70 mph) estimated gust, High Wind, 2010-04-22; NWS zone TXZ243 (NUECES), zone-level: may include parts of neighboring counties	High Wind, 2009-12-24, \$250,000 property; \$0 crops, reported for the zone (2009 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	
Thunderstorm Wind	wind speed (kt and mph)	287, 1956 to 2026	48 kt (55 mph) to 100 kt (115 mph) (median 53 kt (61 mph)); 252 with a recorded value	100 kt (115 mph) estimated gust, Thunderstorm Wind, 2025-05-08; same speed and measurement basis also recorded on 2025-05-08	Thunderstorm Wind, 2025-05-08, \$6,000,000 property; \$0 crops (2025 dollars)	Event records naming member places: Corpus Christi city (30 records), Driscoll city (20 records), Petronila city (13 records), Robstown city (12 records), Bishop city (10 records), Port Aransas city (10 records), Agua Dulce city (8 records).	

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Tornado	Enhanced Fujita (F before Feb 2007)	105, 1953 to 2022	F/EF0 to F/EF3 (median F/EF0); 96 with a recorded value	F3 tornado, 1970-06-24, 1.5 mi path length (records before 1996 may include the whole path; rating and listing come from the county where the tornado began), 200 yd wide, \$250,000 property; crops not recorded (1970 dollars), 1 direct death, 15 direct injuries	Tornado, 2002-10-24, \$75,000,000 property; crops not reported (2002 dollars)	Event records naming member places: Robstown city (4 records), Corpus Christi city (3 records), Petronila city (3 records), Port Aransas city (2 records), Agua Dulce city (1 record), Driscoll city (1 record).	From 1996 on, tornado records are per-county segments and length is the path length within this county (NWS Instruction 10-1605); records before 1996 may give the whole path length, including the path outside this county, and before 1996 a tornado is listed once, under the county where it began, with the whole path's rating; counties farther along the path may not list it. Length is not used to rank tornadoes.
Tsunami	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Volcanic Ash, Volcanic Ashfall	Volcanic Explosivity Index (local data)	0					Physical measure: in event narratives only; local data required.
Wildfire	acres burned (local data)	9, 2008 to 2013 (9 zone-level)		Wildfire, 2013-02-25, \$150,000 property; \$0 crops, reported for the zone (2013 dollars); NWS zone TXZ243 (NUECES), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Acres burned: in event narratives only; local data required.
Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet	none in data (snowfall local)	6, 2004 to 2026 (6 zone-level)		Heavy Snow, 2017-12-07, \$50,000 property; \$0 crops, reported for the zone (2017 dollars); NWS zone TXZ243 (NUECES), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Snow depth: in event narratives only; local data required.

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Supports B1-d: previous occurrences

Declaration rows 33

Counted incidents 25

Federal disaster declarations for this county

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance <i>federal share obligated, nominal dollars</i>	Flags	Notes
2024-07-09	2024-07-05	DR-4798-TX	Major disaster	HURRICANE BERYL	Hurricane	\$109,127.96	during plan review, check whether your last plan included it; within last 5 years	
2021-02-19	2021-02-11	DR-4586-TX	Major disaster	SEVERE WINTER STORMS	Ice Storm	\$455,147.26		
2021-02-14	2021-02-11	EM-3554-TX	Emergency	SEVERE WINTER STORM	Ice Storm	none found		same incident as DR-4586
2020-08-24	2020-08-23	EM-3540-TX	Emergency	TROPICAL STORMS MARCO AND LAURA	Hurricane	none found		
2020-07-26	2020-07-25	EM-3530-TX	Emergency	HURRICANE HANNA	Hurricane	none found		
2020-03-25	2020-01-20	DR-4485-TX	Major disaster	COVID-19 PANDEMIC	Non-natural, not counted	\$6,018,025.24		
2020-03-13	2020-01-20	EM-3458-TX	Emergency	COVID-19	Non-natural, not counted	none found		same incident as DR-4485
2017-08-25	2017-08-23	DR-4332-TX	Major disaster	HURRICANE HARVEY	Hurricane	\$182,753,815.02		
2015-05-29	2015-05-04	DR-4223-TX	Major disaster	SEVERE STORMS, TORNADOES, STRAIGHT-LINE WINDS AND FLOODING	Inland Flooding; Strong Wind; Tornado	\$1,988,707.42		
2010-06-29	2010-06-27	EM-3313-TX	Emergency	TROPICAL STORM ALEX	Hurricane	none found		
2008-09-13	2008-09-07	DR-1791-TX	Major disaster	HURRICANE IKE	Hurricane (primary); also designated: Inland Flooding	\$1,603,986.21		
2008-09-10	2008-09-07	EM-3294-TX	Emergency	HURRICANE IKE	Hurricane	\$0		same incident as DR-1791
2008-08-29	2008-08-27	EM-3290-TX	Emergency	HURRICANE GUSTAV	Hurricane	none found		
2008-07-24	2008-07-22	DR-1780-TX	Major disaster	HURRICANE DOLLY	Hurricane	\$25,440.79		
2008-03-14	2008-03-14	EM-3284-TX	Emergency	WILDFIRES	Wildfire	none found		
2007-08-18	2007-08-17	EM-3277-TX	Emergency	HURRICANE DEAN	Hurricane	\$35,761.78		
2007-06-29	2007-06-16	DR-1709-TX	Major disaster	SEVERE STORMS, TORNADOES, AND FLOODING	Inland Flooding; Tornado	PA not declared for this county		
2006-01-11	2005-11-27	DR-1624-TX	Major disaster	EXTREME WILDFIRE THREAT	Wildfire	none found		

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance		Flags	Notes
						federal share obligated, nominal dollars			
2005-09-24	2005-09-23	DR-1606-TX	Major disaster	HURRICANE RITA	Hurricane: evacuation support (county designated for sheltering evacuees, no Individual Assistance), not a local hazard event; not counted	\$173,654.13			
2005-09-21	2005-09-20	EM-3261-TX	Emergency	HURRICANE RITA	Hurricane: evacuation support (county designated for sheltering evacuees, no Individual Assistance), not a local hazard event; not counted	\$159,617.67			same incident as DR-1606
2005-09-02	2005-08-29	EM-3216-TX	Emergency	HURRICANE KATRINA EVACUATION	Hurricane: evacuation support, not a local hazard event; not counted	\$2,262,499.27			
2002-11-05	2002-10-24	DR-1439-TX	Major disaster	SEVERE STORMS, TORNADOES AND FLOODING	Inland Flooding; Tornado	PA not declared for this county			
2002-09-26	2002-09-06	DR-1434-TX	Major disaster	TROPICAL STORM FAY	Hurricane	PA not declared for this county			
2002-07-04	2002-06-29	DR-1425-TX	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	\$260,006.12			FEMA's declaration record does not list Public Assistance, but FEMA's PA project summaries show obligations for this county
1999-08-22	1999-08-21	DR-1287-TX	Major disaster	HURRICANE BRET	Hurricane (primary); also designated: Inland Flooding	\$1,163,683.10			
1998-10-21	1998-10-17	DR-1257-TX	Major disaster	TX-FLOODING 10/18/98	Inland Flooding (primary); also designated: Tornado	\$233,590.82			
1998-08-26	1998-08-22	DR-1239-TX	Major disaster	TROPICAL STORM CHARLEY	Hurricane; Inland Flooding: designated for Hazard Mitigation only (no Public or Individual Assistance for this county); not counted	PA not declared for this county			
1984-10-30	1984-10-30	DR-727-TX	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	PA not declared for this county			
1980-08-11	1980-08-11	DR-627-TX	Major disaster	HURRICANE ALLEN	Hurricane	none found			
1979-09-25	1979-09-25	DR-603-TX	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	none found			
1971-09-18	1971-09-18	DR-313-TX	Major disaster	HEAVY RAINS, HIGH WINDS & FLOODING	Inland Flooding (primary); also designated: Strong Wind	none found			
1970-08-04	1970-08-04	DR-292-TX	Major disaster	HURRICANE CELIA	Hurricane (primary); also designated: Inland Flooding	none found			
1967-09-28	1967-09-28	DR-232-TX	Major disaster	HURRICANE BEULAH	Hurricane (primary); also designated: Inland Flooding	none found			

County Public Assistance: applicants the FEMA record places in this county, including any state agencies FEMA files there; statewide rows are listed on the state page; federal share obligated, nominal dollars. Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Statewide declarations

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	Flags	Notes
1998-06-23	1998-06-04	EM-3127-TX	Emergency	FIRE	Wildfire		
1963-09-24	1963-09-24	DR-159-TX	Major disaster	HURRICANE CINDY	Hurricane (primary); also designated: Inland Flooding		
1961-09-16	1961-09-16	DR-118-TX	Major disaster	HURRICANE CARLA	Hurricane (primary); also designated: Inland Flooding		
1960-07-15	1960-07-15	DR-103-TX	Major disaster	HEAVY RAINS, HAIL, FLOODS & TORNADOES	Hail; Inland Flooding; Tornado		
1959-07-08	1959-07-08	DR-93-TX	Major disaster	FLOODS	Inland Flooding		
1958-06-06	1958-06-06	DR-85-TX	Major disaster	TORNADOES, RAIN, HAIL & FLOODS	Tornado (primary); also designated: Hail, Inland Flooding		
1957-04-29	1957-04-29	DR-72-TX	Major disaster	HURRICANE, RAIN, WIND, HAIL & FLOODS	Hurricane (primary); also designated: Hail, Inland Flooding		
1954-07-01	1954-07-01	DR-18-TX	Major disaster	FLOOD	Inland Flooding		
1953-06-19	1953-06-19	DR-9-TX	Major disaster	FLOOD	Inland Flooding		
1953-05-15	1953-05-15	DR-2-TX	Major disaster	TORNADO & HEAVY RAINFALL	Tornado		

FEMA recorded these with designated area Statewide and no county. Listed on every county page in the state; not counted with county rows.

91 Fire Management declarations (1988-03-12 to 2009-04-10) FEMA filed as Statewide with no county; each names one local fire. Listed on the state page.

SOURCE

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

Public Assistance not placed in a county in this state: 1 row, \$902,084.65

Disaster number	Declared	Applicant	County field in FEMA data	PA obligated <i>federal share obligated, nominal dollars</i>	Why not placed
1791	2008-09-13	AOF/Houston Affordable Housing Corporation	Fulton County	\$902,084.65	county field is a county of another state and the applicant name does not identify a place in the declaring state

FEMA's Public Assistance summaries file these applicants under a county field that is not a county of this state (an Alaska school area, the former Valdez-Cordova Census Area, or another state's county), and the applicant name does not identify one place here. They are listed for the whole state and are not in any county total. Check whether any of them worked in your county.

SOURCE

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

Previous occurrences by hazard, with explicit no-event rows

Hazard	Storm Events records <i>full period</i>	Since plan approval <i>records</i>	During plan review <i>records</i>	Last 5 years <i>records</i>	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Avalanche	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Coastal Flooding	29	0	1	2	0	0	1996 to 2026-06-30	

Hazard	Storm Events records <i>full period</i>	Since plan approval records	During plan review records	Last 5 years records	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Cold Wave	24	14	2	21	0	0	1996 to 2026-06-30	Includes 8 Frost/Freeze records, event types the NRI definition of this hazard leaves out.
Drought	104	14	0	21	0	0	1996 to 2026-06-30	
Earthquake	0	0	0	0	0	0		No Storm Events record; local data required (e.g., USGS).
Hail	134	2	0	2	0	0	1955 to 2026-06-30	
Heat Wave	172	0	45	166	0	0	1996 to 2026-06-30	
Hurricane	7	0	0	1	14	0	1996 to 2026-06-30	
Ice Storm	5	0	1	2	1	0	1996 to 2026-06-30	
Inland Flooding	293	26	5	64	12	0	1996 to 2026-06-30	
Landslide	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Lightning	11	0	0	0	0	0	1996 to 2026-06-30	
Strong Wind	304	46	2	56	2	0	1955 to 2026-06-30	Includes 15 High Wind records and 2 Strong Wind records, event types the NRI definition of this hazard leaves out.
Tornado	105	0	0	2	4	0	1950 to 2026-06-30	
Tsunami	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Volcanic Activity	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Wildfire	9	0	0	0	2	0	1996 to 2026-06-30	
Winter Weather	6	2	0	2	0	0	1996 to 2026-06-30	

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Notable Storm Events records

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Direct deaths, injuries <i>indirect not counted</i>	Location	Flags	Why listed
2025-11-01	Hail	3 in	\$0 property; \$0 crops (2025 dollars)	0, 0	PORT ARANSAS ARPT	new since last plan; within last 5 years	B1-c worst recorded: Hail
2025-05-08	Thunderstorm Wind	100 kt (115 mph) estimated gust	\$0 property; \$0 crops (2025 dollars)	0, 0	DRISCOLL	new since last plan; within last 5 years	B1-c worst recorded: Thunderstorm Wind
2024-01-14	Cold/Wind Chill		damage not reported	0, 0	NWS zone TXZ243 (INLAND NUECES COUNTY), zone-level: may include parts of neighboring counties	during plan review, check whether your last plan included it; within last 5 years	B1-c worst recorded: Cold/ Wind Chill, Extreme Cold/ Wind Chill
2023-07-30	Heat		\$0 property; \$0 crops, reported for the zone (2023 dollars)	0, 0	NWS zone TXZ243 (INLAND NUECES COUNTY), zone-level: may include parts of neighboring counties	within last 5 years	B1-c worst recorded: Excessive Heat, Heat
2017-08-25	Hurricane (Typhoon)	category 4	\$1,000,000,000 property; \$0 crops, reported for the zone (2017 dollars)	0, 0	NWS zone TXZ243 (NUECES), zone-level: may include parts of neighboring counties		B1-c worst recorded: Hurricane, Tropical Storm, Tropical Depression
2011-05-05	Drought		damage not reported	0, 0	NWS zone TXZ243 (NUECES), zone-level: may include parts of neighboring counties		B1-c worst recorded: Drought
2010-09-19	Flash Flood		\$3,540,000 property; \$0 crops (2010 dollars)	0, 0	(CRP)CORPUS CHRISTI		B1-c worst recorded: Flash Flood, Flood, Lakeshore Flood
2010-04-22	High Wind	61 kt (70 mph) estimated gust	\$0 property; \$0 crops, reported for the zone (2010 dollars)	0, 0	NWS zone TXZ243 (NUECES), zone-level: may include parts of neighboring counties		B1-c worst recorded: High Wind and Strong Wind (outside NRI Strong Wind definition)
2009-03-15	Lightning		\$0 property; \$0 crops (2009 dollars)	1, 0	PORT ARANSAS ARPT		B1-c worst recorded: Lightning
2002-10-24	Tornado	F2, 2.5 mi within this county, 200 yd wide	\$75,000,000 property; crops not reported (2002 dollars)	1, 20	(CRP)CORPUS CHRISTI		deaths or injuries recorded
1997-10-09	Flash Flood		damage not reported	2, 0	COUNTYWIDE		deaths or injuries recorded
1970-06-24	Tornado	F3, 1.5 mi path length (records before 1996 may include the whole path; rating and listing come from the county where the tornado began), 200 yd wide	\$250,000 property; crops not recorded (1970 dollars)	1, 15	location not recorded		deaths or injuries recorded

The full list is in the **XLSX** file, sheet **"B1-d Storm Events history"** (1,203 rows).

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

State-declared emergencies are not in federal data. Add them from your state emergency management agency.
Tribal and special-area declarations in this state are listed on the state page.

Supports B1-e: probability

Probability: FEMA annualized frequency and descriptor per hazard

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Avalanche		events per year					1994 to 2023 (30 years)	see B1-f	Not Applicable in NRI for this county; no descriptor.
Coastal Flooding	3.69	events per year at a location (modeled)	about 3.7 per year at a given location in the county	Highly likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	Descriptor from NRI: the rate at a location is 1 or more a year, so the county rate is at least that.
Cold Wave	2.4	event-days per year	about 2.4 days per year	Likely	event-days in 5 of 30 years, 1996 to 2025 (16.7%)	42.4	2005-11-12 to 2024-11-12 (19 years)	countywide	NRI gives about 2.4 cold wave event-days a year here (its annualized frequency over 19 years; not its event count divided by the years), but Storm Events has a record in only 5 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together. Frost/Freeze records are not counted in this descriptor: they record crop freezes, not cold waves.
Drought	59.6	event-days per year	about 59.6 days per year	Likely	event-days in 15 of 30 years, 1996 to 2025 (50%)	2,002	2000 to 2025 (25.25 years; D3 and D4 only)	countywide	
Earthquake	0.000176	annual probability at a location	chance a given location in the county has at least minor-damage shaking in a year: 0.0176%			not shown	modeled	see B1-f	Descriptor not assigned: the NRI value is the chance at a location in the county, not how often the hazard affects the county, and Storm Events does not record earthquakes.
Hail	0.888	events per year	about 0.89 per year	Likely	FEMA annualized frequency (modeled)	36.0 (modeled)	1986 to 2023 (38 years)	countywide	

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Heat Wave	16.7	event-days per year	about 16.7 days per year	Likely	event-days in 8 of 30 years, 1996 to 2025 (26.7%)	247	2005-11-12 to 2024-11-12 (19 years)	countywide	NRI gives about 16.7 heat wave event-days a year here (its annualized frequency over 19 years; not its event count divided by the years), but Storm Events has a record in only 8 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.
Hurricane	0.142	events per year	about 1 in 7 years	Likely	FEMA annualized frequency (modeled)	56	1851 to 2024 (Atlantic)	see B1-f	NRI counts hurricane and tropical storm tracks passing within storm-force wind range; federal declarations are counted separately in B1-d and need not match.
Ice Storm	0.3	event-days per year	about 0.3 days per year	Likely	event-days in 4 of 30 years, 1996 to 2025 (13.3%)	20	1946-12-31 to 2014-02-12 (67 years)	countywide	
Inland Flooding	4.43	event-days per year	about 4.43 days per year	Highly likely	event-days in 28 of 30 years, 1996 to 2025 (93.3%)	124	1996 to 2023 (28 years)	see B1-f	
Landslide	0.0785	events per year (modeled)	about 1 in 13 years	Possible	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Lightning	44	days per year with a strike	about 44 days per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1995 to 2023 (29 years; CONUS)	countywide	
Strong Wind	0.743	events per year	about 0.74 per year	Likely	FEMA annualized frequency (modeled)	27	1986 to 2023 (38 years)	countywide	
Tornado	0.372	events per year	about 1 in 3 years	Likely	FEMA annualized frequency (modeled)	not shown	1950 to 2023 (EF2+); 1986 to 2023 (EF0-1)	see B1-f	
Tsunami		annual probability at the most exposed location (used in place of a county value)			Storm Events records in 0 of 30 years, 1996 to 2025 (0%)	not shown	modeled	see B1-f	No Storm Events record of this hazard, 1996 to 2025; descriptor not assigned (the NRI value is the chance at a location in the county, not how often the hazard affects the county)
Volcanic Activity		annual probability				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Wildfire	0.00232	annual probability at a location	chance a given location in the county burns in a year: 0.232%	Likely	Storm Events records in 5 of 30 years, 1996 to 2025 (16.7%)	not shown	modeled	see B1-f	Descriptor from Storm Events, not NRI: the NRI value is the chance at a location in the county, not how often the hazard affects the county.
Winter Weather	0.859	event-days per year	about 0.859 days per year	Likely	event-days in 5 of 30 years, 1996 to 2025 (16.7%)	15.2	2005-11-12 to 2024-11-12 (19 years)	countywide	

FEMA annualized frequency (modeled) comes from the National Risk Index v1.20 (December 2025). It is not recorded events divided by years, and what it measures depends on the hazard. For most hazards it estimates how often the hazard affects this county each year: it counts events or event-days (drought, heat wave, cold wave, winter weather, ice storm and inland flooding are in days per year; lightning is the number of days per year with a recorded cloud-to-ground strike, from the NOAA Storm Prediction Center daily lightning climatology); it may count events in the surrounding area (hail, strong wind, tornado, hurricane and ice storm use a 49 km grid and buffers) and is averaged over the county's area; and some hazards use a minimum value for places with no recorded event. Earthquake, wildfire and coastal flooding are different: FEMA computes them for each census block and averages them over the county, so the value is the chance (for coastal flooding, the modeled number of floods per year) at a location in the county, which is lower than the chance that the hazard strikes somewhere in the county. Earthquake is the chance of at least minor-damage shaking (U.S. Geological Survey model); wildfire is the chance that a location burns in a large fire (U.S. Forest Service burn probability); coastal flooding comes from FEMA flood zones and NOAA high-tide flooding, so it can be above 1 where high-tide flooding is frequent. Tsunami is the value at the county's most exposed location, from recorded events and modeled return periods. For these four hazards the packet gives no "1 in N years" and takes the descriptor from Storm Events (none for earthquake) unless the value is 1 or more a year. Landslide is a U.S. Geological Survey modeled county rate spread by slope susceptibility. Volcanic activity is the chance that a volcano affecting the county erupts in a year. Drought counts only extreme and exceptional drought (D3 and D4). Source: FEMA, National Risk Index Technical Documentation v1.20, sections 5.2.2 (Table 5), 5.2.3, 7.4, 10.4, 16.5, 17.1, 17.3.1, 17.5, 20.3.1, 21.4, 22.4 and 6 to 23.

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Descriptor scale used in this packet (defined per unit)

Unit	Descriptor	Definition
events per year	Highly likely	1 or more per year
events per year	Likely	about once in 1 to 10 years
events per year	Possible	about once in 10 to 100 years
events per year	Unlikely	less than once in 100 years
annual probability	Likely	10% to under 100% chance in a given year
annual probability	Possible	1% to under 10% chance in a given year
annual probability	Unlikely	under 1% chance in a given year
event-days (share of years)	Highly likely	event-days recorded in 90% or more of years
event-days (share of years)	Likely	event-days recorded in 10% to under 90% of years
event-days (share of years)	Possible	event-days recorded in some years but under 10% of years
lightning strike-days	Highly likely	cloud-to-ground strikes on 1 or more days per year

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Intensity bands: historical frequency (Storm Events)

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Hail	1.00-1.99 in	1996 to 2025	68	30	2.27
Hail	2.00 in+	1996 to 2025	4	30	0.133
Strong Wind (Thunderstorm Wind records)	50-64 kt	1996 to 2025	166	30	5.53
Strong Wind (Thunderstorm Wind records)	65 kt+	1996 to 2025	37	30	1.23
Strong Wind (Thunderstorm Wind records)	unmeasured or below 50 kt	1996 to 2025	2	30	0.0667
Tornado	EF0-1	1996 to 2025	22	30	0.733
Tornado	EF2-3	1996 to 2025	1	30	0.0333
Tornado	EF4-5	1996 to 2025	0	30	0
Tornado	unrated (EFU)	1996 to 2025	2	30	0.0667

Hail smaller than 1 inch is not counted: on 2010-01-05 the National Weather Service raised its severe-hail threshold from 3/4 inch to 1 inch, so smaller reports became less common after 2009 (NWS Service Change Notice 09-52). NRI hail frequency uses a 0.75 inch threshold.

SOURCE
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Optional: future conditions. Not a required item in the 2025 FEMA Local Mitigation Planning Policy Guide; some states ask for it. The federal Climate Mapping for Resilience and Adaptation (CMRA) site gives county exposure to future climate conditions.

Supports B1-f: variation across the planning area

Range of census tract risk within the county

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>	Median	Max	Tracts by rating	Note
Avalanche	0 of 96				Not Applicable 96	
Coastal Flooding	51 of 96	69.8	81.1	97.4	Relatively High 3, Relatively Moderate 7, Relatively Low 29, Very Low 12, No Rating 45	
Cold Wave	96 of 96	16.8	90.2	96.8	Very High 7, Relatively High 71, Relatively Moderate 16, Relatively Low 1, Very Low 1	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Drought	36 of 96	66.9	83.7	99.5	Relatively High 5, Relatively Moderate 2, Relatively Low 16, Very Low 13, No Rating 60	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. Agriculture is all of NRI's expected annual loss for this hazard in the county, so the tract range above mostly reflects where crop and livestock value is, not where buildings and people are. Confirm locally.
Earthquake	96 of 96	0.3	9.4	26.2	Very Low 96	

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>	Median	Max	Tracts by rating	Note
Hail	96 of 96	20.2	63.9	88.8	Relatively High 1, Relatively Moderate 22, Relatively Low 71, Very Low 2	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Heat Wave	96 of 96	1.5	85.4	94.4	Relatively High 49, Relatively Moderate 35, Relatively Low 11, Very Low 1	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Hurricane	96 of 96	63.6	93.9	99.7	Very High 8, Relatively High 79, Relatively Moderate 8, Relatively Low 1	
Ice Storm	96 of 96	0.2	45.1	65.4	Relatively Low 76, Very Low 20	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Inland Flooding	96 of 96	0.4	39.2	88.2	Relatively High 3, Relatively Moderate 30, Relatively Low 45, Very Low 18	
Landslide	90 of 96	9.6	31.7	87.4	Relatively Low 3, Very Low 87, No Rating 6	
Lightning	96 of 96	0.4	60.0	83.2	Relatively High 3, Relatively Moderate 69, Relatively Low 21, Very Low 3	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Strong Wind	96 of 96	5.6	59.8	85.1	Relatively High 1, Relatively Moderate 67, Relatively Low 27, Very Low 1	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Tornado	96 of 96	3.0	64.9	83.2	Relatively High 14, Relatively Moderate 67, Relatively Low 14, Very Low 1	
Tsunami	0 of 96				Insufficient Data 96	
Volcanic Activity	0 of 96				Not Applicable 96	
Wildfire	73 of 96	18.9	35.7	89.4	Relatively Moderate 2, Relatively Low 11, Very Low 60, No Rating 23	
Winter Weather	96 of 96	10.9	46.5	62.4	Relatively Moderate 42, Relatively Low 53, Very Low 1	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.

Rated tracts only: No Rating (score 0.0), Not Applicable and Insufficient Data tracts are counted but not used for the minimum, median and maximum.

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Per-member block (Starter, confirm locally)

Member	Type	Plan status	Repetitive loss <i>FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition</i>	Public Assistance matched <i>federal share obligated, nominal dollars</i>	Event records naming this place <i>all years; since the member's plan</i>	Notes
Nueces County	County	Approved, expires 2029-09-29	FMA RL 3, SRL 4; any 44	\$6,405,081.34	0; 0	Includes \$3,016,267.87 for declarations not counted as hazard incidents (DR-1606-TX, DR-4485-TX, EM-3216-TX, EM-3261-TX).
Agua Dulce city	City	Approved, expires 2029-09-29	FMA RL 0, SRL 0; any 1	\$14,865.42	16; 1	
Aransas Pass city	City	Approved, expires 2031-03-30	FMA RL 12, SRL 14; any 64	none found	0; 0	Whole community, including the part in Aransas County, Hidalgo County and San Patricio County, plus 1 property with no county in FEMA's file; in-county portion (county table): FMA RL 0, FMA SRL 0, NFIP RL 1, NFIP SRL 0, any category 1.
Bishop city	City	Approved, expires 2029-09-29	FMA RL 0, SRL 0; any 3	\$179,576.82	24; 4	Includes \$5,520 for declarations not counted as hazard incidents (DR-1606-TX, EM-3261-TX).
Corpus Christi city	City	Approved, expires 2029-09-29	FMA RL 10, SRL 33; any 215	\$35,903,344.84	144; 7	Includes \$2,720,349.65 for declarations not counted as hazard incidents (DR-1606-TX, DR-4485-TX, EM-3216-TX, EM-3261-TX).
Driscoll city	City	Approved, expires 2029-09-29	FMA RL 0, SRL 0; any 1	\$121,240.65	27; 14	
Petronila city	City	Approved, expires 2029-09-29	FMA RL 0, SRL 0; any 0	none found	21; 8	
Port Aransas city	City	Approved, expires 2029-09-29	FMA RL 1, SRL 6; any 33	\$99,556,254.50	24; 0	Whole community, including the part in Guadalupe County and Hidalgo County; in-county portion (county table): FMA RL 1, FMA SRL 6, NFIP RL 29, NFIP SRL 4, any category 31. Includes \$67,642.99 for declarations not counted as hazard incidents (EM-3216-TX).
Portland city	City	Approved, expires 2031-03-30	FMA RL 0, SRL 1; any 13	none found	0; 0	Whole community, including the part in San Patricio County; none of its repeat-flood properties are in this county.
Robstown city	City	Approved, expires 2029-09-29	FMA RL 0, SRL 1; any 10	\$881,299.30	51; 1	Includes \$141,416.84 for declarations not counted as hazard incidents (DR-4485-TX).

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

School districts and special districts get a plan clock row only.

SOURCES

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Supports B2-a and B2-b: assets and impacts

Local data required

County-level starter. The plan must describe impacts for each participant and its own assets.

- Critical facilities and lifelines per hazard
- A problem statement per participant per hazard
- Changes in development in hazard-prone areas since the last approval, or a statement of none (E1-a)
- Future assets

County-level starter: exposure, expected annual loss and damage since the plan

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2024-09-30 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Avalanche											Not Applicable in NRI for this county
Coastal Flooding	\$13,270,044,219		61,590	\$885,067		\$116,569	0.00667%				
Cold Wave	\$62,697,034,351	\$207,317,499	352,623	\$148,294	\$472,959	\$24,866,367	0.000237%		\$0		
Drought		\$149,807,227			\$3,518,392		2.35% (agriculture)		\$0		NRI has no building exposure for this hazard; agriculture shown
Earthquake	\$111,574,933,742		353,178	\$110,422		\$63,560	under 0.0001%				
Hail	\$62,697,034,351	\$207,317,499	352,623	\$1,253,772	\$88,807	\$187,730	0.002%	\$0			
Heat Wave	\$62,697,034,351	\$207,317,499	352,623	\$716	\$963	\$11,447,580	under 0.0001%				
Hurricane	\$62,687,670,394	\$204,004,463	352,532	\$75,684,415	\$1,254,514	\$6,478,796	0.121%				
Ice Storm	\$62,443,054,042		352,270	\$31,375		\$318,283	under 0.0001%				
Inland Flooding	\$62,522,894,205	\$31,487,408	44,180	\$41,787,364	\$119,374	\$1,710,925	n/a (see note)	\$0			NRI counts the full building value of any census block with some flood loss; this is not the value of buildings in the floodplain. Use local FIRM overlays for B2-a/B2-b. EAL as % of exposure: n/a.
Landslide	\$182,518,856		751	\$741		\$2	0.000406%				
Lightning	\$62,697,034,351		352,623	\$100,251		\$1,254,706	0.00016%				
Strong Wind	\$62,697,034,351	\$207,317,499	352,623	\$776,169	\$8,018	\$1,351,334	0.00124%	\$6,048,000			
Tornado	\$62,697,034,351	\$207,317,499	352,623	\$2,225,036	\$1,105	\$9,426,824	0.00355%				
Tsunami											NRI publishes no building exposure for this county
Volcanic Activity											Not Applicable in NRI for this county
Wildfire	\$2,554,217,272	\$7,431,997	17,065	\$158,887	\$140	\$23,197	0.00622%				

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2024-09-30 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Winter Weather	\$62,697,034,351	\$207,317,499	352,623	\$10,283	\$53	\$174,988	under 0.0001%		\$0		

Totals since 2024-09-30 (Storm Events through 2026-06-30): 73 county-coded records, 62 with a damage value recorded (including \$0), \$6,048,000; 31 zone-level records, 16 with a damage value recorded (including \$0), \$0 reported for the zone; Public Assistance on counted declarations none found (0 declarations, 0 with PA).

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

FEMA does not split Public Assistance by hazard. A declaration mapped to several hazards is listed under each of them with its full amount, so the per-hazard column must not be added up; the unit total counts each declaration once.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Texas A&M Forest Service TxWRAP for wildfire risk; Texas State Hazard Mitigation Plan hazard list for B1-a exclusions.

Supports B2-a: context

County context

Measure	Value
Population	352,623
Building value (total, not at risk)	\$62,697,034,351
Agriculture value (total, not at risk)	\$207,317,499
NRI risk rating (all hazards)	Relatively High
Expected annual loss, buildings and agriculture, all hazards	\$128,637,119
Expected annual loss, population equivalence, all hazards (NRI values each statistical life at \$13.7M; a modeled value of expected deaths and injuries, not property damage)	\$57,420,861
Social vulnerability rating	Relatively High
Community resilience rating	Very High
NRI version	December 2025

FEMA's all-hazard expected annual loss total adds buildings, agriculture and population equivalence; the two parts are shown separately so the property figure is not read as including the statistical value of life.

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B2-c: repetitive loss

Repetitive loss in this county, both definitions

Definition	Properties	Severe repetitive loss	Properties
Repetitive loss, FMA definition (44 CFR 77.2)	14	Severe repetitive loss, FMA definition (44 CFR 77.2)	44
Repetitive loss, NFIP insurance definition	301	Severe repetitive loss, NFIP insurance definition	39

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Repeat-flood properties: county and state-level rows

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
County total	14	44	301	39	307	4	90
AGUA DULCE, CITY OF	0	0	1	0	1	0	1
BISHOP, CITY OF	0	0	3	0	3	0	1
DRISCOLL, CITY OF	0	0	1	0	1	0	0
ARANSAS PASS, CITY OF	0	0	1	0	1	0	0
CORPUS CHRISTI, CITY OF	10	33	212	30	215	2	64
NUECES COUNTY*	3	4	43	4	44	1	7
PORT ARANSAS, CITY OF	1	6	29	4	31	1	12
ROBSTOWN, CITY OF	0	1	10	1	10	0	5
SEABROOK, CITY OF (plan member listed on the Chambers County and Galveston County and Harris County page)	0	0	1	0	1	0	0
State level, not in this county: county not reported	3	8	12	7	13	1	9

1 of the county's repeat-flood properties belong to NFIP communities whose plan member is not listed on this page (the community rows above name the page that lists it).

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Repeat-flood properties by plan member (NFIP community)

Member	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>	Note
Nueces County	485494	3	4	43	4	44	1	7	
Agua Dulce city	480504	0	0	1	0	1	0	1	

Member	NFIP community ID	RL, FMA properties	SRL, FMA properties	RL, NFIP properties	SRL, NFIP properties	Any category properties	Mitigated properties	Currently insured properties	Note
Aransas Pass city	485453	12	14	58	13	64	1	18	Whole community, including the part in Aransas County, Hidalgo County and San Patricio County, plus 1 property with no county in FEMA's file; in-county portion (county table): FMA RL 0, FMA SRL 0, NFIP RL 1, NFIP SRL 0, any category 1.
Bishop city	480505	0	0	3	0	3	0	1	
Corpus Christi city	485464	10	33	212	30	215	2	64	
Driscoll city	480507	0	0	1	0	1	0	0	
Petronila city	480560	0	0	0	0	0	0	0	
Port Aransas city	485498	1	6	31	4	33	1	12	Whole community, including the part in Guadalupe County and Hidalgo County; in-county portion (county table): FMA RL 1, FMA SRL 6, NFIP RL 29, NFIP SRL 4, any category 31.
Portland city	480559	0	1	13	1	13	0	2	Whole community, including the part in San Patricio County; none of its repeat-flood properties are in this county.
Robstown city	485503	0	1	10	1	10	0	5	

Per-member types: XLSX sheet 'B2-c Members'.

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

County repeat-flood properties by occupancy group

Occupancy group	RL, FMA properties	SRL, FMA properties	RL, NFIP properties	SRL, NFIP properties	Any category properties	Mitigated properties	Currently insured properties
single-family residential	14	25	231	21	236	4	69
2 to 4 unit residential	0	0	5	0	5	0	1
other residential	0	3	12	2	13	0	5
non-residential	0	16	53	16	53	0	15
not reported	0	0	0	0	0	0	0

Institutional properties cannot be separated in this data: FEMA's occupancy groups have no institutional class, so they fall in non-residential or other residential in the table by occupancy group.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FMA RL and FMA SRL are the Flood Mitigation Assistance definitions (44 CFR 77.2), the ones the FEMA Local Mitigation Planning Policy Guide cites; OpenFEMA's fmaRI field description omits the Increased Cost of Compliance clause of 44 CFR 77.2(i). NFIP repetitive loss (FEMA insurance definition, nfipRI) is 2 or more claims over \$1,000 in 10 years and can drop to false when a property is mitigated. Also shown: NFIP severe repetitive loss, any category, mitigated and currently insured.

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

Counts are aggregates of FEMA's public NFIP Multiple Loss Properties file (as of 2026-08-02). No property is identified. County assignment is FEMA's geocode.

Counts may differ from your state NFIP coordinator's list, which is the source the Handbook names.

In this county 2 properties are FMA repetitive loss but not NFIP repetitive loss, and 289 properties are NFIP repetitive loss but not FMA repetitive loss.

Exact counts; no count suppression.

Sources

Every table above lists its own sources. The full list, for the plan's bibliography (FEMA review item A4-a):

1. FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
2. FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
3. FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
4. FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
5. FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
6. NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
7. NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
8. U.S. Census Bureau, Census 2024 Gazetteer, 2020 place by county, CT county-to-cousub crosswalk, version 2024-gazetteer, pulled 2026-09-28, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_counties_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_place_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_elsd_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_scscd_national.zip, https://www2.census.gov/geo/docs/reference/codes2020/national_place_by_county2020.txt, https://www2.census.gov/geo/docs/reference/ct_change/ct_cou_to_cousub_crosswalk.xlsx

OpenFEMA disclaimer

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

Reuse, citation and corrections

Reuse and citation: Hazard Plain text and tables are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0, <https://creativecommons.org/licenses/by/4.0/>); credit Hazard Plain and the release. The underlying federal data are public domain; OpenFEMA data are also subject to the OpenFEMA terms and conditions.

Cite this: Hazard Plain (2026). Nueces County, TX: risk-assessment baseline packet, release 2026-10 (data as of 2026-09-28; County area 48355). Preview: automated baseline. Built from FEMA OpenFEMA, the FEMA National Risk Index and NOAA NCEI Storm Events; source versions in the packet's Sources list.

Corrections: to report an error, name the packet, the table and what your records show. Contact: to be added

Hazard Plain release 2026-10. As of 2026-09-28; Storm Events data through 2026-06-30. File hazard-plain_2026-10_TX_48355. Preview: automated baseline.