

Shelburne town, VT

Risk-assessment baseline packet (county-level sections from Chittenden County)

Town FIPS: 5000764300 Release: 2026-10 Data as of: 2026-09-30 Storm Events data through: 2026-06-30

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

Summary

Plan status as of 2026-09-30: Approved, expires 2027-11-10. Plan: 2022 Chittenden County All Hazards Multi-Jurisdictional Hazard Mitigation Plan (FEMA plan 108641), approved 2022-11-11.

Since the plan was approved on 2022-11-11: 6 new hazard declarations (5 incidents): DR-4695-VT (Severe Storm and Flooding), EM-3595-VT (Flooding), DR-4720-VT (Severe Storms, Flooding, Landslides, and Mudslides), DR-4770-VT (Severe Winter Storm), EM-3609-VT (Tropical Depression Debby), DR-4810-VT (Severe Storm, Flooding, Landslides, and Mudslides).

NOAA Storm Events records since that date (county-level): 89 records (data through 2026-06-30).

Highest expected annual loss (FEMA National Risk Index, modeled total; see B1-a): Inland Flooding (\$28,797,704 a year), Earthquake (\$2,147,955) and Heat Wave (\$1,797,421).

Repetitive-loss flood properties now (this town): FMA RL 0, SRL 0 (44 CFR 77.2); any definition: 0.

The tables that follow are organized by the items of FEMA's Local Mitigation Plan Review Tool, Element B (B1-a to B2-c); each heading says which item its tables support.

TERMS USED

EAL: expected annual loss: FEMA's modeled average yearly loss from a hazard.

NRI: FEMA's National Risk Index (version 1.20, December 2025).

NFIP: National Flood Insurance Program.

RL, SRL: repetitive loss and severe repetitive loss: flood-insured properties with repeated claims (definitions in B2-c).

FMA, HMGP: Flood Mitigation Assistance and Hazard Mitigation Grant Program, FEMA mitigation grants.

PA: FEMA Public Assistance: disaster aid to governments and some nonprofits.

Zone-level: NOAA logged the event for a National Weather Service forecast zone, which may include parts of neighboring counties.

County-coded: NOAA logged the event to this county.

FIPS: the federal code for a place; 5000764300 is this town.

D0 to D4: U.S. Drought Monitor categories, from abnormally dry (D0) to exceptional drought (D4).

F/EF, EFU: Fujita and Enhanced Fujita tornado ratings; EFU is an unrated tornado.

kt, CONUS: knots (1 kt is about 1.15 mph); the contiguous United States.

CFR: Code of Federal Regulations.

A4-a, E1-a: other items of FEMA's Local Mitigation Plan Review Tool (sources, and changes since the last plan).

Dollars: nominal (as reported, labeled with the year), not adjusted for inflation.

CONTENTS

1. Summary and terms used, page 1
2. Plan clock, page 2
3. What changed since your last plan (approved 2022-11-11), page 2
4. Supports FEMA checklist item B1-a: hazard identification, page 3
5. Supports FEMA checklist item B1-b: hazard location, page 5
6. Supports FEMA checklist item B1-c: hazard extent, page 6
7. Supports FEMA checklist item B1-d: previous occurrences, page 9
8. Supports FEMA checklist item B1-e: probability of future events, page 13
9. Supports FEMA checklist item B1-f: hazards that vary across jurisdictions, page 15
10. Supports FEMA checklist items B2-a and B2-b: vulnerability and potential impacts, page 17
11. Supports FEMA checklist item B2-a: vulnerability (county context), page 19
12. Supports FEMA checklist item B2-c: repetitive loss properties, page 19
13. Sources, what the plan adds, disclaimer and citation, page 21

Plan clock

Status:	Approved, expires 2027-11-10	Plan:	2022 Chittenden County All Hazards Multi-Jurisdictional Hazard Mitigation Plan (FEMA plan 108641)
Approved:	2022-11-11	Days to expiry:	406
What changed since your last plan (approved 2022-11-11)			
New federal declarations:	6 new hazard declarations (5 incidents): DR-4695-VT (Severe Storm and Flooding), EM-3595-VT (Flooding), DR-4720-VT (Severe Storms, Flooding, Landslides, and Mudslides), DR-4770-VT (Severe Winter Storm), EM-3609-VT (Tropical Depression Debby), DR-4810-VT (Severe Storm, Flooding, Landslides, and Mudslides)	Storm Events records since approval (Chittenden County, county-level):	89 records (data through 2026-06-30)
Repetitive loss now (this town):	FMA RL 0, SRL 0 (44 CFR 77.2); any definition: 0	Repetitive loss scope:	This town's NFIP community only. The other participants of the town's plan (Bolton town; Buels gore; Burlington city; Charlotte town; Essex Junction village; Essex town; Hinesburg town; Huntington town; Jericho town; Milton town; Richmond town; South Burlington city; St. George town; Underhill town; Westford town; Williston town; Winooski city) are not counted here; the B2-c county table lists a community only when FEMA's multiple-loss file has properties for it.
Repeat-flood change:	this release sets the baseline count.		
Sources: 1, 2, 4, 6 (numbered list at the end)			

Plan status for this town

Source: 1

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry negative = days since expiry	Notes
Shelburne town	Town	Approved, expires 2027-11-10	2022 Chittenden County All Hazards Multi-Jurisdictional Hazard Mitigation Plan (FEMA plan 108641)	2022-11-11	2027-11-10	406	this jurisdiction approved 2023-01-17

Plan 108641 covers 17 other participants, named in the Excel file.

State plan status and tribal plans in this state: see the state page.

Supports FEMA checklist item B1-a: hazard identification

Inherited from Chittenden County, county-level (county FIPS 50007); scope: whole section.

Hazards NRI does not cover (local data needed)

- dam failure (incl. upstream dams)
- levee failure
- flash flood as its own subtype
- ice jams
- debris flows
- erosion (riverine and coastal)
- land subsidence and sinkholes
- expansive soils

The 18 National Risk Index hazards, ranked by expected annual loss (EAL)

Sources: 5, 6

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records, 1996 to 2026-06-30 <i>count</i>	Storm Events coverage note
1	Inland Flooding	Relatively Moderate	Relatively Moderate	\$28,508,887	\$67,191	\$221,627	\$28,797,704	80	
2	Earthquake	Relatively Low	Relatively Low	\$1,833,011	n/a	\$314,944	\$2,147,955		Storm Events does not record earthquakes.
3	Heat Wave	Relatively Low	Relatively Moderate	\$1	\$37,686	\$1,759,734	\$1,797,421	12	
4	Cold Wave	Relatively Low	Relatively Moderate	\$6,086	\$77,432	\$1,503,744	\$1,587,262	34	Includes 5 Frost/Freeze records (outside NRI's Cold Wave definition; counted in this table and in B1-d, not in the B1-e descriptor).
5	Lightning	Relatively High	Relatively High	\$90,828	n/a	\$1,327,077	\$1,417,906	21	
6	Strong Wind	Relatively Moderate	Relatively Moderate	\$548,593	\$7,299	\$666,883	\$1,222,775	352	Includes 52 High Wind and 55 Strong Wind records (NOAA non-thunderstorm wind types, outside NRI's Strong Wind definition).
7	Tornado	Relatively Low	Relatively Low	\$232,690	\$95	\$614,136	\$846,921	0	No recorded events in Storm Events since 1996 (data through 2026-06-30).
8	Hurricane	Relatively Low	Relatively Low	\$606,338	\$26,484	\$28,240	\$661,061	0	Declared 3 times; no Storm Events record of this type.
9	Ice Storm	Relatively Moderate	Relatively High	\$540,984	n/a	\$59,687	\$600,671	3	
10	Winter Weather	Relatively Moderate	Relatively High	\$151,031	\$69	\$313,954	\$465,054	313	

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records, 1996 to 2026-06-30 <i>count</i>	Storm Events coverage note
11	Avalanche	Relatively Moderate	Relatively Low	under \$1	n/a	\$456,666	\$456,666	0	No recorded events in Storm Events since 1996 (data through 2026-06-30).
12	Hail	Very Low	Very Low	\$12,645	\$7,277	\$78,688	\$98,610	120	
13	Wildfire	Very Low	Very Low	\$16,249	\$8	\$2,328	\$18,585	0	No recorded events in Storm Events since 1996 (data through 2026-06-30).
14	Landslide	Relatively Low	Relatively Low	\$11,303	n/a	\$7,061	\$18,363	0	Declared 3 times; no Storm Events record of this type.
15	Drought	No Rating	No Expected Annual Losses	n/a	\$0	n/a	\$0	0	No recorded events in Storm Events since 1996 (data through 2026-06-30).

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

NRI risk rating combines expected annual loss with social vulnerability and community resilience; EAL rating rates expected annual loss alone. Both compare this county with all U.S. counties.

Local data needed: state and local wildfire and landslide records (Storm Events records these hazards only in part).

Not applicable to this county per NRI, with no federal declaration and no Storm Events record since 1996: coastal flooding, tsunami and volcanic activity. That is the evidence for leaving them out of the plan.

The state hazard mitigation plan also lists hazards for this county; FEMA asks the plan to explain any hazard it leaves out.

Supports FEMA checklist item B1-b: hazard location

Inherited from Chittenden County, county-level (county FIPS 50007); scope: whole section.

Affects the whole county (national data give no location within it): Cold Wave, Drought, Hail, Heat Wave, Ice Storm, Lightning, Strong Wind and Winter Weather.

Inland Flooding: The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (<https://msc.fema.gov>) for this county.

Hazards that vary within the county: highest-rated census tracts

Source: 5

Hazard	Highest-rated census tracts <i>NRI risk rating, score 0 to 100</i>
Avalanche	tract 35.02 (Relatively Low, 74.2); tract 30 (Relatively Low, 74.2); tract 21.01 (Relatively Low, 73.9)
Earthquake	tract 39 (Relatively Moderate, 82.1); tract 31.01 (Relatively Moderate, 79.2); tract 10 (Relatively Low, 73.2)
Hurricane	tract 39 (Relatively Low, 67.1); tract 31.01 (Relatively Low, 64.9); tract 33.01 (Relatively Low, 58.6)
Landslide	tract 29 (Relatively Moderate, 97.0); tract 30 (Relatively Low, 94.5); tract 35.02 (Relatively Low, 93.4)
Tornado	tract 39 (Relatively Low, 42.9); tract 31.01 (Relatively Low, 40.0); tract 35.02 (Relatively Low, 37.7)
Wildfire	tract 34.02 (Relatively Low, 74.4); tract 35.01 (Relatively Low, 70.2); tract 33.01 (Very Low, 68.6)

Up to 3 census tracts per hazard, highest National Risk Index rating first, then highest score; a tract number is the Census tract number (for example 35.02 is Census Tract 35.02). FEMA's Resilience Analysis and Planning Tool maps the National Risk Index for every tract: <https://www.fema.gov/emergency-managers/practitioners/resilience-analysis-and-planning-tool>

Supports FEMA checklist item B1-c: hazard extent

Inherited from Chittenden County, county-level (county FIPS 50007); scope: whole section.

Extent: scale, observed range and worst recorded event per hazard

Sources: 6, 7

Hazard	Scale	Records <i>count and years</i>	Observed range	Worst recorded event	Most damaging (when different)	Where in the county	Note
Avalanche	none (count and damage only)	0					Physical measure: in event narratives only (local data needed).
Cold/Wind Chill, Extreme Cold/Wind Chill	wind chill	29 records, 1996 to 2026 (29 zone-level)	1 day to 28 days (median 2 days); 26 with a recorded value	February 2015 (1 monthly summary record), zone-level	Cold/Wind Chill, 2004-01-15, \$100,000 property; crops not reported, reported for the zone (2004 dollars)	Countywide (zone-level records).	Wind chill: in event narratives only (local data needed).
Frost/Freeze (outside NRI's Cold Wave definition)	crop damage	5 records, 2005 to 2023 (5 zone-level)		Frost/Freeze, 2023-05-18, \$1,500,000 crop damage (2023 dollars); NWS zone VTZ005		Countywide (zone-level records).	Temperature: in event narratives only (local data needed).
Drought	U.S. Drought Monitor scale (D0 to D4)	0					Storm Events enters a drought at D2 or worse east of the Rockies and D3 or worse from the Rockies west (NWS Instruction 10-1605); NRI drought counts D3 and D4 only.
Earthquake	Modified Mercalli (local data)	0					Storm Events does not record earthquakes; the USGS earthquake catalog is the source.
Hail	hail size (inches)	136 records, 1957 to 2025	0.5 in to 3.3 in (median 1 in); 132 with a recorded value	3.3 in hail, 2009-07-16		Event records naming places in the county: Colchester town (13 records), Underhill town (10 records), Milton town (9 records), Williston town (9 records), Westford town (8 records), Burlington city (7 records), Hinesburg town (7 records), Charlotte town (6 records), Winooski city (6 records), South Burlington city (5 records); and 7 more places (see the Excel file).	

Hazard	Scale	Records <i>count and years</i>	Observed range	Worst recorded event	Most damaging (when different)	Where in the county	Note
Excessive Heat, Heat	heat index (in event narratives)	12 records, 1996 to 2025 (12 zone-level)	1 day to 6 days (median 2 days); 7 with a recorded value	6 consecutive days, 2020-06-18 to 2020-06-23, zone-level	Heat, 2012-03-17, \$0 property; \$500,000 crops, reported for the zone (2012 dollars)	Countywide (zone-level records).	Heat index: in event narratives only (local data needed). Heat records from November to March (unseasonable warmth, not a heat wave) are counted but not used for the longest run.
Hurricane, Tropical Storm, Tropical Depression	Saffir-Simpson	0					Storm Events files every zone of a storm's episode under the storm's type; flooding from the storm is filed as Flood or Flash Flood records.
Ice Storm	Sperry-Piltz ice scale (local data)	3 records, 1998 to 2013 (3 zone-level)		Ice Storm, 1998-01-06, \$2,500,000 property; crops not reported (1998 dollars), 1 direct injury (reported for the zone); NWS zone VTZ005		Countywide (zone-level records).	Ice thickness: in event narratives only (local data needed).
Flash Flood, Flood, Lakeshore Flood	damage and flood days (flood depth: FIRM)	80 records, 1996 to 2025 (20 zone-level)		Lakeshore Flood, 2011-05-01, \$5,000,000 property; \$0 crops (2011 dollars); NWS zone VTZ005		Event records naming places in the county: Richmond town (7 records), Bolton town (5 records), Burlington city (5 records), Charlotte town (5 records), Essex town (5 records), Hinesburg town (5 records), Shelburne town (5 records), South Burlington city (5 records), Underhill town (5 records), Williston town (5 records); and 4 more places (see the Excel file). Zone-level records (20) apply countywide.	Flood depth: see the FEMA Flood Insurance Rate Map. Storm Events damage is often \$0 or blank for floods, major ones included; FEMA Public Assistance by declaration (B1-d) shows which floods cost the most.
Debris Flow	none (count and damage only)	0					Physical measure: in event narratives only (local data needed).
Lightning	annualized frequency (the measure FEMA's Local Mitigation Planning Handbook names)	21 records, 1996 to 2020		Lightning, 2011-07-06, \$1,000,000 property; \$0 crops (2011 dollars)		Event records naming places in the county: Colchester town (4 records), Essex Junction village (2 records), Shelburne town (2 records), South Burlington city (2 records), Westford town (2 records), Williston town (2 records), Burlington city (1 record), Charlotte town (1 record), Jericho town (1 record), Milton town (1 record).	Storm Events lists lightning with damage or casualties; physical measure in event narratives only (local data needed).
High Wind and Strong Wind (outside NRI's Strong Wind definition)	wind speed (kt and mph)	107 records, 1996 to 2026 (105 zone-level)	30 kt (35 mph) to 76 kt (87 mph) (median 43 kt (49 mph)); 99 with a recorded value	76 kt (87 mph) estimated gust, High Wind, 2009-12-09; NWS zone VTZ017	High Wind, 2010-12-01, \$1,250,000 property; \$0 crops, reported for the zone (2010 dollars)	Event records naming places in the county: Burlington city (1 record). Zone-level records (105) apply countywide.	

Hazard	Scale	Records <i>count and years</i>	Observed range	Worst recorded event	Most damaging (when different)	Where in the county	Note
Thunderstorm Wind	wind speed (kt and mph)	297 records, 1960 to 2025	40 kt (46 mph) to 70 kt (81 mph) (median 50 kt (58 mph)); 229 with a recorded value	70 kt (81 mph) estimated gust, Thunderstorm Wind, 2008-06-10; same speed and measurement basis also recorded on 2005-08-01	Thunderstorm Wind, 2014-07-08, \$500,000 property; \$0 crops (2014 dollars)	Event records naming places in the county: Colchester town (23 records), Milton town (23 records), Burlington city (19 records), Williston town (19 records), Essex town (16 records), Shelburne town (15 records), Charlotte town (14 records), Essex Junction village (14 records), Hinesburg town (12 records), Richmond town (12 records); and 7 more places (see the Excel file).	
Tornado	Enhanced Fujita (Fujita before Feb 2007)	5 records, 1953 to 1987	F/EF0 to F/EF2 (median F/EF1); 5 with a recorded value	F2 tornado, 1983-08-08, 0.2 mi path length (whole path, pre-1996), 10 yd wide, \$2,500,000 property; crops not recorded (1983 dollars)		No event record names a listed place in the county.	Before 1996 a tornado is listed once, under the county where it began, with its whole path's rating and length; from 1996 on, each county lists its own segment. Length is not used to rank tornadoes (see Methods).
Wildfire	acres burned (local data)	0					Acres burned: in event narratives only (local data needed).
Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet	none in data (snowfall: local data)	313 records, 1996 to 2026 (313 zone-level)		Heavy Snow, 2007-02-14, \$200,000 property; \$0 crops (2007 dollars); NWS zone VTZ005		Countywide (zone-level records).	Snow depth: in event narratives only (local data needed).

Where a hazard names more than 10 jurisdictions, the table lists the 10 with the most records; every one is in the Excel file, sheet "B1-c Extent".

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records whose zone no NWS zone-county file places in this county (mostly before 2020) are not counted here (the Methods page explains the zone matching).

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

A monthly summary record covers most or all of a month; it does not count days at wave conditions.

Supports FEMA checklist item B1-d: previous occurrences

Inherited from Chittenden County, county-level (county FIPS 50007); scope: declarations, statewide block and Storm Events history.

Federal declarations for this county: 32 declarations covering 27 separate hazard incidents counted in this packet (declarations for the same incident count once; non-natural and evacuation-only declarations are not counted).

Federal disaster declarations for this county

Sources: 1, 2, 3

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance <i>federal share obligated, nominal dollars</i>	Flags	Notes
2024-08-20	2024-07-09	DR-4810-VT	Major disaster	Severe Storm, Flooding, Landslides, and Mudslides	Inland Flooding; Landslide	\$6,665,019.24	new since last plan; within last 5 years	
2024-08-08	2024-08-08	EM-3609-VT	Emergency	Tropical Depression Debby	Hurricane	no Public Assistance recorded	new since last plan; within last 5 years	
2024-04-19	2024-01-09	DR-4770-VT	Major disaster	Severe Winter Storm	Winter Weather	\$38,069.91	new since last plan; within last 5 years	
2023-07-14	2023-07-07	DR-4720-VT	Major disaster	Severe Storms, Flooding, Landslides, and Mudslides	Inland Flooding (primary); also designated: Landslide	\$5,199,321.15	new since last plan; within last 5 years	
2023-07-10	2023-07-09	EM-3595-VT	Emergency	Flooding	Inland Flooding	no Public Assistance recorded	new since last plan; within last 5 years	same incident as DR-4720
2023-03-20	2022-12-22	DR-4695-VT	Major disaster	Severe Storm and Flooding	Inland Flooding	\$12,053.10	new since last plan; within last 5 years	
2021-08-22	2021-08-22	EM-3567-VT	Emergency	Tropical Storm Henri	Hurricane	no Public Assistance recorded		
2020-04-08	2020-01-20	DR-4532-VT	Major disaster	COVID-19 Pandemic	Non-natural, not counted	\$29,607,392.18		
2020-03-13	2020-01-20	EM-3437-VT	Emergency	COVID-19	Non-natural, not counted	no Public Assistance recorded		same incident as DR-4532
2020-01-17	2019-10-31	DR-4474-VT	Major disaster	Severe Storm and Flooding	Inland Flooding	\$3,244,346.16		
2018-07-30	2018-05-04	DR-4380-VT	Major disaster	Severe Storm and Flooding	Inland Flooding	\$1,498,243.27		
2018-01-02	2017-10-29	DR-4356-VT	Major disaster	Severe Storm and Flooding	Inland Flooding	\$141,546.49		
2015-07-29	2015-06-09	DR-4232-VT	Major disaster	Severe Storm and Flooding	Inland Flooding	\$283,148.43		
2015-02-03	2014-12-09	DR-4207-VT	Major disaster	Severe Winter Storm	Winter Weather	\$236,295.61		
2014-01-29	2013-12-20	DR-4163-VT	Major disaster	Severe Winter Storms	Ice Storm	\$68,376.63		
2013-08-02	2013-06-25	DR-4140-VT	Major disaster	Severe Storms and Flooding	Inland Flooding	\$1,254,214.15		

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance	Flags	Notes
						<i>federal share obligated, nominal dollars</i>		
2013-06-13	2013-05-22	DR-4120-VT	Major disaster	Severe Storms and Flooding	Inland Flooding	\$1,436,953.12		
2011-09-01	2011-08-27	DR-4022-VT	Major disaster	Tropical Storm Irene	Hurricane	\$333,686.18		
2011-08-29	2011-08-26	EM-3338-VT	Emergency	Hurricane Irene	Hurricane	no Public Assistance recorded		same incident as DR-4022
2011-06-15	2011-04-23	DR-1995-VT	Major disaster	Severe Storms and Flooding	Inland Flooding	\$2,460,958.28		
2010-12-22	2010-12-01	DR-1951-VT	Major disaster	Severe Storm	Hazard not mapped (severe storm title names no single hazard); not counted	\$124,721.47		
2004-09-23	2004-08-12	DR-1559-VT	Major disaster	Severe Storms and Flooding	Inland Flooding	\$279,588.24		
2001-04-10	2001-03-05	EM-3167-VT	Emergency	Snow	Winter Weather	\$189,099.54		
1998-06-30	1998-06-17	DR-1228-VT	Major disaster	Severe Storms and Flooding	Inland Flooding	no Public Assistance recorded		
1998-01-15	1998-01-06	DR-1201-VT	Major disaster	Severe Ice Storms, Rain, High Winds and Flooding	Ice Storm; Inland Flooding; Strong Wind	no Public Assistance recorded		
1996-02-13	1996-01-19	DR-1101-VT	Major disaster	Ice Jams and Flooding	Inland Flooding (primary); also designated: Winter Weather	no Public Assistance recorded		
1995-08-16	1995-08-04	DR-1063-VT	Major disaster	Excessive Rainfall, Flooding	Inland Flooding	no Public Assistance recorded		
1993-05-12	1993-04-24	DR-990-VT	Major disaster	Heavy Rain, Snowmelt & Flooding	Inland Flooding	no Public Assistance recorded		
1992-03-18	1992-03-11	DR-938-VT	Major disaster	Heavy Rains, Ice Jams & Flooding	Inland Flooding	no Public Assistance recorded		
1990-07-25	1990-07-04	DR-875-VT	Major disaster	Severe Storms & Flooding	Inland Flooding	no Public Assistance recorded		
1976-08-05	1976-08-05	DR-518-VT	Major disaster	Severe Storms, High Winds & Flooding	Inland Flooding (primary); also designated: Strong Wind	no Public Assistance recorded		
1973-07-06	1973-07-06	DR-397-VT	Major disaster	Severe Storms, Flooding, & Landslides	Inland Flooding (primary); also designated: Landslide	no Public Assistance recorded		

County Public Assistance: the whole county's applicants, including state agencies FEMA files there (federal share obligated, nominal dollars); statewide rows are on the state page; this town's own matched Public Assistance is in B1-f.

Statewide declarations

Source: 2

Declared	Incident began	FEMA number	Type	Title	Mapped hazard
1964-03-17	1964-03-17	DR-164-VT	Major disaster	Flooding	Inland Flooding
1963-11-27	1963-11-27	DR-160-VT	Major disaster	Drought & Impending Freeze	Drought

FEMA recorded these with designated area Statewide and no county, so they are listed on every county page in the state and not counted with county rows. Local data needed: whether each one affected this county.

Previous occurrences by hazard, with explicit no-event rows

Sources: 2, 6, 7

Hazard	Storm Events records, all years on file <i>(years in the Period column)</i>	Since plan approval <i>records</i>	In the 12 months before plan approval <i>records</i>	Last 5 years <i>records</i>	Declared incidents, all years <i>separate disasters</i>	Declared since approval <i>separate disasters</i>	Period	Statement
Avalanche	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Cold Wave	34	5	5	10	0	0	1996 to 2026-06-30	Includes 5 Frost/Freeze records.
Drought	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Earthquake	0	0	0	0	0	0		Storm Events does not record earthquakes; the USGS earthquake catalog is the source.
Hail	136	5	1	6	0	0	1955 to 2026-06-30	
Heat Wave	12	1	0	1	0	0	1996 to 2026-06-30	
Hurricane	0	0	0	0	3	1	1996 to 2026-06-30	No Storm Events records of this type; 3 federal declared incidents (see declarations table)
Ice Storm	3	0	0	0	2	0	1996 to 2026-06-30	
Inland Flooding	80	8	0	8	20	3	1996 to 2026-06-30	
Landslide	0	0	0	0	3	2	1996 to 2026-06-30	No Storm Events records of this type; 3 federal declared incidents (see declarations table)
Lightning	21	0	0	0	0	0	1996 to 2026-06-30	
Strong Wind	404	31	15	48	2	0	1955 to 2026-06-30	Includes 52 High Wind and 55 Strong Wind records.
Tornado	5	0	0	0	0	0	1950 to 2026-06-30	

Hazard	Storm Events records, all years on file <i>(years in the Period column)</i>	Since plan approval <i>records</i>	In the 12 months before plan approval <i>records</i>	Last 5 years <i>records</i>	Declared incidents, all years <i>separate disasters</i>	Declared since approval <i>separate disasters</i>	Period	Statement
Wildfire	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Winter Weather	313	39	10	49	4	1	1996 to 2026-06-30	

Notable Storm Events records

Sources: 1, 6, 7

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Deaths, injuries <i>direct only</i>	Location	Flags	Why listed
2023-05-18	Frost/Freeze		\$0 property; \$1,500,000 crops, reported for the zone (2023 dollars)	0, 0	NWS zone VTZ005 (WESTERN CHITTENDEN), zone-level	new since last plan; within last 5 years	B1-c worst recorded: Frost/Freeze
2020-06-18	Heat		\$0 property; \$0 crops, reported for the zone (2020 dollars)	0, 0	NWS zone VTZ005 (WESTERN CHITTENDEN), zone-level		B1-c worst recorded: Excessive Heat, Heat
2019-07-30	Thunderstorm Wind	50 kt (58 mph) estimated gust	\$25,000 property; \$0 crops (2019 dollars)	2, 0	CHAMPLAIN ARPT		deaths or injuries recorded
2015-02-01	Cold/Wind Chill		\$0 property; \$0 crops, reported for the zone (2015 dollars)	0, 0	NWS zone VTZ017 (EASTERN CHITTENDEN), zone-level		B1-c worst recorded: Cold/Wind Chill, Extreme Cold/Wind Chill
2012-12-21	Strong Wind	43 kt (49 mph) estimated gust	\$35,000 property; \$0 crops, reported for the zone (2012 dollars)	1, 0	NWS zone VTZ005 (WESTERN CHITTENDEN), zone-level		deaths or injuries recorded
2011-07-06	Lightning		\$1,000,000 property; \$0 crops (2011 dollars)	0, 0	ESSEX JCT		B1-c worst recorded: Lightning
2011-05-01	Lakeshore Flood		\$5,000,000 property; \$0 crops, reported for the zone (2011 dollars)	0, 0	NWS zone VTZ005 (WESTERN CHITTENDEN), zone-level		B1-c worst recorded: Flash Flood, Flood, Lakeshore Flood
2011-04-11	Flood		\$30,000 property; \$0 crops (2011 dollars)	1, 0	NORTH UNDERHILL to BOWMAN CORNERS		deaths or injuries recorded
2009-12-09	High Wind	76 kt (87 mph) estimated gust	\$20,000 property; \$0 crops, reported for the zone (2009 dollars)	0, 0	NWS zone VTZ017 (EASTERN CHITTENDEN), zone-level		B1-c worst recorded: High Wind and Strong Wind
2008-06-10	Thunderstorm Wind	70 kt (81 mph) estimated gust	\$20,000 property; \$0 crops (2008 dollars)	0, 0	NORTH UNDERHILL		B1-c worst recorded: Thunderstorm Wind
1998-01-06	Ice Storm		\$2,500,000 property; crops not reported, reported for the zone (1998 dollars)	0, 1	NWS zone VTZ005 (CHITTENDEN), zone-level		B1-c worst recorded: Ice Storm
1983-08-08	Tornado	F2, 0.2 mi path length (whole path, pre-1996), 10 yd wide	\$2,500,000 property; crops not recorded (1983 dollars)	0, 0	location not recorded		B1-c worst recorded: Tornado

The full list is in the Excel file, sheet "B1-d Storm Events history" (1,008 rows).

Location is the place NOAA recorded, as written in its data; it need not be a jurisdiction in this plan.

Local data needed: state-declared emergencies, from your state emergency management agency (federal data do not include them).

FEMA's declaration data list no tribal or special-area declarations for this state.

Supports FEMA checklist item B1-e: probability of future events

Inherited from Chittenden County, county-level (county FIPS 50007); scope: whole section.

Probability: FEMA annualized frequency and descriptor per hazard

Sources: 5, 6

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Avalanche	0.0333	events per year	about 1 in 30 years	Possible	FEMA annualized frequency (modeled)	1	1994 to 2023 (30 years)	see B1-f	
Cold Wave	3.47	event-days per year	about 3.47 days per year	Likely (from Storm Events: 12 of 30 years)	event-days in 12 of 30 years, 1996 to 2025 (40%)	65	2005-11-12 to 2024-11-12 (19 years)	countywide	
Drought	0	event-days per year	none modeled		event-days in 0 of 30 years, 1996 to 2025 (0%)	0	2000 to 2025 (25.25 years; D3 and D4 only)	countywide	No Storm Events drought record, 1996 to 2025
Earthquake	0.00278	annual probability at a location	chance a given location in the county has at least minor-damage shaking in a year: 0.278%			not shown	modeled	see B1-f	No descriptor (Storm Events does not record earthquakes).
Hail	1.12	events per year	about 1.12 per year	Highly likely	FEMA annualized frequency (modeled)	42.4 (modeled)	1986 to 2023 (38 years)	countywide	
Heat Wave	2.07	event-days per year	about 2.07 days per year	Likely (from Storm Events: 8 of 30 years)	event-days in 8 of 30 years, 1996 to 2025 (26.7%)	37.7	2005-11-12 to 2024-11-12 (19 years)	countywide	
Hurricane	0.0262	events per year	about 1 in 38 years	Possible	FEMA annualized frequency (modeled)	8	1851 to 2024 (Atlantic)	see B1-f	NRI counts hurricane and tropical storm tracks passing within storm-force wind range; federal declarations are in B1-d.
Ice Storm	0.329	event-days per year	about 0.329 days per year	Possible (from Storm Events: 2 of 30 years)	event-days in 2 of 30 years, 1996 to 2025 (6.67%)	23	1946-12-31 to 2014-02-12 (67 years)	countywide	
Inland Flooding	2.14	event-days per year	about 2.14 days per year	Likely (from Storm Events: 23 of 30 years)	event-days in 23 of 30 years, 1996 to 2025 (76.7%)	60	1996 to 2023 (28 years)	see B1-f	
Landslide	0.814	events per year (modeled)	about 0.81 per year	Likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Lightning	23	days per year with a strike	about 23 days per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1995 to 2023 (29 years; CONUS)	countywide	
Strong Wind	0.776	events per year	about 0.78 per year	Likely	FEMA annualized frequency (modeled)	30	1986 to 2023 (38 years)	countywide	
Tornado	0.0282	events per year	about 1 in 35 years	Possible	FEMA annualized frequency (modeled)	not shown	1950 to 2023 (EF2+); 1986 to 2023 (EF0-1)	see B1-f	
Wildfire	0.0000725	annual probability at a location	chance a given location in the county burns in a year: 0.00725%		Storm Events records in 0 of 30 years, 1996 to 2025 (0%)	not shown	modeled	see B1-f	No descriptor: no Storm Events record 1996 to 2025
Winter Weather	16.9	event-days per year	about 16.9 days per year	Highly likely (from Storm Events: 30 of 30 years)	event-days in 30 of 30 years, 1996 to 2025 (100%)	317	2005-11-12 to 2024-11-12 (19 years)	countywide	

FEMA annualized frequency (modeled) is the National Risk Index v1.20 (December 2025) estimate of how often a hazard affects this county in a year; it is not recorded events divided by years, and its unit differs by hazard (events, event-days, or days with a lightning strike per year). For earthquake, wildfire, coastal flooding and tsunami the value is the chance (or number of events) at a location in the county, not across the county, so no "1 in N years" is given and the descriptor comes from Storm Events where it has a record (none for earthquake). The Methods page gives each hazard's method, from FEMA's National Risk Index Technical Documentation v1.20.

Where NRI gives event-days, the descriptor comes from the share of years with a Storm Events record; NRI's source records more events, so the two differ.

Descriptor scale used in this packet (defined per unit)

Sources: 5, 6

Unit	Descriptor	Definition
events per year	Highly likely	1 or more per year
events per year	Likely	about once in 1 to 10 years
events per year	Possible	about once in 10 to 100 years
events per year	Unlikely	less than once in 100 years
annual probability	Likely	10% to under 100% chance in a given year
annual probability	Possible	1% to under 10% chance in a given year
annual probability	Unlikely	under 1% chance in a given year
event-days (share of years)	Highly likely	event-days recorded in 90% or more of years
event-days (share of years)	Likely	event-days recorded in 10% to under 90% of years
event-days (share of years)	Possible	event-days recorded in some years but under 10% of years
lightning strike-days	Highly likely	cloud-to-ground strikes on 1 or more days per year

Intensity bands: historical frequency (Storm Events)

Source: 6

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Hail	1.00-1.99 in	1996 to 2025	62	30	2.07
Hail	2.00 in+	1996 to 2025	2	30	0.0667
Thunderstorm Wind (counted as NRI Strong Wind)	50-64 kt	1996 to 2025	214	30	7.13
Thunderstorm Wind (counted as NRI Strong Wind)	65 kt+	1996 to 2025	3	30	0.1
Thunderstorm Wind (counted as NRI Strong Wind)	unmeasured or below 50 kt	1996 to 2025	28	30	0.933
Tornado	EF0-1	1996 to 2025	0	30	0
Tornado	EF2-3	1996 to 2025	0	30	0
Tornado	EF4-5	1996 to 2025	0	30	0
Tornado	unrated (EFU)	1996 to 2025	0	30	0

The bands show how often events of each severity were recorded in this county, to profile how severe events have been (FEMA's probability item asks for the range of intensities).

Hail smaller than 1 inch is not counted: on 2010-01-05 the National Weather Service raised its severe-hail threshold from 3/4 inch to 1 inch, so smaller reports became less common after 2009 (NWS Service Change Notice 09-52). NRI hail frequency uses a 0.75 inch threshold.

Optional: future conditions. Not a required item in the 2025 FEMA Local Mitigation Planning Policy Guide; some states ask for it. The federal Climate Mapping for Resilience and Adaptation (CMRA) site gives county exposure to future climate conditions (<https://resilience.climate.gov/>).

Supports FEMA checklist item B1-f: hazards that vary across jurisdictions

Range of census tract risk within the county

Source: 5

Hazard	Tracts <i>rated of all</i>	NRI risk score, 0 to 100			Tracts by rating
		Min	Median	Max	
Avalanche	5 of 41	73.6	73.9	74.2	Relatively Low 5, Not Applicable 36
Cold Wave	41 of 41	15.7	37.2	57.6	Relatively Moderate 4, Relatively Low 36, Very Low 1
Drought	0 of 41				No Rating 41
Earthquake	41 of 41	19.9	45.7	82.1	Relatively Moderate 2, Relatively Low 28, Very Low 11
Hail	41 of 41	1.1	29.0	42.0	Relatively Low 3, Very Low 38
Heat Wave	41 of 41	1.4	45.3	75.8	Relatively Moderate 8, Relatively Low 29, Very Low 4
Hurricane	41 of 41	35.8	52.0	67.1	Relatively Low 22, Very Low 19
Ice Storm	41 of 41	14.3	65.5	92.4	Relatively High 2, Relatively Moderate 15, Relatively Low 23, Very Low 1
Inland Flooding	41 of 41	0.6	35.7	91.0	Relatively High 2, Relatively Moderate 13, Relatively Low 22, Very Low 4
Landslide	41 of 41	12.8	58.4	97.0	Relatively Moderate 1, Relatively Low 7, Very Low 33
Lightning	41 of 41	0.7	76.0	95.7	Relatively High 17, Relatively Moderate 20, Relatively Low 3, Very Low 1

Hazard	Tracts <i>rated of all</i>	NRI risk score, 0 to 100			Tracts by rating
		Min	Median	Max	
Strong Wind	41 of 41	9.9	55.9	85.0	Relatively High 1, Relatively Moderate 22, Relatively Low 17, Very Low 1
Tornado	41 of 41	1.9	28.5	42.9	Relatively Low 16, Very Low 25
Wildfire	38 of 41	19.2	46.6	74.4	Relatively Low 2, Very Low 36, No Rating 3
Winter Weather	41 of 41	20.5	78.5	94.7	Relatively High 20, Relatively Moderate 20, Relatively Low 1

Chittenden County's 41 census tracts; NRI rates census tracts, not towns.

Rated tracts only: No Rating (score 0.0), Not Applicable and Insufficient Data tracts are counted but not used for the minimum, median and maximum.

The score ranks a tract against all U.S. tracts (100 = highest). The rating is FEMA's category for the tract's risk value, computed differently, so the two can disagree.

Frequency data for cold wave, hail, heat wave, ice storm, lightning, strong wind and winter weather are county-wide or coarse (49 km grid or NWS zone), the same for every jurisdiction; the tract range mostly reflects where buildings and people are.

Each jurisdiction (starting figures from federal data)

Sources: 1, 3, 4, 6

Jurisdiction	Type	Plan status	Repetitive loss	Public Assistance to this jurisdiction	Event records naming this place	Notes
			<i>FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition</i>	<i>FEMA records matched by applicant name; federal share obligated, nominal dollars</i>	<i>all years; since its plan</i>	
Shelburne town	Town	Approved, expires 2027-11-10	FMA RL 0, SRL 0; any 0	\$94,315.65	25 total; 1 since its plan	Includes \$4,951.62 for declarations not counted as hazard incidents (DR-4532-VT).

Repetitive-loss counts are for whole NFIP communities, which can extend beyond this county (see the note in B2-c).

Supports FEMA checklist items B2-a and B2-b: vulnerability and potential impacts

Inherited from Chittenden County, county-level (county FIPS 50007); scope: NRI exposure and expected annual loss; since-plan figures use the town's own approval date.

Local data needed

The table below gives county-level starting figures; the plan describes impacts for each jurisdiction and its own assets.

- Critical facilities and lifelines per hazard
- A problem statement per jurisdiction per hazard
- Changes in development in hazard-prone areas since the last approval, or a statement of none (E1-a)
- Future assets
- Vermont Flood Ready Atlas and Agency of Natural Resources (ANR) river corridors for town flood and erosion locations.
- The Emergency Relief and Assistance Fund (ERAF) Flood Hazard Summary gives E911 building counts in the Special Flood Hazard Area (SFHA) per town.
- Vermont Dam Inventory for dams in and upstream of the town.
- Vermont Emergency Management (VEM) hazard mitigation planning resources and the 2023 Vermont State Hazard Mitigation Plan. <https://vem.vermont.gov/hm-planning-resources>

County-level starter: exposure, expected annual loss and damage since the plan (Chittenden County, county-level)

Sources: 1, 2, 3, 5, 6, 7

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2022-11-11 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Avalanche	\$172,968	n/a	5	under \$1	n/a	\$456,666	0.0001%				
Cold Wave	\$40,414,880,347	\$56,100,811	168,162	\$6,086	\$77,432	\$1,503,744	under 0.0001%		\$1,500,000		Storm Events damage since the plan includes 1 zone-level Frost/Freeze record (\$1,500,000): outside NRI's Cold Wave definition.
Drought	n/a	\$0	n/a	n/a	\$0	n/a					agriculture exposure is 0 in NRI
Earthquake	\$70,812,620,784	n/a	168,323	\$1,833,011	n/a	\$314,944	0.00259%				
Hail	\$40,414,880,347	\$56,100,811	168,162	\$12,645	\$7,277	\$78,688	under 0.0001%	\$20,000			
Heat Wave	\$40,414,880,347	\$56,100,811	168,162	\$1	\$37,686	\$1,759,734	under 0.0001%		\$0		

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	Cost of expected deaths and injuries <i>FEMA's dollar value per year, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2022-11-11 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Hurricane	\$40,397,757,407	\$56,084,440	168,041	\$606,338	\$26,484	\$28,240	0.0015%			no Public Assistance recorded (1 declaration)	
Ice Storm	\$40,413,608,910	n/a	168,153	\$540,984	n/a	\$59,687	0.00134%				
Inland Flooding	\$40,373,970,472	\$15,673,575	1,651	\$28,508,887	\$67,191	\$221,627	n/a (see note)	\$920,000		\$11,876,393.49	NRI counts the full building value of any census block with some flood loss; this is not the value of buildings in the floodplain. Use local FIRM overlays for B2-a/B2-b.
Landslide	\$1,278,020,800	n/a	5,344	\$11,303	n/a	\$7,061	0.000884%			\$11,864,340.39	
Lightning	\$40,414,880,347	n/a	168,162	\$90,828	n/a	\$1,327,077	0.000225%				
Strong Wind	\$40,414,880,347	\$56,100,811	168,162	\$548,593	\$7,299	\$666,883	0.00136%	\$115,000	\$925,000		Storm Events damage since the plan includes 4 zone-level High Wind records (\$840,000) and 3 zone-level Strong Wind records (\$85,000): NOAA non-thunderstorm wind types, outside NRI's Strong Wind definition.
Tornado	\$40,414,880,347	\$56,100,811	168,162	\$232,690	\$95	\$614,136	0.000576%				
Wildfire	\$4,411,880,493	\$12,939,115	26,460	\$16,249	\$8	\$2,328	0.000368%				
Winter Weather	\$40,414,880,347	\$56,100,811	168,162	\$151,031	\$69	\$313,954	0.000374%		\$0	\$38,069.91	

Totals since 2022-11-11 (Storm Events through 2026-06-30): 34 county-coded records, 34 with a damage value recorded (including \$0), \$1,055,000; 55 zone-level records, 55 with a damage value recorded (including \$0), \$2,425,000 reported for the zone; Public Assistance: \$11,914,463.40 on 6 counted declarations, 4 of them with Public Assistance.

FEMA does not split Public Assistance by hazard. A declaration mapped to several hazards is listed under each of them with its full amount, so the per-hazard column does not add up to the total; the unit total counts each declaration once.

NRI computes earthquake exposure on its own basis, so it exceeds the county building value in B2-a.

Supports FEMA checklist item B2-a: vulnerability (county context)

Inherited from Chittenden County, county-level (county FIPS 50007); scope: whole section.

County context

Source: 5

Measure	Value
Population	168,162
Building value (total, not at risk)	\$40,414,880,347
Agriculture value (total, not at risk)	\$56,100,811
NRI risk rating (all hazards)	Relatively Low
Expected annual loss, buildings and agriculture, all hazards	\$32,782,186
Expected annual loss, population equivalence, all hazards (NRI values each statistical life at \$13.7M; a modeled value of expected deaths and injuries, not property damage)	\$7,354,769
Social vulnerability rating	Very Low
Community resilience rating	Very High
NRI version	December 2025

FEMA's all-hazard expected annual loss adds buildings, agriculture and population equivalence; this table gives the property part and the population-equivalence part as separate rows.

Social vulnerability: higher means people are more likely to be harmed and slower to recover. Community resilience: lower means the community is less able to recover. High social vulnerability and low resilience both raise the NRI risk rating.

Supports FEMA checklist item B2-c: repetitive loss properties

Repetitive loss in Chittenden County, both definitions

Sources: 1, 4

Definition	Properties	Severe repetitive loss	Properties
Repetitive loss, FMA definition (44 CFR 77.2)	1	Severe repetitive loss, FMA definition (44 CFR 77.2)	2
Repetitive loss, NFIP insurance definition	14	Severe repetitive loss, NFIP insurance definition	1

The state NFIP coordinator's list, the source FEMA's Handbook names, often uses the NFIP insurance definition (second row).

Repeat-flood properties: county total and NFIP communities

Sources: 1, 4

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
County total	1	2	14	1	14	0	8
of which: Colchester town	0	0	1	0	1	0	0
of which: Huntington town	0	0	2	0	2	0	2
of which: Jericho town	0	0	1	0	1	0	0
of which: Milton town	0	0	2	0	2	0	1
of which: Richmond town	0	1	5	1	5	0	4
of which: Underhill town	0	0	1	0	1	0	0
of which: Bolton town	1	1	2	0	2	0	1

Repeat-flood properties by jurisdiction in the plan (NFIP community)

Sources: 1, 4

Jurisdiction	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
Shelburne town	500193	0	0	0	0	0	0	0

Counts by occupancy group for each jurisdiction are in the Excel file, sheet "B2-c Jurisdictions".

Jurisdiction rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each jurisdiction row, while the county table counts only its part in this county.

County repeat-flood properties by occupancy group

Sources: 1, 4

Occupancy group	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
single-family residential	1	1	9	0	9	0	6
2 to 4 unit residential	0	1	2	1	2	0	1
other residential	0	0	1	0	1	0	1
non-residential	0	0	2	0	2	0	0
not reported	0	0	0	0	0	0	0

FEMA's occupancy groups have no institutional class; institutional properties are counted in non-residential or other residential in the table by occupancy group.

FMA RL and FMA SRL are the Flood Mitigation Assistance definitions (44 CFR 77.2), the ones the FEMA Local Mitigation Planning Policy Guide cites. NFIP repetitive loss (the FEMA insurance definition) is 2 or more claims over \$1,000 in 10 years, and a property can leave that group once it is mitigated. Also shown: NFIP severe repetitive loss, any category, mitigated and currently insured. The Methods page gives the OpenFEMA field details.

Counts are aggregates of FEMA's public NFIP Multiple Loss Properties file (FEMA's data date 2026-08-02; file version 2026-08-04). No property is identified. County assignment is FEMA's geocode.

In this county 0 properties are FMA repetitive loss but not NFIP repetitive loss, and 13 properties are NFIP repetitive loss but not FMA repetitive loss.

Exact counts; no count suppression.

Sources

Tables cite these sources by number. The full list, for the plan's bibliography (FEMA review item A4-a):

1. FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-29T134039Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
2. FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-29T162832Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
3. FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-29T150754Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
4. FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-30, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
5. FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-30, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
6. NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-30, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
7. NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-30, <https://www.weather.gov/gis/ZoneCounty>
8. U.S. Census Bureau, Census 2024 Gazetteer, 2020 place by county, CT county-to-cousub crosswalk, version 2024-gazetteer, pulled 2026-09-30, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_counties_national.zip, [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_cousubs_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_cousubs_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_place_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_place_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_unsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_unsd_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_elsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_elsd_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_scsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_scsd_national.zip), https://www2.census.gov/geo/docs/reference/codes2020/national_place_by_county2020.txt, https://www2.census.gov/geo/docs/reference/ct_change/ct_cou_to_cousub_crosswalk.xlsx (used to match place names and codes; no table prints its values)

What this packet is and what the plan adds

This packet is the federal data for the plan's risk assessment, organized by the items of FEMA's Local Mitigation Plan Review Tool, Element B. Each section heading names the item its tables support; the plan and FEMA's review decide whether the item is met.

The plan adds what only the community has: local data on assets, critical facilities, development and each jurisdiction's impacts; local hazard history, including state-declared emergencies; the mitigation strategy; and adoption.

How the federal data are built: National Risk Index values are FEMA's model, not counts of events. Storm Events is more complete from 1996; zone-level records are placed by forecast zone, not by location in the county. Public Assistance for a jurisdiction is matched by applicant name. The Methods page gives every rule and the known edge cases.

OpenFEMA disclaimer

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Reuse, citation and corrections

Reuse and citation: Hazard Plain text and tables are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0, <https://creativecommons.org/licenses/by/4.0/>); credit Hazard Plain and the release. The underlying federal data are public domain; OpenFEMA data are also subject to the OpenFEMA terms and conditions.

Cite this: Hazard Plain (2026). Shelburne town, VT: risk-assessment baseline packet, release 2026-10 (data as of 2026-09-30; Town FIPS 5000764300). Automated baseline. <https://hazardplain.org/vt/5000764300/> Built from FEMA OpenFEMA, the FEMA National Risk Index and NOAA NCEI Storm Events; source versions in the packet's Sources list.

Corrections: to report an error, name the packet, the table and what your records show. Contact: contact@hazardplain.org

Hazard Plain release 2026-10. As of 2026-09-30; Storm Events data through 2026-06-30. Automated baseline.