

Apache County, AZ

Risk-assessment baseline packet

Unit **County area 04001** Release **2026-10** As of **2026-09-28** Storm Events data through **2026-06-30**

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

A starting point for the plan's risk assessment (FEMA Local Mitigation Plan Review Tool, Element B). It does not replace local data or FEMA review. Section headings say which FEMA review item each table supports; whether an item is satisfied is decided by the plan and its reviewers.

OPENFEMA DISCLAIMER

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Plan clock

Status	Approved, expires 2029-08-14	Plan	Apache County (FEMA plan 108220)
Approved	2024-08-15	Expires	2029-08-14
As of	2026-09-28	Days	1,051 days to expiry

What changed since your last plan (approved 2024-08-15)

New federal declarations	FM-5584-AZ (1 declaration row; 1 counted incident)	Storm Events records since approval	22 (data through 2026-06-30)
Repetitive loss now	FMA RL 0, SRL 0 (44 CFR 77.2); any definition: 0	Repeat-flood change	First release: no prior release to compare.

SOURCES: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API); FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API); NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>; FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

Plan status for every jurisdiction listed in this county

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry <i>negative = days since expiry</i>	Update underway	Notes
Apache County	County	Approved, expires 2029-08-14	Apache County (FEMA plan 108220)	2024-08-15	2029-08-14	1,051		member approved 2024-08-27
Eagar town	Town	Approved, expires 2029-08-14	Apache County (FEMA plan 108220)	2024-08-15	2029-08-14	1,051		
Springerville town	Town	Approved, expires 2029-08-14	Apache County (FEMA plan 108220)	2024-08-15	2029-08-14	1,051		member approved 2024-09-05
St. Johns city	City	Plan 108220 approved 2024-08-15, pending adoption here; not yet eligible	Apache County (FEMA plan 108220), pending adoption here	2024-08-15 by FEMA; not yet adopted here	2029-08-14 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.

SOURCE: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

State plan status and tribal plans in this state: see the state page.

CONTENTS

1. Plan clock, page 1	7. Supports B1-e: probability, page 11
2. What changed since your last plan (approved 2024-08-15), page 1	8. Supports B1-f: variation across the planning area, page 14
3. Supports B1-a: hazards, page 2	9. Supports B2-a and B2-b: assets and impacts, page 15
4. Supports B1-b: location, page 3	10. Supports B2-a: context, page 17
5. Supports B1-c: extent, page 4	11. Supports B2-c: repetitive loss, page 17
6. Supports B1-d: previous occurrences, page 7	12. Sources and OpenFEMA disclaimer, page 19

Supports B1-a: hazards

Hazards NRI does not cover: check locally

- dam failure (incl. upstream dams)
 - levee failure
 - flash flood as its own subtype
 - ice jams
- debris flows
 - erosion (riverine and coastal)
 - land subsidence and sinkholes
 - expansive soils

The 18 National Risk Index hazards, ranked by expected annual loss (EAL)

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records since 1996 <i>count</i>	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
1	Inland Flooding	Relatively Moderate	Relatively Low	\$10,781,699	\$111	\$26,164	\$10,807,973	107		
2	Wildfire	Relatively High	Relatively Moderate	\$5,807,453	\$23	\$240,754	\$6,048,230	16		
3	Lightning	Very High	Relatively High	\$2,904		\$2,322,789	\$2,325,693	5		
4	Cold Wave	Relatively Low	Relatively Low	\$1,987	\$344	\$828,962	\$831,293	6		
5	Earthquake	Relatively Low	Relatively Low	\$308,945		\$62,419	\$371,363			Not in Storm Events. Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
6	Winter Weather	Relatively High	Relatively Moderate	\$1,059	under \$1	\$222,936	\$223,995	134		
7	Heat Wave	Relatively Low	Very Low	\$26	\$453	\$167,722	\$168,200	7		
8	Drought	Relatively Low	Relatively Low		\$78,692		\$78,692	0		Declared 1 time; no Storm Events record of this type.
9	Ice Storm	Relatively Low	Relatively Low	\$75		\$53,018	\$53,093	1		
10	Landslide	Relatively Moderate	Relatively Low	\$15,768		\$35,871	\$51,639	1		

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records since 1996 <i>count</i>	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
11	Strong Wind	Very Low	Very Low	\$4,250	\$2	\$28,077	\$32,329	172		Includes 155 High Wind records and 1 Strong Wind record, event types the NRI definition of this hazard leaves out.
12	Hail	Very Low	Very Low	\$9,801	\$197	\$3,183	\$13,182	20		
13	Tornado	Very Low	Very Low	\$3,307	\$148	\$2,014	\$5,469	14		
14	Hurricane	Very Low	Very Low	\$1,232	\$114	under \$1	\$1,346	0		No recorded events in Storm Events since 1996 (data through 2026-06-30).
15	Avalanche	Very Low	Very Low	\$3		\$308	\$310	1		
16	Volcanic Activity	Very Low	Very Low	under \$1		\$11	\$11	0		No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
	Coastal Flooding	Not Applicable	Not Applicable					0	NRI rates coastal flooding Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Tsunami	Not Applicable	Not Applicable					0	NRI rates tsunami Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Check your state hazard mitigation plan's hazard list for this county; explain any hazard you drop.

Supports B1-b: location

Where each hazard occurs

Hazard	Location	Census tracts rated <i>rated of all tracts</i>
Avalanche	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	13 of 18
Coastal Flooding	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 18
Cold Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	15 of 18
Drought	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	1 of 18
Earthquake	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	18 of 18

Hazard	Location	Census tracts rated <i>rated of all tracts</i>
Hail	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	18 of 18
Heat Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	18 of 18
Hurricane	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	18 of 18
Ice Storm	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	18 of 18
Inland Flooding	The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (https://msc.fema.gov) for this county.	18 of 18
Landslide	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	18 of 18
Lightning	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	18 of 18
Strong Wind	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	18 of 18
Tornado	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	18 of 18
Tsunami	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 18
Volcanic Activity	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	17 of 18
Wildfire	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	18 of 18
Winter Weather	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	18 of 18

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B1-c: extent

Extent: scale, observed range and worst recorded event per hazard

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Avalanche	none (count and damage)	1, 2022 to 2022 (1 zone-level)		No damage reported in 1 records.		Zone-level records: applies countywide; national data do not locate these events within the county.	Physical measure: in event narratives only; local data required.
Coastal Flood, Storm Surge/ Tide	none in data (FIRM for depth)	0					Flood depth: see the FEMA Flood Insurance Rate Map.
Cold/Wind Chill, Extreme Cold/Wind Chill	wind chill	6, 2011 to 2023 (6 zone-level)	1 day to 3 days (median 2 days); 6 with a recorded value	3 consecutive days, 2011-02-01 to 2011-02-03, zone-level	Extreme Cold/Wind Chill, 2011-01-01, \$50,000 property; \$0 crops, reported for the zone (2011 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	Wind chill: in event narratives only; local data required.
Frost/Freeze (outside NRI Cold Wave definition)	crop damage	0					Temperature: in event narratives only; local data required.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Drought	US Drought Monitor D-scale	0					Storm Events enters a drought at D2 or worse east of the Rockies and D3 or worse from the Rockies west (NWS Instruction 10-1605); NRI drought counts D3 and D4 only.
Earthquake	Modified Mercalli (local data)	0					No Storm Events record; local data required (e.g., USGS).
Hail	hail size (inches)	21, 1990 to 2024	0.75 in to 1.75 in (median 1 in); 21 with a recorded value	1.75 in hail, 2018-09-01; same size also recorded on 1998-07-31, 2002-04-07, 2002-07-27, 2002-09-10, 2010-10-06	Hail, 2019-08-28, \$5,000 property; \$0 crops (2019 dollars)	Event records naming member places: Eagar town (1 record), St. Johns city (1 record).	
Excessive Heat, Heat	heat index (narratives)	7, 2013 to 2017 (7 zone-level)	2 days to 7 days (median 3 days); 3 with a recorded value	7 consecutive days, 2017-06-17 to 2017-06-23, zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Heat index: in event narratives only; local data required.
Hurricane, Tropical Storm, Tropical Depression	Saffir-Simpson	0					Storm Events files every zone of a storm's episode under the storm's event type and category, so a Hurricane (Typhoon) record, especially an inland or remnant one, does not by itself mean hurricane-force winds here; read the damage and wind columns.
Ice Storm	Sperry-Piltz (local data)	1, 2006 to 2006 (1 zone-level)		No damage reported in 1 records.		Zone-level records: applies countywide; national data do not locate these events within the county.	Ice thickness: in event narratives only; local data required.
Flash Flood, Flood, Lakeshore Flood	damage and flood days (FIRM for depth)	107, 1996 to 2025		Flash Flood, 2013-09-14, \$100,000 property; \$0 crops (2013 dollars)		Event records naming member places: St. Johns city (8 records), Springerville town (1 record).	Flood depth: see the FEMA Flood Insurance Rate Map. Storm Events damage can be \$0 or blank even for a major flood, so the worst record here may not be the worst flood; compare FEMA Public Assistance by declaration in B1-d.
Debris Flow	none (count and damage)	1, 2010 to 2010 (1 zone-level)		No damage reported in 1 records.		Zone-level records: applies countywide; national data do not locate these events within the county.	Physical measure: in event narratives only; local data required.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Lightning	annualized frequency (the measure FEMA's Local Mitigation Planning Handbook names)	5, 2006 to 2013		Lightning, 2013-09-20, \$0 property; \$0 crops (2013 dollars), 1 direct death	Lightning, 2013-09-13, \$7,500 property; \$0 crops (2013 dollars)	No event record names a member place.	Storm Events lists lightning with damage or casualties; physical measure in event narratives only; local data required.
High Wind and Strong Wind (outside NRI Strong Wind definition)	wind speed (kt and mph)	156, 1996 to 2026 (156 zone-level)	37 kt (43 mph) to 90 kt (104 mph) (median 55 kt (63 mph)); 155 with a recorded value	90 kt (104 mph), measurement type not recorded, High Wind, 1999-03-31; NWS zone AZZ014 (LITTLE COLORADO RIVER VALLEY IN APACHE COUNTY), zone-level: may include parts of neighboring counties	High Wind, 2009-04-15, \$50,000 property; \$0 crops, reported for the zone (2009 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	
Thunderstorm Wind	wind speed (kt and mph)	22, 1978 to 2025	50 kt (58 mph) to 93 kt (107 mph) (median 56 kt (64 mph)); 20 with a recorded value	93 kt (107 mph) measured gust, Thunderstorm Wind, 2010-08-23	Thunderstorm Wind, 2012-07-30, \$4,000 property; \$0 crops (2012 dollars)	Event records naming member places: St. Johns city (5 records).	
Tornado	Enhanced Fujita (F before Feb 2007)	18, 1957 to 2026	F/EF0; 14 with a recorded value	EF0 tornado, 2022-09-13, 7.71 mi within this county, 10 yd wide, \$0 property; \$0 crops (2022 dollars); same rating, casualties and property damage also recorded on 2008-09-03, 2009-05-22, 2010-08-03, 2010-10-21, 2015-10-20, 2021-06-17		Event records naming member places: Springerville town (1 record), St. Johns city (1 record).	From 1996 on, tornado records are per-county segments and length is the path length within this county (NWS Instruction 10-1605); records before 1996 may give the whole path length, including the path outside this county, and before 1996 a tornado is listed once, under the county where it began, with the whole path's rating; counties farther along the path may not list it. Length is not used to rank tornadoes.
Tsunami	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Volcanic Ash, Volcanic Ashfall	Volcanic Explosivity Index (local data)	0					Physical measure: in event narratives only; local data required.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Wildfire	acres burned (local data)	16, 1996 to 2021 (14 zone- level)		Wildfire, 2011-06-01, \$58,000,000 property; \$0 crops, reported for the zone (2011 dollars); NWS zone AZZ017 (WHITE MOUNTAINS), zone-level: may include parts of neighboring counties		Event records naming member places: Springerville town (1 record). Zone-level records (14) apply countywide.	Acres burned: in event narratives only; local data required.
Winter Storm, Heavy Snow, Blizzard, Lake- Effect Snow, Winter Weather, Sleet	none in data (snowfall local)	134, 1996 to 2026 (134 zone-level)		No damage reported in 134 records.		Zone-level records: applies countywide; national data do not locate these events within the county.	Snow depth: in event narratives only; local data required.

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Supports B1-d: previous occurrences

Declaration rows16Counted incidents11

Federal disaster declarations for this county

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance <i>federal share obligated, nominal dollars</i>	Flags	Notes
2025-05-14	2025-05-14	FM-5584-AZ	Fire management	GREER FIRE	Wildfire	none found	new since last plan; within last 5 years	
2021-09-13	2021-07-22	DR-4620-AZ	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	\$4,475,709.97		
2020-04-04	2020-01-20	DR-4524-AZ	Major disaster	COVID-19 PANDEMIC	Non-natural, not counted	\$83,694.12		
2020-03-13	2020-01-20	EM-3442-AZ	Emergency	COVID-19	Non-natural, not counted	none found		same incident as DR-4524
2011-06-02	2011-06-01	FM-2915-AZ	Fire management	WALLOW FIRE	Wildfire	none found		
2010-03-18	2010-01-18	DR-1888-AZ	Major disaster	SEVERE WINTER STORMS AND FLOODING	Inland Flooding; Winter Weather	\$226,291.53		
2010-01-24	2010-01-20	EM-3307-AZ	Emergency	SEVERE WINTER STORM	Winter Weather	none found		same incident as DR-1888

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance	Flags	Notes
						<i>federal share obligated, nominal dollars</i>		
2005-09-12	2005-08-29	EM-3241-AZ	Emergency	HURRICANE KATRINA EVACUATION	Hurricane: evacuation support, not a local hazard event; not counted	none found		
2005-02-17	2004-12-28	DR-1581-AZ	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding: designated for Hazard Mitigation only (no Public or Individual Assistance for this county); not counted	PA not declared for this county		
2004-06-09	2004-06-08	FM-2520-AZ	Fire management	THREE FORKS FIRE	Wildfire	none found		
2002-06-25	2002-06-18	DR-1422-AZ	Major disaster	WILDFIRES	Wildfire	none found		
1993-01-19	1993-01-05	DR-977-AZ	Major disaster	SEVERE STORMS, TORNADOES & FLOODING	Inland Flooding (primary); also designated: Tornado	none found		
1983-10-05	1983-09-23	DR-691-AZ	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	none found		
1978-03-04	1978-03-04	DR-551-AZ	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	none found		
1977-04-15	1977-04-15	EM-3038-AZ	Emergency	DROUGHT	Drought	none found		
1970-09-22	1970-09-22	DR-294-AZ	Major disaster	HEAVY RAINS & FLASH	Inland Flooding	none found		

County Public Assistance: applicants the FEMA record places in this county, including any state agencies FEMA files there; statewide rows are listed on the state page; federal share obligated, nominal dollars. Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Statewide declarations

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	Flags	Notes
2000-10-27	2000-10-21	DR-1347-AZ	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding		

FEMA recorded these with designated area Statewide and no county. Listed on every county page in the state; not counted with county rows.
15 Fire Management declarations (1990-06-27 to 1996-06-24) FEMA filed as Statewide with no county; each names one local fire. Listed on the state page.

SOURCE

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

Previous occurrences by hazard, with explicit no-event rows

Hazard	Storm Events records <i>full period</i>	Since plan approval <i>records</i>	During plan review <i>records</i>	Last 5 years <i>records</i>	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Avalanche	1	0	0	1	0	0	1996 to 2026-06-30	
Coastal Flooding	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events

Hazard	Storm Events records <i>full period</i>	Since plan approval records	During plan review records	Last 5 years records	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Cold Wave	6	0	0	3	0	0	1996 to 2026-06-30	
Drought	0	0	0	0	1	0	1996 to 2026-06-30	No Storm Events records of this type; 1 federal declared incident (see declarations table)
Earthquake	0	0	0	0	0	0		No Storm Events record; local data required (e.g., USGS).
Hail	21	0	1	2	0	0	1955 to 2026-06-30	
Heat Wave	7	0	0	0	0	0	1996 to 2026-06-30	
Hurricane	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Ice Storm	1	0	0	0	0	0	1996 to 2026-06-30	
Inland Flooding	107	1	5	19	6	0	1996 to 2026-06-30	
Landslide	1	0	0	0	0	0	1996 to 2026-06-30	
Lightning	5	0	0	0	0	0	1996 to 2026-06-30	
Strong Wind	178	13	10	43	0	0	1955 to 2026-06-30	Includes 155 High Wind records and 1 Strong Wind record, event types the NRI definition of this hazard leaves out.
Tornado	18	2	0	3	1	0	1950 to 2026-06-30	
Tsunami	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Volcanic Activity	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Wildfire	16	0	0	0	4	1	1996 to 2026-06-30	
Winter Weather	134	6	10	31	1	0	1996 to 2026-06-30	

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Notable Storm Events records

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Direct deaths, injuries <i>indirect not counted</i>	Location	Flags	Why listed
2022-09-13	Tornado	EF0, 7.71 mi within this county, 10 yd wide	\$0 property; \$0 crops (2022 dollars)	0, 0	DINNEHOTSO	within last 5 years	B1-c worst recorded: Tornado
2018-09-01	Hail	1.75 in	\$0 property; \$0 crops (2018 dollars)	0, 0	ST MICHAELS to FT DEFIANCE		B1-c worst recorded: Hail
2017-06-17	Excessive Heat		\$0 property; \$0 crops, reported for the zone (2017 dollars)	0, 0	NWS zone AZZ010 (CHINLE VALLEY), zone-level: may include parts of neighboring counties		B1-c worst recorded: Excessive Heat, Heat
2013-09-20	Lightning		\$0 property; \$0 crops (2013 dollars)	1, 0	NAZLINI ARPT		deaths or injuries recorded
2013-09-14	Flash Flood		\$100,000 property; \$0 crops (2013 dollars)	0, 0	DINNEHOTSO to TOFACON		B1-c worst recorded: Flash Flood, Flood, Lakeshore Flood
2013-09-13	Lightning		\$7,500 property; \$0 crops (2013 dollars)	0, 0	MANY FARMS		B1-c most damaging: Lightning
2011-06-01	Wildfire		\$58,000,000 property; \$0 crops, reported for the zone (2011 dollars)	0, 0	NWS zone AZZ017 (WHITE MOUNTAINS), zone-level: may include parts of neighboring counties		B1-c worst recorded: Wildfire
2011-02-01	Extreme Cold/ Wind Chill		\$30,000 property; \$0 crops, reported for the zone (2011 dollars)	0, 0	NWS zone AZZ017 (WHITE MOUNTAINS), zone-level: may include parts of neighboring counties		B1-c worst recorded: Cold/Wind Chill, Extreme Cold/Wind Chill
2010-08-23	Thunderstorm Wind	93 kt (107 mph) measured gust	\$0 property; \$0 crops (2010 dollars)	0, 0	ADAMANA		B1-c worst recorded: Thunderstorm Wind
2006-08-20	Lightning		damage not reported	1, 1	MC NARY		deaths or injuries recorded
2005-01-03	Heavy Snow		damage not reported	2, 0	NWS zone AZZ017 (WHITE MOUNTAINS), zone-level: may include parts of neighboring counties		deaths or injuries recorded
1999-03-31	High Wind	90 kt (104 mph), measurement type not recorded	\$3,000 property; \$0 crops, reported for the zone (1999 dollars)	0, 0	NWS zone AZZ014 (LITTLE COLORADO RIVER VALLEY IN APACHE COUNTY), zone-level: may include parts of neighboring counties		B1-c worst recorded: High Wind and Strong Wind (outside NRI Strong Wind definition)

The full list is in the XLSX file, sheet "B1-d Storm Events history" (495 rows).

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
 NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
 FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

State-declared emergencies are not in federal data. Add them from your state emergency management agency.

Tribal and special-area declarations in this state are listed on the state page.

Supports B1-e: probability

Probability: FEMA annualized frequency and descriptor per hazard

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area- weighted, so can be fractional)	NRI period	Location	Note
Avalanche	0.01	events per year	about 1 in 100 years	Possible	FEMA annualized frequency (modeled)	0	1994 to 2023 (30 years)	see B1-f	0.01 is NRI's minimum avalanche frequency for a county in an avalanche susceptibility zone; NRI records no avalanche here, so the descriptor reflects the floor, not local events.
Coastal Flooding		events per year at a location (modeled)				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Cold Wave	0.0207	event-days per year	about 0.0207 days per year	Likely	event-days in 4 of 30 years, 1996 to 2025 (13.3%)	0.393	2005-11-12 to 2024-11-12 (19 years)	countywide	Frost/Freeze records are not counted in this descriptor: they record crop freezes, not cold waves.
Drought	106	event-days per year	about 106 days per year		event-days in 0 of 30 years, 1996 to 2025 (0%)	4,774	2000 to 2025 (25.25 years; D3 and D4 only)	countywide	No recorded event-days, 1996 to 2025; descriptor not assigned
Earthquake	0.000985	annual probability at a location	chance a given location in the county has at least minor-damage shaking in a year: 0.0985%			not shown	modeled	see B1-f	Descriptor not assigned: the NRI value is the chance at a location in the county, not how often the hazard affects the county, and Storm Events does not record earthquakes.
Hail	0.0626	events per year	about 1 in 16 years	Possible	FEMA annualized frequency (modeled)	2.4 (modeled)	1986 to 2023 (38 years)	countywide	
Heat Wave	0.653	event-days per year	about 0.653 days per year	Possible	event-days in 2 of 30 years, 1996 to 2025 (6.67%)	12.4	2005-11-12 to 2024-11-12 (19 years)	countywide	
Hurricane	0.0103	events per year	about 1 in 97 years	Possible	FEMA annualized frequency (modeled)	0	1851 to 2024 (Atlantic); 1949 to 2024 (Pacific)	see B1-f	NRI counts hurricane and tropical storm tracks passing within storm-force wind range; federal declarations are counted separately in B1-d and need not match.
Ice Storm	0.0149	event-days per year	about 0.0149 days per year	Possible	event-days in 1 of 30 years, 1996 to 2025 (3.33%)	0	1946-12-31 to 2014-02-12 (67 years)	countywide	
Inland Flooding	2.75	event-days per year	about 2.75 days per year	Likely	event-days in 24 of 30 years, 1996 to 2025 (80%)	77	1996 to 2023 (28 years)	see B1-f	
Landslide	2.5	events per year (modeled)	about 2.5 per year	Highly likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	

Hazard	FEMA annualized frequency (modeled)	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area- weighted, so can be fractional)				Location	Note
	<i>unit per row</i>						NRI period				
Lightning	53	days per year with a strike	about 53 days per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1995 to 2023 (29 years; CONUS)			countywide	
Strong Wind	0.0398	events per year	about 1 in 25 years	Possible	FEMA annualized frequency (modeled)	2	1986 to 2023 (38 years)			countywide	
Tornado	0.27	events per year	about 1 in 4 years	Likely	FEMA annualized frequency (modeled)	not shown	1950 to 2023 (EF2+); 1986 to 2023 (EF0-1)			see B1-f	
Tsunami		annual probability at the most exposed location (used in place of a county value)				not shown	modeled			see B1-f	Not Applicable in NRI for this county; no descriptor.
Volcanic Activity	0.0003	annual probability	about 1 in 3,333 years	Unlikely	FEMA annualized frequency (modeled)	not shown	modeled			see B1-f	
Wildfire	0.00596	annual probability at a location	chance a given location in the county burns in a year: 0.596%	Likely	Storm Events records in 9 of 30 years, 1996 to 2025 (30%)	not shown	modeled			see B1-f	Descriptor from Storm Events, not NRI: the NRI value is the chance at a location in the county, not how often the hazard affects the county.
Winter Weather	6.23	event-days per year	about 6.23 days per year	Highly likely	event-days in 29 of 30 years, 1996 to 2025 (96.7%)	118	2005-11-12 to 2024-11-12 (19 years)			countywide	

FEMA annualized frequency (modeled) comes from the National Risk Index v1.20 (December 2025). It is not recorded events divided by years, and what it measures depends on the hazard. For most hazards it estimates how often the hazard affects this county each year: it counts events or event-days (drought, heat wave, cold wave, winter weather, ice storm and inland flooding are in days per year; lightning is the number of days per year with a recorded cloud-to-ground strike, from the NOAA Storm Prediction Center daily lightning climatology); it may count events in the surrounding area (hail, strong wind, tornado, hurricane and ice storm use a 49 km grid and buffers) and is averaged over the county's area; and some hazards use a minimum value for places with no recorded event. Earthquake, wildfire and coastal flooding are different: FEMA computes them for each census block and averages them over the county, so the value is the chance (for coastal flooding, the modeled number of floods per year) at a location in the county, which is lower than the chance that the hazard strikes somewhere in the county. Earthquake is the chance of at least minor-damage shaking (U.S. Geological Survey model); wildfire is the chance that a location burns in a large fire (U.S. Forest Service burn probability); coastal flooding comes from FEMA flood zones and NOAA high-tide flooding, so it can be above 1 where high-tide flooding is frequent. Tsunami is the value at the county's most exposed location, from recorded events and modeled return periods. For these four hazards the packet gives no "1 in N years" and takes the descriptor from Storm Events (none for earthquake) unless the value is 1 or more a year. Landslide is a U.S. Geological Survey modeled county rate spread by slope susceptibility. Volcanic activity is the chance that a volcano affecting the county erupts in a year. Drought counts only extreme and exceptional drought (D3 and D4). Source: FEMA, National Risk Index Technical Documentation v1.20, sections 5.2.2 (Table 5), 5.2.3, 7.4, 10.4, 16.5, 17.1, 17.3.1, 17.5, 20.3.1, 21.4, 22.4 and 6 to 23.

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Descriptor scale used in this packet (defined per unit)

Unit	Descriptor	Definition
events per year	Highly likely	1 or more per year

Unit	Descriptor	Definition
events per year	Likely	about once in 1 to 10 years
events per year	Possible	about once in 10 to 100 years
events per year	Unlikely	less than once in 100 years
annual probability	Likely	10% to under 100% chance in a given year
annual probability	Possible	1% to under 10% chance in a given year
annual probability	Unlikely	under 1% chance in a given year
event-days (share of years)	Highly likely	event-days recorded in 90% or more of years
event-days (share of years)	Likely	event-days recorded in 10% to under 90% of years
event-days (share of years)	Possible	event-days recorded in some years but under 10% of years
lightning strike-days	Highly likely	cloud-to-ground strikes on 1 or more days per year

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Intensity bands: historical frequency (Storm Events)

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Hail	1.00-1.99 in	1996 to 2025	15	30	0.5
Hail	2.00 in+	1996 to 2025	0	30	0
Strong Wind (Thunderstorm Wind records)	50-64 kt	1996 to 2025	13	30	0.433
Strong Wind (Thunderstorm Wind records)	65 kt+	1996 to 2025	2	30	0.0667
Strong Wind (Thunderstorm Wind records)	unmeasured or below 50 kt	1996 to 2025	1	30	0.0333
Tornado	EF0-1	1996 to 2025	12	30	0.4
Tornado	EF2-3	1996 to 2025	0	30	0
Tornado	EF4-5	1996 to 2025	0	30	0
Tornado	unrated (EFU)	1996 to 2025	1	30	0.0333

Hail smaller than 1 inch is not counted: on 2010-01-05 the National Weather Service raised its severe-hail threshold from 3/4 inch to 1 inch, so smaller reports became less common after 2009 (NWS Service Change Notice 09-52). NRI hail frequency uses a 0.75 inch threshold.

SOURCE
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Optional: future conditions. Not a required item in the 2025 FEMA Local Mitigation Planning Policy Guide; some states ask for it. The federal Climate Mapping for Resilience and Adaptation (CMRA) site gives county exposure to future climate conditions.

Supports B1-f: variation across the planning area

Range of census tract risk within the county

Hazard	Tracts rated of all	Risk score min NRI score, 0 to 100	Median	Max	Tracts by rating	Note
Avalanche	13 of 18	33.9	37.5	37.7	Very Low 13, Not Applicable 5	
Coastal Flooding	0 of 18				Not Applicable 18	
Cold Wave	15 of 18	15.4	57.1	90.8	Relatively High 4, Relatively Moderate 6, Relatively Low 1, Very Low 4, No Rating 3	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Drought	1 of 18	96.6	96.6	96.6	Relatively Moderate 1, No Rating 17	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. Agriculture is all of NRI's expected annual loss for this hazard in the county, so the tract range above mostly reflects where crop and livestock value is, not where buildings and people are. Confirm locally.
Earthquake	18 of 18	35.0	51.1	62.6	Relatively Low 17, Very Low 1	
Hail	18 of 18	12.7	19.7	41.9	Relatively Low 1, Very Low 17	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Heat Wave	18 of 18	7.7	22.6	37.2	Relatively Low 13, Very Low 5	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Hurricane	18 of 18	17.7	20.0	25.7	Very Low 18	
Ice Storm	18 of 18	29.7	51.9	63.5	Relatively Low 16, Very Low 2	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Inland Flooding	18 of 18	46.6	69.1	98.5	Very High 1, Relatively High 3, Relatively Moderate 11, Relatively Low 3	
Landslide	18 of 18	52.0	92.4	99.5	Relatively High 1, Relatively Moderate 3, Relatively Low 12, Very Low 2	
Lightning	18 of 18	96.0	99.8	99.9	Very High 18	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Strong Wind	18 of 18	8.9	16.1	29.1	Relatively Low 4, Very Low 14	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Tornado	18 of 18	1.3	1.7	5.4	Very Low 18	
Tsunami	0 of 18				Not Applicable 18	
Volcanic Activity	17 of 18	41.0	61.8	76.1	Very Low 17, No Rating 1	
Wildfire	18 of 18	60.4	91.6	100.0	Very High 1, Relatively High 2, Relatively Moderate 8, Relatively Low 5, Very Low 2	

Hazard	Tracts	Risk score min	Median	Max	Tracts by rating	Note
	rated of all	NRI score, 0 to 100				
Winter Weather	18 of 18	64.6	89.6	98.8	Very High 6, Relatively High 8, Relatively Moderate 4	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.

Rated tracts only: No Rating (score 0.0), Not Applicable and Insufficient Data tracts are counted but not used for the minimum, median and maximum.

SOURCE
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Per-member block (Starter, confirm locally)

Member	Type	Plan status	Repetitive loss	Public Assistance matched	Event records naming this place	Notes
			FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition		all years; since the member's plan	
Apache County	County	Approved, expires 2029-08-14	FMA RL 0, SRL 0; any 0	\$4,414,586.18	0; 0	Includes \$45,038.21 for declarations not counted as hazard incidents (DR-4524-AZ).
Eagar town	Town	Approved, expires 2029-08-14	FMA RL 0, SRL 0; any 0	none found	1; 0	
Springerville town	Town	Approved, expires 2029-08-14	FMA RL 0, SRL 0; any 0	none found	3; 1	
St. Johns city	City	Plan 108220 approved 2024-08-15, pending adoption here; not yet eligible	FMA RL 0, SRL 0; any 0	none found	15; no approved plan	

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

School districts and special districts get a plan clock row only.

SOURCES
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Supports B2-a and B2-b: assets and impacts

Local data required

County-level starter. The plan must describe impacts for each participant and its own assets.

- Critical facilities and lifelines per hazard
 - A problem statement per participant per hazard
- Changes in development in hazard-prone areas since the last approval, or a statement of none (E1-a)

- Future assets

County-level starter: exposure, expected annual loss and damage since the plan

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2024-08-15 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Avalanche	\$5,266,439		1	\$3		\$308	under 0.0001%				
Coastal Flooding											Not Applicable in NRI for this county
Cold Wave	\$4,362,153,927	\$11,577,370	27,891	\$1,987	\$344	\$828,962	under 0.0001%				
Drought		\$2,885,117			\$78,692		2.73% (agriculture)				NRI has no building exposure for this hazard; agriculture shown
Earthquake	\$17,114,760,689		66,021	\$308,945		\$62,419	0.00181%				
Hail	\$10,283,686,775	\$23,179,882	65,844	\$9,801	\$197	\$3,183	under 0.0001%				
Heat Wave	\$10,283,686,775	\$23,179,882	65,844	\$26	\$453	\$167,722	under 0.0001%				
Hurricane	\$10,283,686,775	\$23,179,882	65,844	\$1,232	\$114	under \$1	under 0.0001%				
Ice Storm	\$10,283,686,775		65,844	\$75		\$53,018	under 0.0001%				
Inland Flooding	\$10,281,638,289	\$369,892	327	\$10,781,699	\$111	\$26,164	n/a (see note)	\$0			NRI counts the full building value of any census block with some flood loss; this is not the value of buildings in the floodplain. Use local FIRM overlays for B2-a/ B2-b. EAL as % of exposure: n/a.
Landslide	\$166,146,983		817	\$15,768		\$35,871	0.00949%				
Lightning	\$10,283,686,775		65,844	\$2,904		\$2,322,789	under 0.0001%				
Strong Wind	\$10,283,686,775	\$23,179,882	65,844	\$4,250	\$2	\$28,077	under 0.0001%	\$0	\$0		
Tornado	\$10,283,686,775	\$23,179,882	65,844	\$3,307	\$148	\$2,014	under 0.0001%	\$0			
Tsunami											Not Applicable in NRI for this county
Volcanic Activity	\$10,283,686,775		65,844	under \$1		\$11	under 0.0001%				
Wildfire	\$3,599,364,233	\$16,778,003	29,511	\$5,807,453	\$23	\$240,754	0.161%			none found (1 declaration)	
Winter Weather	\$10,283,686,775	\$23,179,882	65,844	\$1,059	under \$1	\$222,936	under 0.0001%		\$0		

Totals since 2024-08-15 (Storm Events through 2026-06-30): 4 county-coded records, 4 with a damage value recorded (including \$0), \$0; 18 zone-level records, 18 with a damage value recorded (including \$0), \$0 reported for the zone; Public Assistance on counted declarations none found (1 declaration, 0 with PA).

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

FEMA does not split Public Assistance by hazard. A declaration mapped to several hazards is listed under each of them with its full amount, so the per-hazard column must not be added up; the unit total counts each declaration once.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Supports B2-a: context

County context

Measure	Value
Population	65,844
Building value (total, not at risk)	\$10,283,686,775
Agriculture value (total, not at risk)	\$23,179,882
NRI risk rating (all hazards)	Relatively Low
Expected annual loss, buildings and agriculture, all hazards	\$17,018,590
Expected annual loss, population equivalence, all hazards (NRI values each statistical life at \$13.7M; a modeled value of expected deaths and injuries, not property damage)	\$3,994,229
Social vulnerability rating	Very High
Community resilience rating	Very Low
NRI version	December 2025

FEMA's all-hazard expected annual loss total adds buildings, agriculture and population equivalence; the two parts are shown separately so the property figure is not read as including the statistical value of life.

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B2-c: repetitive loss

Repetitive loss in this county, both definitions

Definition	Properties	Severe repetitive loss	Properties
Repetitive loss, FMA definition (44 CFR 77.2)	0	Severe repetitive loss, FMA definition (44 CFR 77.2)	0
Repetitive loss, NFIP insurance definition	0	Severe repetitive loss, NFIP insurance definition	0

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

SOURCESFEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)**Repeat-flood properties: county and state-level rows**

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
County total	0	0	0	0	0	0	0
State level, not in this county: county not reported	0	1	0	0	1	1	0

SOURCESFEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)**Repeat-flood properties by plan member (NFIP community)**

Member	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>	Note
Apache County	040001	0	0	0	0	0	0	0	
Eagar town	040103	0	0	0	0	0	0	0	
Springerville town	040011	0	0	0	0	0	0	0	
St. Johns city	040010	0	0	0	0	0	0	0	

Per-member types: XLSX sheet 'B2-c Members'.

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

SOURCESFEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)**County repeat-flood properties by occupancy group**

Occupancy group	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
single-family residential	0	0	0	0	0	0	0
2 to 4 unit residential	0	0	0	0	0	0	0
other residential	0	0	0	0	0	0	0
non-residential	0	0	0	0	0	0	0
not reported	0	0	0	0	0	0	0

Institutional properties cannot be separated in this data: FEMA's occupancy groups have no institutional class, so they fall in non-residential or other residential in the table by occupancy group.

SOURCESFEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FMA RL and FMA SRL are the Flood Mitigation Assistance definitions (44 CFR 77.2), the ones the FEMA Local Mitigation Planning Policy Guide cites; OpenFEMA's fmaRL field description omits the Increased Cost of Compliance clause of 44 CFR 77.2(i). NFIP repetitive loss (FEMA insurance definition, nfipRL) is 2 or more claims over \$1,000 in 10 years and can drop to false when a property is mitigated. Also shown: NFIP severe repetitive loss, any category, mitigated and currently insured.

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

Counts are aggregates of FEMA's public NFIP Multiple Loss Properties file (as of 2026-08-02). No property is identified. County assignment is FEMA's geocode.

Counts may differ from your state NFIP coordinator's list, which is the source the Handbook names.

In this county 0 properties are FMA repetitive loss but not NFIP repetitive loss, and 0 properties are NFIP repetitive loss but not FMA repetitive loss.

Exact counts; no count suppression.

Sources

Every table above lists its own sources. The full list, for the plan's bibliography (FEMA review item A4-a):

1. FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
2. FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
3. FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
4. FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
5. FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
6. NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
7. NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
8. U.S. Census Bureau, Census 2024 Gazetteer, 2020 place by county, CT county-to-cousub crosswalk, version 2024-gazetteer, pulled 2026-09-28, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_counties_national.zip, [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_cousubs_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_cousubs_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_place_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_place_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_unsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_unsd_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_elsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_elsd_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_scsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_scsd_national.zip), https://www2.census.gov/geo/docs/reference/codes2020/national_place_by_county2020.txt, https://www2.census.gov/geo/docs/reference/ct_change/ct_cou_to_cousub_crosswalk.xlsx

OpenFEMA disclaimer

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

Reuse, citation and corrections

Reuse and citation: Hazard Plain text and tables are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0, <https://creativecommons.org/licenses/by/4.0/>); credit Hazard Plain and the release. The underlying federal data are public domain; OpenFEMA data are also subject to the OpenFEMA terms and conditions.

Cite this: Hazard Plain (2026). Apache County, AZ: risk-assessment baseline packet, release 2026-10 (data as of 2026-09-28; County area 04001). Preview: automated baseline. Built from FEMA OpenFEMA, the FEMA National Risk Index and NOAA NCEI Storm Events; source versions in the packet's Sources list.

Corrections: to report an error, name the packet, the table and what your records show. Contact: to be added

Hazard Plain release 2026-10. As of 2026-09-28; Storm Events data through 2026-06-30. File hazard-plain_2026-10_AZ_04001. Preview: automated baseline.