

Worth County, IA

Risk-assessment baseline packet

Unit **County area 19195** Release **2026-10** As of **2026-09-28** Storm Events data through **2026-06-30**

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

A starting point for the plan's risk assessment (FEMA Local Mitigation Plan Review Tool, Element B). It does not replace local data or FEMA review. Section headings say which FEMA review item each table supports; whether an item is satisfied is decided by the plan and its reviewers.

OPENFEMA DISCLAIMER

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Plan clock

Status	Approved, expires 2030-04-08	Plan	Worth County Multihazard Mitigation Plan (FEMA plan 110499)
Approved	2025-04-09	Expires	2030-04-08
As of	2026-09-28	Days	1,288 days to expiry

What changed since your last plan (approved 2025-04-09)

New federal declarations	none (0 declaration rows; 0 counted incidents)	Storm Events records since approval	3 (data through 2026-06-30)
Repetitive loss now	FMA RL 0, SRL 0 (44 CFR 77.2); any definition: 0	Repeat-flood change	First release: no prior release to compare.

SOURCES: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API); FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API); NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>; FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

Plan status for every jurisdiction listed in this county

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry <i>negative = days since expiry</i>	Update underway	Notes
Worth County	County	Approved, expires 2030-04-08	Worth County Multihazard Mitigation Plan (FEMA plan 110499)	2025-04-09	2030-04-08	1,288		member approved 2025-03-13
Fertile city	City	Plan 110499 approved 2025-04-09, pending adoption here; not yet eligible	Worth County Multihazard Mitigation Plan (FEMA plan 110499), pending adoption here	2025-04-09 by FEMA; not yet adopted here	2030-04-08 once adopted		FEMA tracker shows a plan approvable pending adoption	Not yet eligible: adopt the approved plan.
Grafton city	City	Approved, expires 2030-04-08	Worth County Multihazard Mitigation Plan (FEMA plan 110499)	2025-04-09	2030-04-08	1,288		member approved 2025-06-06

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry	Update underway	Notes
						<i>negative = days since expiry</i>		
Hanlontown city	City	Approved, expires 2030-04-08	Worth County Multihazard Mitigation Plan (FEMA plan 110499)	2025-04-09	2030-04-08	1,288		member approved 2025-03-13
Joice city	City	Approved, expires 2030-04-08	Worth County Multihazard Mitigation Plan (FEMA plan 110499)	2025-04-09	2030-04-08	1,288		member approved 2025-03-13
Kensett city	City	Approved, expires 2030-04-08	Worth County Multihazard Mitigation Plan (FEMA plan 110499)	2025-04-09	2030-04-08	1,288		member approved 2025-05-06
Manly city	City	Approved, expires 2030-04-08	Worth County Multihazard Mitigation Plan (FEMA plan 110499)	2025-04-09	2030-04-08	1,288		member approved 2025-03-13
Northwood city	City	Approved, expires 2030-04-08	Worth County Multihazard Mitigation Plan (FEMA plan 110499)	2025-04-09	2030-04-08	1,288		member approved 2025-02-26
Central Springs Community School District	School/School District	Approved, expires 2030-04-08	Worth County Multihazard Mitigation Plan (FEMA plan 110499)	2025-04-09	2030-04-08	1,288		Also approved under plan 108300 (Floyd County, expires 2027-06-15). FEMA's plan status map shows one plan per jurisdiction and may show one of these; this packet uses the approved plan that expires last. member approved 2025-06-06
Northwood- Kensett Community School District	School/School District	Approved, expires 2030-04-08	Worth County Multihazard Mitigation Plan (FEMA plan 110499)	2025-04-09	2030-04-08	1,288		member approved 2025-11-20

SOURCE: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

State plan status and tribal plans in this state: see the state page.

CONTENTS

1. Plan clock, page 1	7. Supports B1-e: probability, page 14
2. What changed since your last plan (approved 2025-04-09), page 1	8. Supports B1-f: variation across the planning area, page 17
3. Supports B1-a: hazards, page 3	9. Supports B2-a and B2-b: assets and impacts, page 19
4. Supports B1-b: location, page 5	10. Supports B2-a: context, page 20
5. Supports B1-c: extent, page 5	11. Supports B2-c: repetitive loss, page 21
6. Supports B1-d: previous occurrences, page 8	12. Sources and OpenFEMA disclaimer, page 22

Supports B1-a: hazards

Hazards NRI does not cover: check locally

- dam failure (incl. upstream dams)
 - levee failure
 - flash flood as its own subtype
 - ice jams
- debris flows
 - erosion (riverine and coastal)
 - land subsidence and sinkholes
 - expansive soils

The 18 National Risk Index hazards, ranked by expected annual loss (EAL)

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings modeled dollars per year	EAL agriculture modeled dollars per year	EAL population equivalence statistical value of life and injury, \$13.7M per life, not property damage	EAL total (see note) modeled dollars per year	Storm Events records since 1996 count	Evidence for an omission NRI Not Applicable, no declaration and no Storm Events record since 1996	Storm Events coverage note
1	Drought	Relatively Moderate	Relatively High		\$2,333,507		\$2,333,507	19		
2	Inland Flooding	Very Low	Very Low	\$1,889,825	\$175,362	\$1,981	\$2,067,167	48		
3	Tornado	Relatively Low	Relatively Low	\$629,227	\$6,477	\$417,195	\$1,052,898	10		
4	Cold Wave	Relatively Low	Relatively Low	\$2,477	\$653,861	\$254,156	\$910,495	37		Includes 10 Frost/Freeze records, event types the NRI definition of this hazard leaves out.
5	Strong Wind	Relatively Low	Relatively Low	\$243,977	\$50,253	\$76,681	\$370,912	111		Includes 39 High Wind records, event types the NRI definition of this hazard leaves out.
6	Hail	Very Low	Relatively Low	\$82,427	\$75,692	\$13,069	\$171,188	76		
7	Winter Weather	Relatively Low	Relatively Low	\$16,583	\$350	\$47,534	\$64,467	90		Includes 1 Sleet record, event types the NRI definition of this hazard leaves out.
8	Heat Wave	Very Low	Very Low	\$10,836	\$2	\$12,781	\$23,619	4		
9	Lightning	Very Low	Very Low	\$5,260		\$10,028	\$15,289	3		
10	Ice Storm	Very Low	Very Low	\$10,367		\$2,300	\$12,667	10		

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records since 1996 <i>count</i>	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
11	Earthquake	Very Low	Very Low	\$5,504		\$1,512	\$7,016			Not in Storm Events. Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
12	Wildfire	Very Low	Very Low	\$1,361	\$33	\$245	\$1,639	0		No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
13	Landslide	Very Low	Very Low	\$4		\$118	\$122	0		No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
	Avalanche	Not Applicable	Not Applicable					0	NRI rates avalanche Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Coastal Flooding	Not Applicable	Not Applicable					0	NRI rates coastal flooding Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Hurricane	Not Applicable	Not Applicable					0	NRI rates hurricane Not Applicable for this county, and no counted federal declaration for this county names it (EM-3239-IA names it but is not counted as a local occurrence; see B1-d).	No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Tsunami	Not Applicable	Not Applicable					0	NRI rates tsunami Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
	Volcanic Activity	Not Applicable	Not Applicable					0	NRI rates volcanic activity Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
 NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Check your state hazard mitigation plan's hazard list for this county; explain any hazard you drop.

Supports B1-b: location

Where each hazard occurs

Hazard	Location	Census tracts rated <i>rated of all tracts</i>
Avalanche	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 3
Coastal Flooding	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 3
Cold Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	3 of 3
Drought	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	3 of 3
Earthquake	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	3 of 3
Hail	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	3 of 3
Heat Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	3 of 3
Hurricane	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 3
Ice Storm	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	3 of 3
Inland Flooding	The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (https://msc.fema.gov) for this county.	3 of 3
Landslide	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	3 of 3
Lightning	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	3 of 3
Strong Wind	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	3 of 3
Tornado	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	3 of 3
Tsunami	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 3
Volcanic Activity	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 3
Wildfire	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	3 of 3
Winter Weather	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	3 of 3

SOURCE
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B1-c: extent

Extent: scale, observed range and worst recorded event per hazard

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Avalanche	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Coastal Flood, Storm Surge/ Tide	none in data (FIRM for depth)	0					Flood depth: see the FEMA Flood Insurance Rate Map.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Cold/Wind Chill, Extreme Cold/Wind Chill	wind chill	27, 1996 to 2025 (27 zone-level)	1 day to 4 days (median 2 days); 22 with a recorded value	4 consecutive days, 2024-01-13 to 2024-01-16, zone-level	Cold/Wind Chill, 1999-09-21, property not reported; \$294,117.65 crops, reported for the zone (1999 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	Wind chill: in event narratives only; local data required. Cold/Wind Chill records from May to September (a frost night, not a cold wave) are counted but not used for the longest run.
Frost/Freeze (outside NRI Cold Wave definition)	crop damage	10, 1996 to 2019 (10 zone-level)		Frost/Freeze, 2011-09-15, \$2,700,000 crop damage, reported for the zone (2011 dollars); NWS zone IAZ007 (WORTH), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Temperature: in event narratives only; local data required.
Drought	US Drought Monitor D-scale	19, 2001 to 2024 (19 zone-level)	23 days to 295 days (median 78 days); 5 with a recorded value	295 days (about 9.7 months), 2023-08-01 to 2024-05-21, a run of 10 consecutive Storm Events drought records, zone-level	Drought, 2012-07-01, \$0 property; \$45,000,000 crops, reported for the zone (2012 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	Storm Events enters a drought at D2 or worse east of the Rockies and D3 or worse from the Rockies west (NWS Instruction 10-1605); NRI drought counts D3 and D4 only.
Earthquake	Modified Mercalli (local data)	0					No Storm Events record; local data required (e.g., USGS).
Hail	hail size (inches)	94, 1974 to 2025	0.75 in to 2.75 in (median 1 in); 94 with a recorded value	2.75 in hail, 2006-10-04	Hail, 2001-09-20, \$80,000 property; \$100,000 crops (2001 dollars)	Event records naming member places: Northwood city (24 records), Manly city (20 records), Grafton city (12 records), Kensett city (8 records), Hanlontown city (3 records), Joice city (3 records), Fertile city (2 records).	
Excessive Heat, Heat	heat index (narratives)	4, 2001 to 2019 (4 zone-level)	1 day to 14 days (median 2.5 days); 4 with a recorded value	14 consecutive days, 2011-07-15 to 2011-07-28, zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Heat index: in event narratives only; local data required.
Hurricane, Tropical Storm, Tropical Depression	Saffir-Simpson	0					Storm Events files every zone of a storm's episode under the storm's event type and category, so a Hurricane (Typhoon) record, especially an inland or remnant one, does not by itself mean hurricane-force winds here; read the damage and wind columns.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Ice Storm	Sperry-Piltz (local data)	10, 1996 to 2020 (10 zone- level)		Ice Storm, 2013-01-27, \$50,000 property; \$0 crops, reported for the zone (2013 dollars); NWS zone IAZ007 (WORTH), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Ice thickness: in event narratives only; local data required.
Flash Flood, Flood, Lakeshore Flood	damage and flood days (FIRM for depth)	48, 1997 to 2024 (13 zone- level)		Flood, 2010-06-12, \$0 property; \$20,000,000 crops (2010 dollars)		Event records naming member places: Manly city (11 records), Grafton city (8 records), Northwood city (7 records), Fertile city (3 records), Hanlontown city (3 records), Kensett city (3 records), Joice city (1 record). Zone-level records (13) apply countywide.	Flood depth: see the FEMA Flood Insurance Rate Map. Storm Events damage can be \$0 or blank even for a major flood, so the worst record here may not be the worst flood; compare FEMA Public Assistance by declaration in B1-d.
Debris Flow	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Lightning	annualized frequency (the measure FEMA's Local Mitigation Planning Handbook names)	3, 1997 to 2020		Lightning, 1998-06-27, \$20,000 property; crops not reported (1998 dollars)		Event records naming member places: Kensett city (1 record), Manly city (1 record), Northwood city (1 record).	Storm Events lists lightning with damage or casualties; physical measure in event narratives only; local data required.
High Wind and Strong Wind (outside NRI Strong Wind definition)	wind speed (kt and mph)	39, 1996 to 2025 (39 zone- level)	35 kt (40 mph) to 70 kt (81 mph) (median 50 kt (58 mph)); 37 with a recorded value	70 kt (81 mph) measured, High Wind, 2001-04-07; NWS zone IAZ007 (WORTH), zone-level: may include parts of neighboring counties	High Wind, 1998-11-10, \$300,000 property; \$5,100 crops, reported for the zone (1998 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	
Thunderstorm Wind	wind speed (kt and mph)	92, 1971 to 2025	50 kt (58 mph) to 70 kt (81 mph) (median 55.5 kt (64 mph)); 86 with a recorded value	70 kt (81 mph) estimated gust, Thunderstorm Wind, 2011-09-02; same speed and measurement basis also recorded on 2004-04-17		Event records naming member places: Northwood city (20 records), Manly city (14 records), Hanlontown city (13 records), Grafton city (10 records), Kensett city (7 records), Fertile city (2 records), Joice city (2 records).	

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Tornado	Enhanced Fujita (F before Feb 2007)	24, 1952 to 2024	F/EF0 to F/EF4 (median F/EF1); 20 with a recorded value	F4 tornado, 1967-04-30, 3 mi path length (records before 1996 may include the whole path; rating and listing come from the county where the tornado began), 500 yd wide, \$2,500,000 property; crops not recorded (1967 dollars), 1 direct injury	Tornado, 1974-05-28, \$2,500,000 property; crops not recorded (1974 dollars)	Event records naming member places: Joice city (2 records), Northwood city (2 records), Fertile city (1 record), Grafton city (1 record), Kensett city (1 record).	From 1996 on, tornado records are per-county segments and length is the path length within this county (NWS Instruction 10-1605); records before 1996 may give the whole path length, including the path outside this county, and before 1996 a tornado is listed once, under the county where it began, with the whole path's rating; counties farther along the path may not list it. Length is not used to rank tornadoes.
Tsunami	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Volcanic Ash, Volcanic Ashfall	Volcanic Explosivity Index (local data)	0					Physical measure: in event narratives only; local data required.
Wildfire	acres burned (local data)	0					Acres burned: in event narratives only; local data required.
Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet	none in data (snowfall local)	90, 1996 to 2025 (90 zone-level)		Winter Storm, 2007-02-24, \$250,000 property; \$0 crops, reported for the zone (2007 dollars); NWS zone IAZ007 (WORTH), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Snow depth: in event narratives only; local data required.

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Supports B1-d: previous occurrences

Declaration rows

16

Counted incidents

13

Federal disaster declarations for this county

Declared	Incident began	FEMA number	Type	Title	Mapped hazard		County Public Assistance <i>federal share obligated, nominal dollars</i>	Flags	Notes
2024-06-24	2024-06-16	DR-4796-IA	Major disaster	SEVERE STORMS, FLOODING, STRAIGHT-LINE WINDS, AND TORNADOES	Inland Flooding; Strong Wind; Tornado		\$39,493.36	during plan review, check whether your last plan included it; within last 5 years	
2022-02-23	2021-12-15	DR-4642-IA	Major disaster	SEVERE STORMS, STRAIGHT-LINE WINDS, AND TORNADOES	Strong Wind; Tornado		\$8,089.33	within last 5 years	
2020-03-23	2020-01-20	DR-4483-IA	Major disaster	COVID-19 PANDEMIC	Non-natural, not counted	none placed in this county by FEMA's record; \$326,644.22 for this declaration is not placed in any county (see the list below)			
2020-03-13	2020-01-20	EM-3480-IA	Emergency	COVID-19	Non-natural, not counted		none found		same incident as DR-44
2019-03-23	2019-03-12	DR-4421-IA	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	none placed in this county by FEMA's record; \$4,373,850.56 for this declaration is not placed in any county (see the list below)			
2013-07-02	2013-05-19	DR-4126-IA	Major disaster	SEVERE STORMS, TORNADOES, AND FLOODING	Inland Flooding; Tornado		\$166,614.97		
2008-05-27	2008-05-25	DR-1763-IA	Major disaster	SEVERE STORMS, TORNADOES, AND FLOODING	Inland Flooding; Tornado		\$439,541.75		
2007-03-14	2007-02-23	DR-1688-IA	Major disaster	SEVERE WINTER STORMS	Winter Weather		\$53,356.12		

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance <i>federal share obligated, nominal dollars</i>	Flags	Notes
2005-09-10	2005-08-29	EM-3239-IA	Emergency	HURRICANE KATRINA EVACUATION	Hurricane: evacuation support, not a local hazard event; not counted	none found		
2004-05-25	2004-05-19	DR-1518-IA	Major disaster	SEVERE STORMS, TORNADOES, AND FLOODING	Inland Flooding; Tornado	\$194,447.10		
1999-07-22	1999-07-02	DR-1282-IA	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	\$144,849.79		
1993-07-09	1993-04-13	DR-996-IA	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	none found		
1991-12-26	1991-10-31	DR-928-IA	Major disaster	ICE STORM	Ice Storm	none found		
1990-09-06	1990-07-25	DR-879-IA	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	PA not declared for this county		
1969-08-14	1969-08-14	DR-269-IA	Major disaster	HEAVY RAINS & FLOODING	Inland Flooding	none found		
1965-04-22	1965-04-22	DR-193-IA	Major disaster	FLOODING	Inland Flooding	none found		

County Public Assistance: applicants the FEMA record places in this county, including any state agencies FEMA files there; statewide rows are listed on the state page; federal share obligated, nominal dollars. Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Statewide declarations

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	Flags	Notes
1962-09-05	1962-09-05	DR-133-IA	Major disaster	FLOODS	Inland Flooding		
1961-03-31	1961-03-31	DR-111-IA	Major disaster	FLOODS	Inland Flooding		
1958-07-05	1958-07-05	DR-86-IA	Major disaster	FLOODS	Inland Flooding		
1954-06-23	1954-06-23	DR-17-IA	Major disaster	FLOOD	Inland Flooding		
1953-06-11	1953-06-11	DR-8-IA	Major disaster	FLOOD	Inland Flooding		

FEMA recorded these with designated area Statewide and no county. Listed on every county page in the state; not counted with county rows.

SOURCEFEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)**Public Assistance not placed in a county in this state: 11 rows, \$7,881,708.52**

Disaster number	Declared	Applicant	County field in FEMA data	PA obligated <i>federal share obligated, nominal dollars</i>	Why not placed
4557	2020-08-17	The Evangelical Lutheran Good Samaritan Society	Minnehaha County	\$47,682.27	county field is a county of another state and the applicant name does not identify a place in the declaring state
4483	2020-03-23	Gundersen Lutheran Health System, Inc	La Crosse County	\$326,644.22	county field is a county of another state and the applicant name does not identify a place in the declaring state
4421	2019-03-23	City of Bigelow	Nobles County	\$80,835.34	county field is a county of another state and the applicant name does not identify a place in the declaring state
4421	2019-03-23	Dairyland Power Cooperative	La Crosse County	\$247,337.47	county field is a county of another state and the applicant name does not identify a place in the declaring state
4421	2019-03-23	South Dakota Dept of Transportation	Hughes County	\$3,666,245.52	county field is a county of another state and the applicant name does not identify a place in the declaring state
4421	2019-03-23	City of Omaha Parks and Recreation Dept(The Omaha Parks and Recreation)	Douglas County	\$379,432.23	county field is a county of another state and the applicant name does not identify a place in the declaring state
4184	2014-07-24	South Dakota Dept of Transportation	Hughes County	\$1,245,084.61	county field is a county of another state and the applicant name does not identify a place in the declaring state
4181	2014-07-14	Lincoln Electric System	Lancaster County	\$383,692.95	county field is a county of another state and the applicant name does not identify a place in the declaring state
4114	2013-05-06	City of Bigelow	Nobles County	\$5,961.43	county field is a county of another state and the applicant name does not identify a place in the declaring state
1998	2011-06-27	Lincoln Electric System	Lancaster County	\$65,027.74	county field is a county of another state and the applicant name does not identify a place in the declaring state
1688	2007-03-14	Dairyland Power Cooperative	La Crosse County	\$1,433,764.74	county field is a county of another state and the applicant name does not identify a place in the declaring state

FEMA's Public Assistance summaries file these applicants under a county field that is not a county of this state (an Alaska school area, the former Valdez-Cordova Census Area, or another state's county), and the applicant name does not identify one place here. They are listed for the whole state and are not in any county total. Check whether any of them worked in your county.

SOURCEFEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)**Previous occurrences by hazard, with explicit no-event rows**

Hazard	Storm Events records <i>full period</i>	Since plan approval records	During plan review records	Last 5 years records	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Avalanche	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Coastal Flooding	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Cold Wave	37	0	1	5	0	0	1996 to 2026-06-30	Includes 10 Frost/Freeze records, event types the NRI definition of this hazard leaves out.

Hazard	Storm Events records <i>full period</i>	Since plan approval <i>records</i>	During plan review <i>records</i>	Last 5 years <i>records</i>	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Drought	19	0	1	10	0	0	1996 to 2026-06-30	
Earthquake	0	0	0	0	0	0		No Storm Events record; local data required (e.g., USGS).
Hail	94	2	0	6	0	0	1955 to 2026-06-30	
Heat Wave	4	0	0	0	0	0	1996 to 2026-06-30	
Hurricane	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Ice Storm	10	0	0	0	1	0	1996 to 2026-06-30	
Inland Flooding	48	0	1	1	10	0	1996 to 2026-06-30	
Landslide	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Lightning	3	0	0	0	0	0	1996 to 2026-06-30	
Strong Wind	131	1	6	10	2	0	1955 to 2026-06-30	Includes 39 High Wind records, event types the NRI definition of this hazard leaves out.
Tornado	24	0	3	6	5	0	1950 to 2026-06-30	
Tsunami	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Volcanic Activity	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Wildfire	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Winter Weather	90	0	2	9	1	0	1996 to 2026-06-30	Includes 1 Sleet record, event types the NRI definition of this hazard leaves out.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Notable Storm Events records

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Direct deaths, injuries <i>indirect not counted</i>	Location	Flags	Why listed
2024-01-13	Extreme Cold/ Wind Chill		\$0 property; \$0 crops, reported for the zone (2024 dollars)	0, 0	NWS zone IAZ007 (WORTH), zone-level: may include parts of neighboring counties	within last 5 years	B1-c worst recorded: Cold/Wind Chill, Extreme Cold/Wind Chill

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Direct deaths, injuries <i>indirect not counted</i>	Location	Flags	Why listed
2023-08-01	Drought		\$0 property; \$0 crops, reported for the zone (2023 dollars)	0, 0	NWS zone IAZ007 (WORTH), zone-level: may include parts of neighboring counties	within last 5 years	B1-c worst recorded: Drought
2011-09-15	Frost/Freeze		\$0 property; \$2,700,000 crops, reported for the zone (2011 dollars)	0, 0	NWS zone IAZ007 (WORTH), zone-level: may include parts of neighboring counties		B1-c worst recorded: Frost/Freeze (outside NRI Cold Wave definition)
2011-09-02	Thunderstorm Wind	70 kt (81 mph) estimated gust	\$250,000 property; \$100,000 crops (2011 dollars)	0, 0	MELTONVILLE		B1-c worst recorded: Thunderstorm Wind
2011-07-15	Excessive Heat		\$135,000 property; \$0 crops, reported for the zone (2011 dollars)	0, 0	NWS zone IAZ007 (WORTH), zone-level: may include parts of neighboring counties		B1-c worst recorded: Excessive Heat, Heat
2010-06-12	Flood		\$0 property; \$20,000,000 crops (2010 dollars)	0, 0	SILVER LAKE to MELTONVILLE		B1-c worst recorded: Flash Flood, Flood, Lakeshore Flood
2007-02-24	Winter Storm		\$250,000 property; \$0 crops, reported for the zone (2007 dollars)	0, 0	NWS zone IAZ007 (WORTH), zone-level: may include parts of neighboring counties		B1-c worst recorded: Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet
2006-10-04	Hail	2.75 in	\$15,000 property; \$10,000 crops (2006 dollars)	0, 0	NORTHWOOD		B1-c worst recorded: Hail
2006-05-29	Hail	0.88 in	property not reported; \$5,000 crops (2006 dollars)	0, 2	NORTHWOOD		deaths or injuries recorded
2001-04-07	High Wind	70 kt (81 mph) measured	\$75,000 property; crops not reported, reported for the zone (2001 dollars)	0, 0	NWS zone IAZ007 (WORTH), zone-level: may include parts of neighboring counties		B1-c worst recorded: High Wind and Strong Wind (outside NRI Strong Wind definition)
1974-05-28	Tornado	F3, 3.8 mi path length (records before 1996 may include the whole path; rating and listing come from the county where the tornado began), 150 yd wide	\$2,500,000 property; crops not recorded (1974 dollars)	0, 3	location not recorded		deaths or injuries recorded
1967-04-30	Tornado	F4, 3 mi path length (records before 1996 may include the whole path; rating and listing come from the county where the tornado began), 500 yd wide	\$2,500,000 property; crops not recorded (1967 dollars)	0, 1	location not recorded		deaths or injuries recorded

The full list is in the **XLSX** file, sheet "**B1-d Storm Events history**" (460 rows).

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
 NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
 FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

State-declared emergencies are not in federal data. Add them from your state emergency management agency.

Tribal and special-area declarations in this state are listed on the state page.

Supports B1-e: probability

Probability: FEMA annualized frequency and descriptor per hazard

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area- weighted, so can be fractional)	NRI period	Location	Note
Avalanche		events per year					1994 to 2023 (30 years)	see B1-f	Not Applicable in NRI for this county; no descriptor.
Coastal Flooding		events per year at a location (modeled)				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Cold Wave	11.1	event-days per year	about 11.1 days per year	Likely	event-days in 15 of 30 years, 1996 to 2025 (50%)	211	2005-11-12 to 2024-11-12 (19 years)	countywide	Frost/Freeze records are not counted in this descriptor: they record crop freezes, not cold waves.
Drought	22.3	event-days per year	about 22.3 days per year	Likely	event-days in 6 of 30 years, 1996 to 2025 (20%)	588	2000 to 2025 (25.25 years; D3 and D4 only)	countywide	NRI gives about 22.3 drought event-days a year here (its annualized frequency over 25.25 years; not its event count divided by the years), but Storm Events has a record in only 6 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.
Earthquake	0.000432	annual probability at a location	chance a given location in the county has at least minor- damage shaking in a year: 0.0432%			not shown	modeled	see B1-f	Descriptor not assigned: the NRI value is the chance at a location in the county, not how often the hazard affects the county, and Storm Events does not record earthquakes.
Hail	4.39	events per year	about 4.39 per year	Highly likely	FEMA annualized frequency (modeled)	166.7 (modeled)	1986 to 2023 (38 years)	countywide	
Heat Wave	3.37	event-days per year	about 3.37 days per year	Likely	event-days in 4 of 30 years, 1996 to 2025 (13.3%)	57	2005-11-12 to 2024-11-12 (19 years)	countywide	NRI gives about 3.37 heat wave event-days a year here (its annualized frequency over 19 years; not its event count divided by the years), but Storm Events has a record in only 4 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.
Hurricane		events per year					1851 to 2024 (Atlantic)	see B1-f	Not Applicable in NRI for this county; no descriptor.

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area- weighted, so can be fractional)	NRI period	Location	Note
Ice Storm	0.715	event-days per year	about 0.715 days per year	Likely	event-days in 9 of 30 years, 1996 to 2025 (30%)	48	1946-12-31 to 2014-02-12 (67 years)	countywide	
Inland Flooding	1.11	event-days per year	about 1.11 days per year	Likely	event-days in 16 of 30 years, 1996 to 2025 (53.3%)	31	1996 to 2023 (28 years)	see B1-f	
Landslide	0.0432	events per year (modeled)	about 1 in 23 years	Possible	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Lightning	40.3	days per year with a strike	about 40.3 days per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1995 to 2023 (29 years; CONUS)	countywide	
Strong Wind	3.67	events per year	about 3.67 per year	Highly likely	FEMA annualized frequency (modeled)	140	1986 to 2023 (38 years)	countywide	
Tornado	0.341	events per year	about 1 in 3 years	Likely	FEMA annualized frequency (modeled)	not shown	1950 to 2023 (EF2+); 1986 to 2023 (EF0-1)	see B1-f	
Tsunami		annual probability at the most exposed location (used in place of a county value)				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Volcanic Activity		annual probability				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Wildfire	0.000122	annual probability at a location	chance a given location in the county burns in a year: 0.0122%		Storm Events records in 0 of 30 years, 1996 to 2025 (0%)	not shown	modeled	see B1-f	No Storm Events record of this hazard, 1996 to 2025; descriptor not assigned (the NRI value is the chance at a location in the county, not how often the hazard affects the county)
Winter Weather	19.6	event-days per year	about 19.6 days per year	Highly likely	event-days in 29 of 30 years, 1996 to 2025 (96.7%)	372	2005-11-12 to 2024-11-12 (19 years)	countywide	

FEMA annualized frequency (modeled) comes from the National Risk Index v1.20 (December 2025). It is not recorded events divided by years, and what it measures depends on the hazard. For most hazards it estimates how often the hazard affects this county each year: it counts events or event-days (drought, heat wave, cold wave, winter weather, ice storm and inland flooding are in days per year; lightning is the number of days per year with a recorded cloud-to-ground strike, from the NOAA Storm Prediction Center daily lightning climatology); it may count events in the surrounding area (hail, strong wind, tornado, hurricane and ice storm use a 49 km grid and buffers) and is averaged over the county's area; and some hazards use a minimum value for places with no recorded event. Earthquake, wildfire and coastal flooding are different: FEMA computes them for each census block and averages them over the county, so the value is the chance (for coastal flooding, the modeled number of floods per year) at a location in the county, which is lower than the chance that the hazard strikes somewhere in the county. Earthquake is the chance of at least minor-damage shaking (U.S. Geological Survey model); wildfire is the chance that a location

burns in a large fire (U.S. Forest Service burn probability); coastal flooding comes from FEMA flood zones and NOAA high-tide flooding, so it can be above 1 where high-tide flooding is frequent. Tsunami is the value at the county's most exposed location, from recorded events and modeled return periods. For these four hazards the packet gives no "1 in N years" and takes the descriptor from Storm Events (none for earthquake) unless the value is 1 or more a year. Landslide is a U.S. Geological Survey modeled county rate spread by slope susceptibility. Volcanic activity is the chance that a volcano affecting the county erupts in a year. Drought counts only extreme and exceptional drought (D3 and D4). Source: FEMA, National Risk Index Technical Documentation v1.20, sections 5.2.2 (Table 5), 5.2.3, 7.4, 10.4, 16.5, 17.1, 17.3.1, 17.5, 20.3.1, 21.4, 22.4 and 6 to 23.

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Descriptor scale used in this packet (defined per unit)

Unit	Descriptor	Definition
events per year	Highly likely	1 or more per year
events per year	Likely	about once in 1 to 10 years
events per year	Possible	about once in 10 to 100 years
events per year	Unlikely	less than once in 100 years
annual probability	Likely	10% to under 100% chance in a given year
annual probability	Possible	1% to under 10% chance in a given year
annual probability	Unlikely	under 1% chance in a given year
event-days (share of years)	Highly likely	event-days recorded in 90% or more of years
event-days (share of years)	Likely	event-days recorded in 10% to under 90% of years
event-days (share of years)	Possible	event-days recorded in some years but under 10% of years
lightning strike-days	Highly likely	cloud-to-ground strikes on 1 or more days per year

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Intensity bands: historical frequency (Storm Events)

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Hail	1.00-1.99 in	1996 to 2025	50	30	1.67
Hail	2.00 in+	1996 to 2025	4	30	0.133
Strong Wind (Thunderstorm Wind records)	50-64 kt	1996 to 2025	68	30	2.27
Strong Wind (Thunderstorm Wind records)	65 kt+	1996 to 2025	4	30	0.133
Strong Wind (Thunderstorm Wind records)	unmeasured or below 50 kt	1996 to 2025	0	30	0
Tornado	EF0-1	1996 to 2025	5	30	0.167
Tornado	EF2-3	1996 to 2025	1	30	0.0333
Tornado	EF4-5	1996 to 2025	0	30	0
Tornado	unrated (EFU)	1996 to 2025	4	30	0.133

Hail smaller than 1 inch is not counted: on 2010-01-05 the National Weather Service raised its severe-hail threshold from 3/4 inch to 1 inch, so smaller reports became less common after 2009 (NWS Service Change Notice 09-52). NRI hail frequency uses a 0.75 inch threshold.

SOURCE
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Optional: future conditions. Not a required item in the 2025 FEMA Local Mitigation Planning Policy Guide; some states ask for it. The federal Climate Mapping for Resilience and Adaptation (CMRA) site gives county exposure to future climate conditions.

Supports B1-f: variation across the planning area

Range of census tract risk within the county

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>	Median	Max	Tracts by rating	Note
Avalanche	0 of 3				Not Applicable 3	
Coastal Flooding	0 of 3				Not Applicable 3	
Cold Wave	3 of 3	84.1	85.0	91.8	Relatively High 3	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. Agriculture is 72% of NRI's expected annual loss for this hazard in the county, so the tract range above mostly reflects where crop and livestock value is, not where buildings and people are. Confirm locally.
Drought	3 of 3	98.6	99.0	99.2	Relatively High 3	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. Agriculture is all of NRI's expected annual loss for this hazard in the county, so the tract range above mostly reflects where crop and livestock value is, not where buildings and people are. Confirm locally.
Earthquake	3 of 3	7.7	9.3	13.1	Very Low 3	
Hail	3 of 3	80.5	82.7	84.9	Relatively Moderate 3	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Heat Wave	3 of 3	7.3	7.6	11.3	Very Low 3	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Hurricane	0 of 3				Not Applicable 3	
Ice Storm	3 of 3	39.4	40.4	48.7	Relatively Low 3	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Inland Flooding	3 of 3	41.4	52.6	61.5	Relatively Moderate 2, Relatively Low 1	
Landslide	3 of 3	59.0	66.4	79.9	Very Low 3	
Lightning	3 of 3	22.9	23.7	31.0	Relatively Low 3	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Strong Wind	3 of 3	89.9	91.7	93.5	Relatively High 3	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Tornado	3 of 3	82.1	83.3	90.7	Relatively High 3	
Tsunami	0 of 3				Not Applicable 3	
Volcanic Activity	0 of 3				Not Applicable 3	

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>				Note
			Median	Max	Tracts by rating	
Wildfire	3 of 3	52.6	58.5	63.7	Very Low 3	
Winter Weather	3 of 3	90.1	90.6	94.5	Relatively High 3	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.

Rated tracts only: No Rating (score 0.0), Not Applicable and Insufficient Data tracts are counted but not used for the minimum, median and maximum.

SOURCE
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Per-member block (Starter, confirm locally)

Member	Type	Plan status	Repetitive loss <i>FMA RL and SRL (44 CFR 77.2); repeat- flood, any definition</i>	Public Assistance matched <i>federal share obligated, nominal dollars</i>	Event records naming this place <i>all years; since the member's plan</i>	Notes
Worth County	County	Approved, expires 2030-04-08	FMA RL 0, SRL 0; any 0	\$110,710.93	0; 0	
Fertile city	City	Plan 110499 approved 2025-04-09, pending adoption here; not yet eligible	FMA RL 0, SRL 0; any 0	\$46,913.28	8; no approved plan	
Grafton city	City	Approved, expires 2030-04-08	FMA RL 0, SRL 0; any 0	\$2,509.58	31; 2	
Hanlontown city	City	Approved, expires 2030-04-08	FMA RL 0, SRL 0; any 0	none found	19; 0	
Joice city	City	Approved, expires 2030-04-08	FMA RL 0, SRL 0; any 0	\$8,923.40	8; 0	
Kensett city	City	Approved, expires 2030-04-08	FMA RL 0, SRL 0; any 0	\$20,326.76	20; 0	
Manly city	City	Approved, expires 2030-04-08	FMA RL 0, SRL 0; any 0	\$40,029.44	46; 0	
Northwood city	City	Approved, expires 2030-04-08	FMA RL 0, SRL 0; any 0	\$26,669.42	54; 0	

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

School districts and special districts get a plan clock row only.

SOURCES
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Supports B2-a and B2-b: assets and impacts

Local data required

County-level starter. The plan must describe impacts for each participant and its own assets.

- Critical facilities and lifelines per hazard
- A problem statement per participant per hazard
- Changes in development in hazard-prone areas since the last approval, or a statement of none (E1-a)
- Future assets

County-level starter: exposure, expected annual loss and damage since the plan

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2025-04-09 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property, plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Avalanche											Not Applicable in NRI for this county
Coastal Flooding											Not Applicable in NRI for this county
Cold Wave	\$2,463,983,244	\$185,943,368	7,443	\$2,477	\$653,861	\$254,156	0.000101%				
Drought		\$120,318,660			\$2,333,507		1.94% (agriculture)				NRI has no building exposure for this hazard; agriculture shown
Earthquake	\$4,232,725,903		7,443	\$5,504		\$1,512	0.00013%				
Hail	\$2,463,983,244	\$185,943,368	7,443	\$82,427	\$75,692	\$13,069	0.00335%	\$0			
Heat Wave	\$2,463,983,244	\$185,943,368	7,443	\$10,836	\$2	\$12,781	0.00044%				
Hurricane											Not Applicable in NRI for this county
Ice Storm	\$2,463,983,244		7,443	\$10,367		\$2,300	0.000421%				
Inland Flooding	\$2,462,546,389	\$17,114,188	107	\$1,889,825	\$175,362	\$1,981	n/a (see note)				NRI counts the full building value of any census block with some flood loss; this is not the value of buildings in the floodplain. Use local FIRM overlays for B2-a/B2-b. EAL as % of exposure: n/a.
Landslide	\$5,821,262		17	\$4		\$118	under 0.0001%				
Lightning	\$2,463,983,244		7,443	\$5,260		\$10,028	0.000213%				
Strong Wind	\$2,463,983,244	\$185,943,368	7,443	\$243,977	\$50,253	\$76,681	0.0099%	\$0			
Tornado	\$2,463,983,244	\$185,943,368	7,443	\$629,227	\$6,477	\$417,195	0.0255%				

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2025-04-09 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Tsunami											Not Applicable in NRI for this county
Volcanic Activity											Not Applicable in NRI for this county
Wildfire	\$844,024,650	\$32,748,002	2,433	\$1,361	\$33	\$245	0.000161%				
Winter Weather	\$2,463,983,244	\$185,943,368	7,443	\$16,583	\$350	\$47,534	0.000673%				

Totals since 2025-04-09 (Storm Events through 2026-06-30): 3 county-coded records, 3 with a damage value recorded (including \$0), \$0; 0 zone-level records, 0 with a damage value recorded (including \$0), \$0 reported for the zone; Public Assistance on counted declarations none found (0 declarations, 0 with PA).

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

FEMA does not split Public Assistance by hazard. A declaration mapped to several hazards is listed under each of them with its full amount, so the per-hazard column must not be added up; the unit total counts each declaration once.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
FEMA, OpenFEMA HazardMitigationPlanStatUSES v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatUSES> (API)

Supports B2-a: context

County context

Measure	Value
Population	7,443
Building value (total, not at risk)	\$2,463,983,244
Agriculture value (total, not at risk)	\$185,943,368
NRI risk rating (all hazards)	Very Low
Expected annual loss, buildings and agriculture, all hazards	\$6,193,385
Expected annual loss, population equivalence, all hazards (NRI values each statistical life at \$13.7M; a modeled value of expected deaths and injuries, not property damage)	\$837,600
Social vulnerability rating	Very Low
Community resilience rating	Relatively High
NRI version	December 2025

FEMA's all-hazard expected annual loss total adds buildings, agriculture and population equivalence; the two parts are shown separately so the property figure is not read as including the statistical value of life.

SOURCE
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B2-c: repetitive loss

Repetitive loss in this county, both definitions

Definition	Properties	Severe repetitive loss	Properties
Repetitive loss, FMA definition (44 CFR 77.2)	0	Severe repetitive loss, FMA definition (44 CFR 77.2)	0
Repetitive loss, NFIP insurance definition	0	Severe repetitive loss, NFIP insurance definition	0

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

SOURCES
FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Repeat-flood properties: county and state-level rows

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
County total	0	0	0	0	0	0	0
State level, not in this county: county not reported	0	0	1	0	1	0	0

SOURCES
FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Repeat-flood properties by plan member (NFIP community)

Member	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>	Note
Worth County	190916	0	0	0	0	0	0	0	
Fertile city	190301	0	0	0	0	0	0	0	
Grafton city	190735	0	0	0	0	0	0	0	
Hanlontown city	190833	0	0	0	0	0	0	0	
Joice city	190746	0	0	0	0	0	0	0	
Kensett city	190749	0	0	0	0	0	0	0	
Manly city	190834	0	0	0	0	0	0	0	
Northwood city	190302	0	0	0	0	0	0	0	

Per-member types: XLSX sheet 'B2-c Members'.

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

SOURCES
FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

County repeat-flood properties by occupancy group

Occupancy group	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
single-family residential	0	0	0	0	0	0	0
2 to 4 unit residential	0	0	0	0	0	0	0
other residential	0	0	0	0	0	0	0
non-residential	0	0	0	0	0	0	0
not reported	0	0	0	0	0	0	0

Institutional properties cannot be separated in this data: FEMA's occupancy groups have no institutional class, so they fall in non-residential or other residential in the table by occupancy group.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FMA RL and FMA SRL are the Flood Mitigation Assistance definitions (44 CFR 77.2), the ones the FEMA Local Mitigation Planning Policy Guide cites; OpenFEMA's fmaRI field description omits the Increased Cost of Compliance clause of 44 CFR 77.2(i). NFIP repetitive loss (FEMA insurance definition, nfipRI) is 2 or more claims over \$1,000 in 10 years and can drop to false when a property is mitigated. Also shown: NFIP severe repetitive loss, any category, mitigated and currently insured.

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

Counts are aggregates of FEMA's public NFIP Multiple Loss Properties file (as of 2026-08-02). No property is identified. County assignment is FEMA's geocode.

Counts may differ from your state NFIP coordinator's list, which is the source the Handbook names.

In this county 0 properties are FMA repetitive loss but not NFIP repetitive loss, and 0 properties are NFIP repetitive loss but not FMA repetitive loss.

Exact counts; no count suppression.

Sources

Every table above lists its own sources. The full list, for the plan's bibliography (FEMA review item A4-a):

1. FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
2. FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
3. FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
4. FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
5. FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
6. NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
7. NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
8. U.S. Census Bureau, Census 2024 Gazetteer, 2020 place by county, CT county-to-cousub crosswalk, version 2024-gazetteer, pulled 2026-09-28, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_counties_national.zip, [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_cousubs_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_cousubs_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_place_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_place_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_elsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_elsd_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_unsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_unsd_national.zip)

gazetteer/2024_Gazetteer/2024_Gaz_scsd_national.zip, https://www2.census.gov/geo/docs/reference/codes2020/national_place_by_county2020.txt, https://www2.census.gov/geo/docs/reference/ct_change/ct_cou_to_cousub_crosswalk.xlsx

OpenFEMA disclaimer

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

Reuse, citation and corrections

Reuse and citation: Hazard Plain text and tables are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0, <https://creativecommons.org/licenses/by/4.0/>); credit Hazard Plain and the release. The underlying federal data are public domain; OpenFEMA data are also subject to the OpenFEMA terms and conditions.

Cite this: Hazard Plain (2026). Worth County, IA: risk-assessment baseline packet, release 2026-10 (data as of 2026-09-28; County area 19195). Preview: automated baseline. Built from FEMA OpenFEMA, the FEMA National Risk Index and NOAA NCEI Storm Events; source versions in the packet's Sources list.

Corrections: to report an error, name the packet, the table and what your records show. Contact: to be added

Hazard Plain release 2026-10. As of 2026-09-28; Storm Events data through 2026-06-30. File hazard-plain_2026-10_IA_19195. Preview: automated baseline.