

Rapides Parish, LA

Risk-assessment baseline packet

Unit **County area 22079** Release **2026-10** As of **2026-09-28** Storm Events data through **2026-06-30**

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

A starting point for the plan's risk assessment (FEMA Local Mitigation Plan Review Tool, Element B). It does not replace local data or FEMA review. Section headings say which FEMA review item each table supports; whether an item is satisfied is decided by the plan and its reviewers.

OPENFEMA DISCLAIMER

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Plan clock

Status	Approved, expires 2026-11-16	Plan	Rapides Parish (FEMA plan 107600)
Approved	2021-11-17	Expires	2026-11-16
As of	2026-09-28	Days	49 days to expiry
Update underway	none in FEMA's plan tracker		

What changed since your last plan (approved 2021-11-17)

New federal declarations	FM-5486-LA, EM-3614-LA, EM-3638-LA (3 declaration rows; 3 counted incidents)	Storm Events records since approval	109 (data through 2026-06-30)
Repetitive loss now	FMA RL 96, SRL 129 (44 CFR 77.2); any definition: 436	Repeat-flood change	First release: no prior release to compare.

SOURCES: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API); FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API); NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>; FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

Plan status for every jurisdiction listed in this county

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry <i>negative = days since expiry</i>	Update underway	Notes
Rapides Parish	County	Approved, expires 2026-11-16	Rapides Parish (FEMA plan 107600)	2021-11-17	2026-11-16	49		
Alexandria city	City	Approved, expires 2026-11-16	Rapides Parish (FEMA plan 107600)	2021-11-17	2026-11-16	49		
Ball town	Town	Approved, expires 2026-11-16	Rapides Parish (FEMA plan 107600)	2021-11-17	2026-11-16	49		
Boyce town	Town	Approved, expires 2026-11-16	Rapides Parish (FEMA plan 107600)	2021-11-17	2026-11-16	49		
Cheneyville town	Town	Approved, expires 2026-11-16	Rapides Parish (FEMA plan 107600)	2021-11-17	2026-11-16	49		

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry	Update underway	Notes
						<i>negative = days since expiry</i>		
Forest Hill village	Village	Approved, expires 2026-11-16	Rapides Parish (FEMA plan 107600)	2021-11-17	2026-11-16	49		
Glenmora town	Town	Approved, expires 2026-11-16	Rapides Parish (FEMA plan 107600)	2021-11-17	2026-11-16	49		
Lecompte town	Town	Approved, expires 2026-11-16	Rapides Parish (FEMA plan 107600)	2021-11-17	2026-11-16	49		
McNary village	Village	Approved, expires 2026-11-16	Rapides Parish (FEMA plan 107600)	2021-11-17	2026-11-16	49		
Pineville city	City	Approved, expires 2026-11-16	Rapides Parish (FEMA plan 107600)	2021-11-17	2026-11-16	49		
Woodworth town	Town	Approved, expires 2026-11-16	Rapides Parish (FEMA plan 107600)	2021-11-17	2026-11-16	49		

SOURCE: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

State plan status and tribal plans in this state: see the state page.

CONTENTS

1. Plan clock, page 1	7. Supports B1-e: probability, page 14
2. What changed since your last plan (approved 2021-11-17), page 1	8. Supports B1-f: variation across the planning area, page 17
3. Supports B1-a: hazards, page 3	9. Supports B2-a and B2-b: assets and impacts, page 19
4. Supports B1-b: location, page 5	10. Supports B2-a: context, page 21
5. Supports B1-c: extent, page 5	11. Supports B2-c: repetitive loss, page 22
6. Supports B1-d: previous occurrences, page 9	12. Sources and OpenFEMA disclaimer, page 24

Supports B1-a: hazards

Hazards NRI does not cover: check locally

- dam failure (incl. upstream dams)
 - levee failure
 - flash flood as its own subtype
 - ice jams
- debris flows
 - erosion (riverine and coastal)
 - land subsidence and sinkholes
 - expansive soils

The 18 National Risk Index hazards, ranked by expected annual loss (EAL)

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records since 1996 <i>count</i>	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
1	Inland Flooding	Relatively Moderate	Relatively Moderate	\$15,153,964	\$787,589	\$452,514	\$16,394,066	55		
2	Cold Wave	Relatively High	Relatively High	\$54,744	\$178,976	\$6,329,911	\$6,563,630	3		
3	Hurricane	Relatively Moderate	Relatively Moderate	\$5,505,194	\$513,410	\$348,789	\$6,367,392	9		
4	Heat Wave	Relatively Moderate	Relatively Moderate	\$116	\$591	\$2,605,336	\$2,606,043	5		
5	Tornado	Relatively Moderate	Relatively Low	\$1,570,270	\$5,504	\$246,879	\$1,822,653	51		
6	Lightning	Relatively High	Relatively High	\$45,485		\$1,596,350	\$1,641,834	10		
7	Drought	Relatively High	Relatively Moderate		\$1,410,789		\$1,410,789	8		
8	Strong Wind	Relatively Moderate	Relatively Moderate	\$180,254	\$45,368	\$676,895	\$902,517	236		Includes 2 High Wind records and 1 Strong Wind record, event types the NRI definition of this hazard leaves out.
9	Earthquake	Relatively Low	Relatively Low	\$560,296		\$216,079	\$776,375			Not in Storm Events. Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
10	Ice Storm	Relatively High	Relatively Moderate	\$209,476		\$260,812	\$470,289	4		

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records since 1996 <i>count</i>	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
11	Hail	Relatively Low	Relatively Low	\$227,855	\$14,433	\$21,072	\$263,361	113		
12	Wildfire	Relatively Low	Relatively Low	\$210,437	\$144	\$44,459	\$255,040	1		
13	Winter Weather	Relatively Moderate	Relatively Moderate	\$96,831	\$441	\$10,163	\$107,435	21		
14	Landslide	Very Low	Very Low	\$2,052		\$31	\$2,083	0		No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
	Avalanche	Not Applicable	Not Applicable					0	NRI rates avalanche Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Coastal Flooding	Not Applicable	Not Applicable					0	NRI rates coastal flooding Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Tsunami	Not Applicable	Not Applicable					0	NRI rates tsunami Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
	Volcanic Activity	Not Applicable	Not Applicable					0	NRI rates volcanic activity Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Check your state hazard mitigation plan's hazard list for this county; explain any hazard you drop.

Supports B1-b: location

Where each hazard occurs

Hazard	Location	Census tracts rated <i>rated of all tracts</i>
Avalanche	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 39
Coastal Flooding	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 39
Cold Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	39 of 39
Drought	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	26 of 39
Earthquake	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	39 of 39
Hail	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	39 of 39
Heat Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	39 of 39
Hurricane	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	39 of 39
Ice Storm	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	39 of 39
Inland Flooding	The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (https://msc.fema.gov) for this county.	39 of 39
Landslide	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	39 of 39
Lightning	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	39 of 39
Strong Wind	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	39 of 39
Tornado	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	39 of 39
Tsunami	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 39
Volcanic Activity	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 39
Wildfire	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	36 of 39
Winter Weather	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	39 of 39

SOURCE
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B1-c: extent

Extent: scale, observed range and worst recorded event per hazard

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Avalanche	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Coastal Flood, Storm Surge/ Tide	none in data (FIRM for depth)	0					Flood depth: see the FEMA Flood Insurance Rate Map.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Cold/Wind Chill, Extreme Cold/Wind Chill	wind chill	3, 1996 to 2025 (3 zone-level)	1 day to 4 days (median 1 day); 3 with a recorded value	4 consecutive days, 2010-01-08 to 2010-01-11, zone-level	Cold/Wind Chill, 1996-02-04, \$600,000 property; crops not reported, reported for the zone (1996 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	Wind chill: in event narratives only; local data required.
Frost/Freeze (outside NRI Cold Wave definition)	crop damage	0					Temperature: in event narratives only; local data required.
Drought	US Drought Monitor D-scale	8, 1996 to 2023 (8 zone-level)	10 days to 104 days (median 31 days); 5 with a recorded value	104 days (about 3.4 months), 1998-05-20 to 1998-08-31, a run of 4 consecutive Storm Events drought records, zone-level	Drought, 1998-08-01, property not reported; \$15,600,000 crops, reported for the zone (1998 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	Storm Events enters a drought at D2 or worse east of the Rockies and D3 or worse from the Rockies west (NWS Instruction 10-1605); NRI drought counts D3 and D4 only.
Earthquake	Modified Mercalli (local data)	0					No Storm Events record; local data required (e.g., USGS).
Hail	hail size (inches)	171, 1955 to 2024	0.75 in to 3.5 in (median 1 in); 171 with a recorded value	3.5 in hail, 2023-06-20		Event records naming member places: Alexandria city (18 records), Pineville city (13 records), Glenmora town (9 records), Ball town (6 records), Boyce town (5 records), Woodworth town (5 records), Forest Hill village (4 records), Cheneyville town (3 records), Lecompte town (2 records).	
Excessive Heat, Heat	heat index (narratives)	5, 2000 to 2023 (5 zone-level)	1 day to 38 days (median 8 days); 3 with a recorded value	38 days, 2023-08-01 to 2023-09-07, from 2 records, 1 of them a monthly summary (a monthly summary record covers most or all of a month; it does not count days at wave conditions), zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Heat index: in event narratives only; local data required.
Hurricane, Tropical Storm, Tropical Depression	Saffir-Simpson	9, 2002 to 2020 (9 zone-level)		Strongest recorded (records with damage, a wind speed or direct casualties first, then storm type, category and wind): Hurricane (Typhoon) record, 2020-08-26 to 2020-08-27, category 2, \$500,000,000 property; \$0 crops, reported for the zone (2020 dollars); NWS zone LAZ028 (RAPIDES), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Storm Events files every zone of a storm's episode under the storm's event type and category, so a Hurricane (Typhoon) record, especially an inland or remnant one, does not by itself mean hurricane-force winds here; read the damage and wind columns.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Ice Storm	Sperry-Piltz (local data)	4, 1996 to 2021 (4 zone- level)		Ice Storm, 2011-02-03, \$1,000,000 property; \$0 crops, reported for the zone (2011 dollars); NWS zone LAZ028 (RAPIDES), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Ice thickness: in event narratives only; local data required.
Flash Flood, Flood, Lakeshore Flood	damage and flood days (FIRM for depth)	55, 1997 to 2026 (1 zone- level)		Flood, 2013-01-10, \$33,450,000 property; \$0 crops (2013 dollars)		Event records naming member places: Alexandria city (11 records), Ball town (4 records), Glenmora town (4 records), Woodworth town (3 records), Pineville city (2 records), Boyce town (1 record), Lecompte town (1 record). Zone-level records (1) apply countywide.	Flood depth: see the FEMA Flood Insurance Rate Map. Storm Events damage can be \$0 or blank even for a major flood, so the worst record here may not be the worst flood; compare FEMA Public Assistance by declaration in B1-d.
Debris Flow	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Lightning	annualized frequency (the measure FEMA's Local Mitigation Planning Handbook names)	10, 1997 to 2025		Lightning, 2016-07-10, \$0 property; \$0 crops (2016 dollars), 1 direct death, 1 direct injury	Lightning, 2006-08-16, \$50,000 property; crops not reported (2006 dollars)	Event records naming member places: Ball town (1 record), Boyce town (1 record), Cheneyville town (1 record), Pineville city (1 record).	Storm Events lists lightning with damage or casualties; physical measure in event narratives only; local data required.
High Wind and Strong Wind (outside NRI Strong Wind definition)	wind speed (kt and mph)	3, 2000 to 2008 (3 zone- level)	35 kt (40 mph) to 43 kt (49 mph) (median 39 kt (45 mph)); 2 with a recorded value	43 kt (49 mph) estimated gust, Strong Wind, 2008-03-18; NWS zone LAZ028 (RAPIDES), zone- level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	
Thunderstorm Wind	wind speed (kt and mph)	348, 1955 to 2026	45 kt (52 mph) to 96 kt (110 mph) (median 50 kt (58 mph)); 209 with a recorded value	96 kt (110 mph) estimated gust, Thunderstorm Wind, 2019-06-20	Thunderstorm Wind, 1998-06-05, \$500,000 property; crops not reported (1998 dollars)	Event records naming member places: Alexandria city (58 records), Pineville city (20 records), Ball town (9 records), Boyce town (9 records), Cheneyville town (8 records), Glenmora town (8 records), Forest Hill village (7 records), Lecompte town (6 records), Woodworth town (5 records).	

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Tornado	Enhanced Fujita (F before Feb 2007)	84, 1951 to 2026	F/EF0 to F/EF4 (median F/EF1); 84 with a recorded value	F4 tornado, 1953-12-03, 28.8 mi path length (records before 1996 may include the whole path; rating and listing come from the county where the tornado began), 300 yd wide, \$2,500,000 property; crops not recorded (1953 dollars), 10 direct injuries	Tornado, 2019-12-16, \$22,000,000 property; \$0 crops (2019 dollars)	Event records naming member places: Alexandria city (5 records), Woodworth town (5 records), Cheneyville town (3 records), Ball town (2 records), Boyce town (2 records), Forest Hill village (2 records), Glenmora town (1 record), Lecompte town (1 record), Pineville city (1 record).	From 1996 on, tornado records are per-county segments and length is the path length within this county (NWS Instruction 10-1605); records before 1996 may give the whole path length, including the path outside this county, and before 1996 a tornado is listed once, under the county where it began, with the whole path's rating; counties farther along the path may not list it. Length is not used to rank tornadoes.
Tsunami	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Volcanic Ash, Volcanic Ashfall	Volcanic Explosivity Index (local data)	0					Physical measure: in event narratives only; local data required.
Wildfire	acres burned (local data)	1, 2023 to 2023 (1 zone-level)		Wildfire, 2023-08-24, \$1,000,000 property; \$0 crops, reported for the zone (2023 dollars); NWS zone LAZ028 (RAPIDES), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Acres burned: in event narratives only; local data required.
Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet	none in data (snowfall local)	21, 2001 to 2025 (21 zone-level)		Winter Storm, 2001-01-01, \$50,000 property; crops not reported, reported for the zone (2001 dollars), 4 direct injuries (reported for the zone); NWS zone LAZ028 (RAPIDES), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Snow depth: in event narratives only; local data required.

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Supports B1-d: previous occurrences

Declaration rows49

Counted incidents35

Federal disaster declarations for this county

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance <i>federal share obligated, nominal dollars</i>	Flags	Notes
2026-01-24	2026-01-23	EM-3638-LA	Emergency	SEVERE WINTER STORM	Winter Weather	none found	new since last plan; within last 5 years	
2024-09-10	2024-09-10	EM-3614-LA	Emergency	TROPICAL STORM FRANCINE	Hurricane (primary); also designated: Tornado	none found	new since last plan; within last 5 years	
2023-08-30	2023-08-30	FM-5486-LA	Fire management	HIGHWAY 113 FIRE	Wildfire	none found	new since last plan; within last 5 years	
2021-09-13	2021-09-12	EM-3574-LA	Emergency	TROPICAL STORM NICHOLAS	Hurricane	none found	during plan review, check whether your last plan included it	
2021-08-29	2021-08-26	DR-4611-LA	Major disaster	HURRICANE IDA	Hurricane	none found	during plan review, check whether your last plan included it	
2021-08-27	2021-08-26	EM-3568-LA	Emergency	TROPICAL STORM IDA	Hurricane	none found	during plan review, check whether your last plan included it	same incident as DR-4611
2021-03-09	2021-02-11	DR-4590-LA	Major disaster	SEVERE WINTER STORMS	Ice Storm	\$298,189.65	during plan review, check whether your last plan included it	
2021-02-18	2021-02-11	EM-3556-LA	Emergency	SEVERE WINTER STORM	Ice Storm	none found	during plan review, check whether your last plan included it	same incident as DR-4590
2020-10-27	2020-10-26	EM-3549-LA	Emergency	TROPICAL STORM ZETA	Hurricane	none found		
2020-10-16	2020-10-06	DR-4570-LA	Major disaster	HURRICANE DELTA	Hurricane	\$2,395,527.81		
2020-10-07	2020-10-06	EM-3547-LA	Emergency	HURRICANE DELTA	Hurricane	none found		same incident as DR-4570
2020-09-14	2020-09-13	EM-3543-LA	Emergency	HURRICANE SALLY	Hurricane	none found		
2020-08-28	2020-08-22	DR-4559-LA	Major disaster	HURRICANE LAURA	Hurricane	\$22,789,220.11		
2020-08-23	2020-08-22	EM-3538-LA	Emergency	TROPICAL STORMS LAURA AND MARCO	Hurricane	none found		same incident as DR-4559
2020-06-07	2020-06-05	EM-3527-LA	Emergency	TROPICAL STORM CRISTOBAL	Hurricane	none found		
2020-03-24	2020-01-20	DR-4484-LA	Major disaster	COVID-19 PANDEMIC	Non-natural, not counted	\$151,649.82		
2020-03-13	2020-01-20	EM-3459-LA	Emergency	COVID-19	Non-natural, not counted	none found		same incident as DR-4484

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance		Flags	Notes
						<i>federal share obligated, nominal dollars</i>			
2019-09-19	2019-05-10	DR-4462-LA	Major disaster	FLOODING	Inland Flooding	\$5,005.72			
2019-07-11	2019-07-10	EM-3416-LA	Emergency	TROPICAL STORM BARRY	Hurricane	none found			
2019-05-29	2019-05-10	EM-3413-LA	Emergency	FLOODING	Inland Flooding	none found			same incident as DR-4462
2017-10-16	2017-08-28	DR-4345-LA	Major disaster	TROPICAL STORM HARVEY	Hurricane	\$25,879.37			
2017-08-28	2017-08-27	EM-3382-LA	Emergency	TROPICAL STORM HARVEY	Hurricane	none found			same incident as DR-4345
2016-03-13	2016-03-08	DR-4263-LA	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	\$143,512.20			
2015-07-13	2015-05-18	DR-4228-LA	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	\$177,274.14			
2012-08-29	2012-08-26	DR-4080-LA	Major disaster	HURRICANE ISAAC	Hurricane	\$325,813.78			
2012-08-27	2012-08-26	EM-3347-LA	Emergency	TROPICAL STORM ISAAC	Hurricane	none found			same incident as DR-4080
2008-09-02	2008-09-01	DR-1786-LA	Major disaster	HURRICANE GUSTAV	Hurricane (primary); also designated: Inland Flooding	\$4,980,045.14			
2008-08-29	2008-08-27	EM-3289-LA	Emergency	HURRICANE GUSTAV	Hurricane	none found			same incident as DR-1786
2006-11-02	2006-10-16	DR-1668-LA	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding: designated for Hazard Mitigation only (no Public or Individual Assistance for this county); not counted	PA not declared for this county			
2005-09-24	2005-09-23	DR-1607-LA	Major disaster	HURRICANE RITA	Hurricane	\$2,575,499.87			
2005-09-21	2005-09-20	EM-3260-LA	Emergency	HURRICANE RITA	Hurricane	none found			same incident as DR-1607
2005-08-29	2005-08-29	DR-1603-LA	Major disaster	HURRICANE KATRINA	Hurricane	\$1,404,567.25			
2005-08-27	2005-08-26	EM-3212-LA	Emergency	HURRICANE KATRINA	Hurricane	none found			same incident as DR-1603
2004-09-15	2004-09-13	DR-1548-LA	Major disaster	HURRICANE IVAN	Hurricane	\$16,027.86			
2003-02-01	2003-02-01	EM-3172-LA	Emergency	LOSS OF SPACE SHUTTLE COLUMBIA	Non-natural, not counted	none found			
2002-10-03	2002-10-01	DR-1437-LA	Major disaster	HURRICANE LILI	Hurricane	\$486,511.16			
2000-09-11	2000-09-08	FM-2337-LA	Fire management	LA-WESTERN LOUISIANA FIRE COMPLEX-9/8/00	Wildfire	none found			
1992-08-26	1992-08-25	DR-956-LA	Major disaster	HURRICANE ANDREW	Hurricane	none found			
1991-05-03	1991-04-27	DR-904-LA	Major disaster	SEVERE STORMS, TORNADOES & FLOODING	Inland Flooding; Tornado	PA not declared for this county			
1991-04-23	1991-04-12	DR-902-LA	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	PA not declared for this county			
1989-07-17	1989-06-25	DR-835-LA	Major disaster	TROPICAL STORM ALLISON	Inland Flooding (primary); also designated: Hurricane	PA not declared for this county			

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance	Flags	Notes
						<i>federal share obligated, nominal dollars</i>		
1987-11-30	1987-11-15	DR-804-LA	Major disaster	TORNADOES & FLOODING	Tornado (primary); also designated: Inland Flooding	PA not declared for this county		
1983-01-11	1983-01-11	DR-675-LA	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	none found		
1979-09-25	1979-09-25	DR-604-LA	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	PA not declared for this county		
1977-02-22	1977-02-22	EM-3031-LA	Emergency	DROUGHT & FREEZING	Winter Weather (primary); also designated: Drought	none found		
1975-06-06	1975-06-06	DR-470-LA	Major disaster	HEAVY RAINS, TORNADOES & FLOODING	Inland Flooding; Tornado	none found		
1975-04-12	1975-04-12	EM-3011-LA	Emergency	HEAVY RAINS & FLOODING	Inland Flooding	PA not declared for this county		
1973-04-27	1973-04-27	DR-374-LA	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding	none found		
1965-09-10	1965-09-10	DR-208-LA	Major disaster	HURRICANE BETSY	Hurricane (primary); also designated: Inland Flooding	none found		

County Public Assistance: applicants the FEMA record places in this county, including any state agencies FEMA files there; statewide rows are listed on the state page; federal share obligated, nominal dollars. Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES
FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Statewide declarations

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	Flags	Notes
1964-10-03	1964-10-03	DR-178-LA	Major disaster	HURRICANE HILDA	Hurricane (primary); also designated: Inland Flooding		
1962-11-05	1962-11-05	DR-139-LA	Major disaster	CHLORINE BARGE ACCIDENT	Non-natural, not counted		
1958-05-20	1958-05-20	DR-84-LA	Major disaster	FLOODS	Inland Flooding		
1957-05-16	1957-05-16	DR-73-LA	Major disaster	FLOODS & HURRICANE	Hurricane (primary); also designated: Inland Flooding		
1956-10-04	1956-10-04	DR-64-LA	Major disaster	HURRICANE	Hurricane (primary); also designated: Inland Flooding		
1953-05-29	1953-05-29	DR-3-LA	Major disaster	FLOOD	Inland Flooding		

FEMA recorded these with designated area Statewide and no county. Listed on every county page in the state; not counted with county rows.

SOURCE
FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

Public Assistance filed under this county for declarations that do not list it: 2 rows, \$2,043.01

FEMA number	Declared	Title	Applicant	PA obligated
				<i>federal share obligated, nominal dollars</i>
DR-1792-LA	2008-09-13	HURRICANE IKE	DUBUIS HEALTH SYSTEM	\$1,225
DR-1264-LA	1999-01-21	SEVERE ICE STORM	Forest Hill, Villiage of	\$818.01

FEMA's Public Assistance summaries file these applicants under this county, but FEMA's declaration rows for these disasters do not designate it (an electric cooperative or district serving several counties, for example). Not in any declaration row above and not counted.

SOURCES

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

Previous occurrences by hazard, with explicit no-event rows

Hazard	Storm Events records <i>full period</i>	Since plan approval records	During plan review records	Last 5 years records	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Avalanche	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Coastal Flooding	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Cold Wave	3	1	0	1	0	0	1996 to 2026-06-30	
Drought	8	1	0	1	1	0	1996 to 2026-06-30	
Earthquake	0	0	0	0	0	0		No Storm Events record; local data required (e.g., USGS).
Hail	171	11	0	11	0	0	1955 to 2026-06-30	
Heat Wave	5	2	0	2	0	0	1996 to 2026-06-30	
Hurricane	9	0	0	0	19	1	1996 to 2026-06-30	
Ice Storm	4	0	1	0	1	0	1996 to 2026-06-30	
Inland Flooding	55	17	0	17	14	0	1996 to 2026-06-30	
Landslide	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Lightning	10	1	0	1	0	0	1996 to 2026-06-30	
Strong Wind	351	65	1	65	0	0	1955 to 2026-06-30	Includes 2 High Wind records and 1 Strong Wind record, event types the NRI definition of this hazard leaves out.
Tornado	84	9	1	9	4	1	1950 to 2026-06-30	
Tsunami	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Volcanic Activity	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Wildfire	1	1	0	1	2	1	1996 to 2026-06-30	
Winter Weather	21	1	0	1	2	1	1996 to 2026-06-30	

SOURCESNOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>**Notable Storm Events records**

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Direct deaths, injuries <i>indirect not counted</i>	Location	Flags	Why listed
2023-08-01	Heat		\$0 property; \$0 crops, reported for the zone (2023 dollars)	0, 0	NWS zone LAZ028 (RAPIDES), zone-level: may include parts of neighboring counties	new since last plan; within last 5 years	B1-c worst recorded: Excessive Heat, Heat
2020-08-26	Hurricane (Typhoon)	category 2	\$500,000,000 property; \$0 crops, reported for the zone (2020 dollars)	0, 0	NWS zone LAZ028 (RAPIDES), zone-level: may include parts of neighboring counties		B1-c worst recorded: Hurricane, Tropical Storm, Tropical Depression
2019-06-20	Thunderstorm Wind	96 kt (110 mph) estimated gust	\$50,000 property; \$0 crops (2019 dollars)	0, 0	LIBUSE to KOLIN		B1-c worst recorded: Thunderstorm Wind
2016-08-13	Flash Flood		\$500,000 property; \$0 crops (2016 dollars)	1, 1	SIEPER to FLATWOODS		deaths or injuries recorded
2016-07-10	Lightning		\$0 property; \$0 crops (2016 dollars)	1, 1	LIBUSE		deaths or injuries recorded
2013-01-10	Flood		\$33,450,000 property; \$0 crops (2013 dollars)	0, 0	BALL to DEVILLE		B1-c worst recorded: Flash Flood, Flood, Lakeshore Flood
2011-02-03	Ice Storm		\$1,000,000 property; \$0 crops, reported for the zone (2011 dollars)	0, 0	NWS zone LAZ028 (RAPIDES), zone-level: may include parts of neighboring counties		B1-c worst recorded: Ice Storm
2010-01-08	Cold/Wind Chill		\$0 property; \$0 crops, reported for the zone (2010 dollars)	0, 0	NWS zone LAZ028 (RAPIDES), zone-level: may include parts of neighboring counties		B1-c worst recorded: Cold/Wind Chill, Extreme Cold/Wind Chill
2008-03-18	Strong Wind	43 kt (49 mph) estimated gust	\$200,000 property; \$0 crops, reported for the zone (2008 dollars)	0, 0	NWS zone LAZ028 (RAPIDES), zone-level: may include parts of neighboring counties		B1-c worst recorded: High Wind and Strong Wind (outside NRI Strong Wind definition)
1998-05-20	Drought		damage not reported	0, 0	NWS zone LAZ028 (RAPIDES), zone-level: may include parts of neighboring counties		B1-c worst recorded: Drought
1957-11-07	Tornado	F3, 13.3 mi path length (records before 1996 may include the whole path; rating and listing come from the county where the tornado began), 67 yd wide	\$2,500,000 property; crops not recorded (1957 dollars)	3, 16	location not recorded		deaths or injuries recorded
1953-12-03	Tornado	F4, 28.8 mi path length (records before 1996 may include the whole path; rating and listing come from the county where the tornado began), 300 yd wide	\$2,500,000 property; crops not recorded (1953 dollars)	0, 10	location not recorded		B1-c worst recorded: Tornado

The full list is in the XLSX file, sheet "B1-d Storm Events history" (722 rows).

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

State-declared emergencies are not in federal data. Add them from your state emergency management agency.

Tribal and special-area declarations in this state are listed on the state page.

Supports B1-e: probability

Probability: FEMA annualized frequency and descriptor per hazard

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Avalanche		events per year					1994 to 2023 (30 years)	see B1-f	Not Applicable in NRI for this county; no descriptor.
Coastal Flooding		events per year at a location (modeled)				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Cold Wave	1.21	event-days per year	about 1.21 days per year	Likely	event-days in 3 of 30 years, 1996 to 2025 (10%)	23	2005-11-12 to 2024-11-12 (19 years)	countywide	NRI gives about 1.21 cold wave event-days a year here (its annualized frequency over 19 years; not its event count divided by the years), but Storm Events has a record in only 3 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together. Frost/Freeze records are not counted in this descriptor: they record crop freezes, not cold waves.
Drought	27.6	event-days per year	about 27.6 days per year	Likely	event-days in 4 of 30 years, 1996 to 2025 (13.3%)	1,022	2000 to 2025 (25.25 years; D3 and D4 only)	countywide	NRI gives about 27.6 drought event-days a year here (its annualized frequency over 25.25 years; not its event count divided by the years), but Storm Events has a record in only 4 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.
Earthquake	0.00104	annual probability at a location	chance a given location in the county has at least minor- damage shaking in a year: 0.104%			not shown	modeled	see B1-f	Descriptor not assigned: the NRI value is the chance at a location in the county, not how often the hazard affects the county, and Storm Events does not record earthquakes.

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Hail	2.02	events per year	about 2.02 per year	Highly likely	FEMA annualized frequency (modeled)	76.8 (modeled)	1986 to 2023 (38 years)	countywide	
Heat Wave	11.4	event-days per year	about 11.4 days per year	Likely	event-days in 3 of 30 years, 1996 to 2025 (10%)	193	2005-11-12 to 2024-11-12 (19 years)	countywide	NRI gives about 11.4 heat wave event-days a year here (its annualized frequency over 19 years; not its event count divided by the years), but Storm Events has a record in only 3 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.
Hurricane	0.104	events per year	about 1 in 10 years	Likely	FEMA annualized frequency (modeled)	38	1851 to 2024 (Atlantic)	see B1-f	NRI counts hurricane and tropical storm tracks passing within storm-force wind range; federal declarations are counted separately in B1-d and need not match.
Ice Storm	0.751	event-days per year	about 0.751 days per year	Likely	event-days in 4 of 30 years, 1996 to 2025 (13.3%)	51	1946-12-31 to 2014-02-12 (67 years)	countywide	
Inland Flooding	1.39	event-days per year	about 1.39 days per year	Likely	event-days in 22 of 30 years, 1996 to 2025 (73.3%)	39	1996 to 2023 (28 years)	see B1-f	
Landslide	0.308	events per year (modeled)	about 1 in 3 years	Likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Lightning	75	days per year with a strike	about 75 days per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1995 to 2023 (29 years; CONUS)	countywide	
Strong Wind	1.59	events per year	about 1.59 per year	Highly likely	FEMA annualized frequency (modeled)	61	1986 to 2023 (38 years)	countywide	
Tornado	1.15	events per year	about 1.15 per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1950 to 2023 (EF2+); 1986 to 2023 (EF0-1)	see B1-f	
Tsunami		annual probability at the most exposed location (used in place of a county value)				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Volcanic Activity		annual probability				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Wildfire	0.00154	annual probability at a location	chance a given location in the county burns in a year: 0.154%	Possible	Storm Events records in 1 of 30 years, 1996 to 2025 (3.33%)	not shown	modeled	see B1-f	Descriptor from Storm Events, not NRI: the NRI value is the chance at a location in the county, not how often the hazard affects the county.
Winter Weather	1.95	event-days per year	about 1.95 days per year	Likely	event-days in 12 of 30 years, 1996 to 2025 (40%)	37	2005-11-12 to 2024-11-12 (19 years)	countywide	NRI gives about 1.95 winter weather event-days a year here (its annualized frequency over 19 years; not its event count divided by the years), but Storm Events has a record in only 12 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.

FEMA annualized frequency (modeled) comes from the National Risk Index v1.20 (December 2025). It is not recorded events divided by years, and what it measures depends on the hazard. For most hazards it estimates how often the hazard affects this county each year: it counts events or event-days (drought, heat wave, cold wave, winter weather, ice storm and inland flooding are in days per year; lightning is the number of days per year with a recorded cloud-to-ground strike, from the NOAA Storm Prediction Center daily lightning climatology); it may count events in the surrounding area (hail, strong wind, tornado, hurricane and ice storm use a 49 km grid and buffers) and is averaged over the county's area; and some hazards use a minimum value for places with no recorded event. Earthquake, wildfire and coastal flooding are different: FEMA computes them for each census block and averages them over the county, so the value is the chance (for coastal flooding, the modeled number of floods per year) at a location in the county, which is lower than the chance that the hazard strikes somewhere in the county. Earthquake is the chance of at least minor-damage shaking (U.S. Geological Survey model); wildfire is the chance that a location burns in a large fire (U.S. Forest Service burn probability); coastal flooding comes from FEMA flood zones and NOAA high-tide flooding, so it can be above 1 where high-tide flooding is frequent. Tsunami is the value at the county's most exposed location, from recorded events and modeled return periods. For these four hazards the packet gives no "1 in N years" and takes the descriptor from Storm Events (none for earthquake) unless the value is 1 or more a year. Landslide is a U.S. Geological Survey modeled county rate spread by slope susceptibility. Volcanic activity is the chance that a volcano affecting the county erupts in a year. Drought counts only extreme and exceptional drought (D3 and D4). Source: FEMA, National Risk Index Technical Documentation v1.20, sections 5.2.2 (Table 5), 5.2.3, 7.4, 10.4, 16.5, 17.1, 17.3.1, 17.5, 20.3.1, 21.4, 22.4 and 6 to 23.

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Descriptor scale used in this packet (defined per unit)

Unit	Descriptor	Definition
events per year	Highly likely	1 or more per year
events per year	Likely	about once in 1 to 10 years
events per year	Possible	about once in 10 to 100 years
events per year	Unlikely	less than once in 100 years
annual probability	Likely	10% to under 100% chance in a given year
annual probability	Possible	1% to under 10% chance in a given year
annual probability	Unlikely	under 1% chance in a given year
event-days (share of years)	Highly likely	event-days recorded in 90% or more of years
event-days (share of years)	Likely	event-days recorded in 10% to under 90% of years

Unit	Descriptor	Definition
event-days (share of years)	Possible	event-days recorded in some years but under 10% of years
lightning strike-days	Highly likely	cloud-to-ground strikes on 1 or more days per year

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Intensity bands: historical frequency (Storm Events)

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Hail	1.00-1.99 in	1996 to 2025	57	30	1.9
Hail	2.00 in+	1996 to 2025	10	30	0.333
Strong Wind (Thunderstorm Wind records)	50-64 kt	1996 to 2025	169	30	5.63
Strong Wind (Thunderstorm Wind records)	65 kt+	1996 to 2025	5	30	0.167
Strong Wind (Thunderstorm Wind records)	unmeasured or below 50 kt	1996 to 2025	47	30	1.57
Tornado	EF0-1	1996 to 2025	39	30	1.3
Tornado	EF2-3	1996 to 2025	10	30	0.333
Tornado	EF4-5	1996 to 2025	0	30	0
Tornado	unrated (EFU)	1996 to 2025	0	30	0

Hail smaller than 1 inch is not counted: on 2010-01-05 the National Weather Service raised its severe-hail threshold from 3/4 inch to 1 inch, so smaller reports became less common after 2009 (NWS Service Change Notice 09-52). NRI hail frequency uses a 0.75 inch threshold.

SOURCE
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Optional: future conditions. Not a required item in the 2025 FEMA Local Mitigation Planning Policy Guide; some states ask for it. The federal Climate Mapping for Resilience and Adaptation (CMRA) site gives county exposure to future climate conditions.

Supports B1-f: variation across the planning area

Range of census tract risk within the county

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>	Median	Max	Tracts by rating	Note
Avalanche	0 of 39				Not Applicable 39	
Coastal Flooding	0 of 39				Not Applicable 39	
Cold Wave	39 of 39	22.7	80.3	92.5	Relatively High 28, Relatively Moderate 10, Relatively Low 1	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>	Median	Max	Tracts by rating	Note
Drought	26 of 39	70.7	86.9	99.2	Relatively High 2, Relatively Moderate 5, Relatively Low 14, Very Low 5, No Rating 13	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. Agriculture is all of NRI's expected annual loss for this hazard in the county, so the tract range above mostly reflects where crop and livestock value is, not where buildings and people are. Confirm locally.
Earthquake	39 of 39	3.9	38.8	74.9	Relatively Low 16, Very Low 23	
Hail	39 of 39	4.7	51.1	69.7	Relatively Moderate 1, Relatively Low 36, Very Low 2	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Heat Wave	39 of 39	4.1	70.1	87.5	Relatively High 4, Relatively Moderate 30, Relatively Low 4, Very Low 1	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Hurricane	39 of 39	46.4	82.6	92.1	Relatively High 1, Relatively Moderate 29, Relatively Low 8, Very Low 1	
Ice Storm	39 of 39	4.9	76.1	87.5	Relatively Moderate 31, Relatively Low 7, Very Low 1	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Inland Flooding	39 of 39	0.3	36.4	87.1	Relatively High 3, Relatively Moderate 9, Relatively Low 16, Very Low 11	
Landslide	39 of 39	13.2	63.8	91.4	Relatively Low 5, Very Low 34	
Lightning	39 of 39	13.0	89.9	98.0	Very High 7, Relatively High 27, Relatively Moderate 4, Very Low 1	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Strong Wind	39 of 39	9.3	61.4	83.7	Relatively High 2, Relatively Moderate 26, Relatively Low 10, Very Low 1	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Tornado	39 of 39	3.7	46.3	64.6	Relatively Moderate 9, Relatively Low 29, Very Low 1	
Tsunami	0 of 39				Not Applicable 39	
Volcanic Activity	0 of 39				Not Applicable 39	
Wildfire	36 of 39	19.2	63.4	92.8	Relatively Moderate 4, Relatively Low 13, Very Low 19, No Rating 3	
Winter Weather	39 of 39	16.0	54.0	77.2	Relatively Moderate 27, Relatively Low 11, Very Low 1	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.

Rated tracts only: No Rating (score 0.0), Not Applicable and Insufficient Data tracts are counted but not used for the minimum, median and maximum.

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Per-member block (Starter, confirm locally)

Member	Type	Plan status	Repetitive loss <i>FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition</i>	Public Assistance matched <i>federal share obligated, nominal dollars</i>	Event records naming this place <i>all years; since the member's plan</i>	Notes
Rapides Parish	County	Approved, expires 2026-11-16	FMA RL 48, SRL 72; any 188	\$11,187,754.81	0; 0	
Alexandria city	City	Approved, expires 2026-11-16	FMA RL 35, SRL 49; any 197	\$12,032,460.35	92; 1	
Ball town	Town	Approved, expires 2026-11-16	FMA RL 0, SRL 0; any 2	\$441,839.17	22; 3	
Boyce town	Town	Approved, expires 2026-11-16	FMA RL 0, SRL 0; any 0	\$203,098.26	18; 4	
Cheneyville town	Town	Approved, expires 2026-11-16	FMA RL 0, SRL 1; any 1	\$159,845.77	15; 4	
Forest Hill village	Village	Approved, expires 2026-11-16	FMA RL 0, SRL 0; any 0	\$63,392	13; 3	
Glenmora town	Town	Approved, expires 2026-11-16	FMA RL 0, SRL 0; any 1	\$105,223.83	22; 1	
Lecompte town	Town	Approved, expires 2026-11-16	FMA RL 1, SRL 3; any 7	\$96,565.69	10; 3	
McNary village	Village	Approved, expires 2026-11-16	FMA RL 0, SRL 0; any 0	\$45,500.93	0; 0	
Pineville city	City	Approved, expires 2026-11-16	FMA RL 4, SRL 4; any 30	\$1,701,030.87	37; 2	
Woodworth town	Town	Approved, expires 2026-11-16	FMA RL 8, SRL 0; any 10	\$235,273.47	18; 3	

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

School districts and special districts get a plan clock row only.

SOURCES

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Supports B2-a and B2-b: assets and impacts

Local data required

County-level starter. The plan must describe impacts for each participant and its own assets.

- Critical facilities and lifelines per hazard
- A problem statement per participant per hazard
- Changes in development in hazard-prone areas since the last approval, or a statement of none (E1-a)
- Future assets

County-level starter: exposure, expected annual loss and damage since the plan

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2021-11-17 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Avalanche											Not Applicable in NRI for this county
Coastal Flooding											Not Applicable in NRI for this county
Cold Wave	\$26,161,955,369	\$189,962,456	129,664	\$54,744	\$178,976	\$6,329,911	0.000209%		\$0		
Drought		\$116,327,846			\$1,410,789		1.21% (agriculture)		\$0		NRI has no building exposure for this hazard; agriculture shown
Earthquake	\$45,678,216,572		130,023	\$560,296		\$216,079	0.00123%				
Hail	\$26,161,955,369	\$189,962,456	129,664	\$227,855	\$14,433	\$21,072	0.000871%	\$500,000			
Heat Wave	\$26,161,955,369	\$189,962,456	129,664	\$116	\$591	\$2,605,336	under 0.0001%		\$0		
Hurricane	\$26,159,328,517	\$186,056,626	129,630	\$5,505,194	\$513,410	\$348,789	0.021%			none found (1 declaration)	
Ice Storm	\$26,161,955,369		129,664	\$209,476		\$260,812	0.000801%				
Inland Flooding	\$26,145,468,019	\$70,008,190	16,941	\$15,153,964	\$787,589	\$452,514	n/a (see note)	\$111,000			NRI counts the full building value of any census block with some flood loss; this is not the value of buildings in the floodplain. Use local FIRM overlays for B2-a/B2-b. EAL as % of exposure: n/a.
Landslide	\$122,157,250		552	\$2,052		\$31	0.00168%				
Lightning	\$26,161,955,369		129,664	\$45,485		\$1,596,350	0.000174%	\$25,000			
Strong Wind	\$26,161,955,369	\$189,962,456	129,664	\$180,254	\$45,368	\$676,895	0.000689%	\$633,000			
Tornado	\$26,161,955,369	\$189,962,456	129,664	\$1,570,270	\$5,504	\$246,879	0.006%	\$331,000		none found (1 declaration)	
Tsunami											Not Applicable in NRI for this county

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2021-11-17 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Volcanic Activity											Not Applicable in NRI for this county
Wildfire	\$1,619,579,926	\$19,430,397	18,974	\$210,437	\$144	\$44,459	0.013%		\$1,000,000	none found (1 declaration)	
Winter Weather	\$26,161,955,369	\$189,962,456	129,664	\$96,831	\$441	\$10,163	0.00037%		\$0	none found (1 declaration)	

Totals since 2021-11-17 (Storm Events through 2026-06-30): 103 county-coded records, 103 with a damage value recorded (including \$0), \$1,600,000; 6 zone-level records, 6 with a damage value recorded (including \$0), \$1,000,000 reported for the zone; Public Assistance on counted declarations none found (3 declarations, 0 with PA).

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

FEMA does not split Public Assistance by hazard. A declaration mapped to several hazards is listed under each of them with its full amount, so the per-hazard column must not be added up; the unit total counts each declaration once.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Supports B2-a: context

County context

Measure	Value
Population	129,664
Building value (total, not at risk)	\$26,161,955,369
Agriculture value (total, not at risk)	\$189,962,456
NRI risk rating (all hazards)	Relatively Moderate
Expected annual loss, buildings and agriculture, all hazards	\$26,774,218
Expected annual loss, population equivalence, all hazards (NRI values each statistical life at \$13.7M; a modeled value of expected deaths and injuries, not property damage)	\$12,809,289
Social vulnerability rating	Relatively High
Community resilience rating	Very High
NRI version	December 2025

FEMA's all-hazard expected annual loss total adds buildings, agriculture and population equivalence; the two parts are shown separately so the property figure is not read as including the statistical value of life.

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B2-c: repetitive loss

Repetitive loss in this county, both definitions

Definition	Properties	Severe repetitive loss	Properties
Repetitive loss, FMA definition (44 CFR 77.2)	96	Severe repetitive loss, FMA definition (44 CFR 77.2)	129
Repetitive loss, NFIP insurance definition	382	Severe repetitive loss, NFIP insurance definition	92

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Repeat-flood properties: county and state-level rows

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
County total	96	129	382	92	436	39	156
RAPIDES PARISH*	48	72	158	47	188	27	52
ALEXANDRIA, CITY OF	35	49	184	39	197	10	73
CHENEYVILLE, TOWN OF	0	1	1	1	1	0	1
GLENMORA, TOWN OF	0	0	1	0	1	0	0
LECOMPTE, TOWN OF	1	3	7	3	7	0	5
PINEVILLE, CITY OF	4	4	26	2	30	2	15
WOODWORTH, VILLAGE OF	8	0	3	0	10	0	9
BALL, TOWN OF	0	0	2	0	2	0	1
State level, not in this county: county not reported	0	0	4	0	4	0	0

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Repeat-flood properties by plan member (NFIP community)

Member	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>	Note
Rapides Parish	220145	48	72	158	47	188	27	52	
Alexandria city	220146	35	49	184	39	197	10	73	
Ball town	220373	0	0	2	0	2	0	1	
Boyce town	220147	0	0	0	0	0	0	0	
Cheneyville town	220148	0	1	1	1	1	0	1	

Member	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>	Note
Forest Hill village	220287	0	0	0	0	0	0	0	
Glenmora town	220149	0	0	1	0	1	0	0	
Lecompte town	220150	1	3	7	3	7	0	5	
McNary village	220299	0	0	0	0	0	0	0	
Pineville city	220151	4	4	26	2	30	2	15	
Woodworth town	220260	8	0	3	0	10	0	9	

Per-member types: XLSX sheet 'B2-c Members'.

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

County repeat-flood properties by occupancy group

Occupancy group	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
single-family residential	94	119	332	82	385	39	143
2 to 4 unit residential	2	1	11	1	12	0	5
other residential	0	0	3	0	3	0	1
non-residential	0	9	36	9	36	0	7
not reported	0	0	0	0	0	0	0

Institutional properties cannot be separated in this data: FEMA's occupancy groups have no institutional class, so they fall in non-residential or other residential in the table by occupancy group.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FMA RL and FMA SRL are the Flood Mitigation Assistance definitions (44 CFR 77.2), the ones the FEMA Local Mitigation Planning Policy Guide cites; OpenFEMA's fmaRI field description omits the Increased Cost of Compliance clause of 44 CFR 77.2(i). NFIP repetitive loss (FEMA insurance definition, nfipRI) is 2 or more claims over \$1,000 in 10 years and can drop to false when a property is mitigated. Also shown: NFIP severe repetitive loss, any category, mitigated and currently insured.

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

Counts are aggregates of FEMA's public NFIP Multiple Loss Properties file (as of 2026-08-02). No property is identified. County assignment is FEMA's geocode.

Counts may differ from your state NFIP coordinator's list, which is the source the Handbook names.

In this county 37 properties are FMA repetitive loss but not NFIP repetitive loss, and 323 properties are NFIP repetitive loss but not FMA repetitive loss.

Exact counts; no count suppression.

Sources

Every table above lists its own sources. The full list, for the plan's bibliography (FEMA review item A4-a):

1. FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
 2. FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
 3. FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
 4. FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
 5. FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
 6. NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
 7. NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
 8. U.S. Census Bureau, Census 2024 Gazetteer, 2020 place by county, CT county-to-cousub crosswalk, version 2024-gazetteer, pulled 2026-09-28, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_counties_national.zip, [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_cousubs_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_cousubs_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_place_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_place_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_unsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_unsd_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_elsd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_elsd_national.zip), [https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_scscd_national.zip](https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_scscd_national.zip), https://www2.census.gov/geo/docs/reference/codes2020/national_place_by_county2020.txt, https://www2.census.gov/geo/docs/reference/ct_change/ct_cou_to_cousub_crosswalk.xlsx
-

OpenFEMA disclaimer

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

Reuse, citation and corrections

Reuse and citation: Hazard Plain text and tables are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0, <https://creativecommons.org/licenses/by/4.0/>); credit Hazard Plain and the release. The underlying federal data are public domain; OpenFEMA data are also subject to the OpenFEMA terms and conditions.

Cite this: Hazard Plain (2026). Rapides Parish, LA: risk-assessment baseline packet, release 2026-10 (data as of 2026-09-28; County area 22079). Preview: automated baseline. Built from FEMA OpenFEMA, the FEMA National Risk Index and NOAA NCEI Storm Events; source versions in the packet's Sources list.

Corrections: to report an error, name the packet, the table and what your records show. Contact: to be added

Hazard Plain release 2026-10. As of 2026-09-28; Storm Events data through 2026-06-30. File hazard-plain_2026-10_LA_22079. Preview: automated baseline.