

Knox County, ME

Risk-assessment baseline packet

Unit **County area 23013** Release **2026-10** As of **2026-09-28** Storm Events data through **2026-06-30**

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

A starting point for the plan's risk assessment (FEMA Local Mitigation Plan Review Tool, Element B). It does not replace local data or FEMA review. Section headings say which FEMA review item each table supports; whether an item is satisfied is decided by the plan and its reviewers.

OPENFEMA DISCLAIMER

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Plan clock

Status	Approved, expires 2030-08-04	Plan	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)
Approved	2025-08-05	Expires	2030-08-04
As of	2026-09-28	Days	1,406 days to expiry

What changed since your last plan (approved 2025-08-05)

New federal declarations	none (0 declaration rows; 0 counted incidents)	Storm Events records since approval	12 (data through 2026-06-30)
Repetitive loss now	FMA RL 0, SRL 0 (44 CFR 77.2); any definition: 2	Repeat-flood change	First release: no prior release to compare.

SOURCES: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API); FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API); NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>; FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

Plan status for every jurisdiction listed in this county: 19 rows, in the section "Plan clock: Plan status for every jurisdiction listed in this county" after these cover pages.

State plan status and tribal plans in this state: see the state page.

CONTENTS

1. Plan clock, page 1
2. What changed since your last plan (approved 2025-08-05), page 1
3. Supports B1-a: hazards, page 3
4. Supports B1-b: location, page 5
5. Supports B1-c: extent, page 5
6. Supports B1-d: previous occurrences, page 9
7. Supports B1-e: probability, page 13
8. Supports B1-f: variation across the planning area, page 17
9. Supports B2-a and B2-b: assets and impacts, page 19
10. Supports B2-a: context, page 21
11. Supports B2-c: repetitive loss, page 21
12. Sources and OpenFEMA disclaimer, page 23

Plan clock

Plan status for every jurisdiction listed in this county

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry <i>negative = days since expiry</i>	Update underway	Notes
Knox County	County	Approved, expires 2030-08-04	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)	2025-08-05	2030-08-04	1,406		member approved 2025-10-15
Rockland city	City	Approved, expires 2030-08-04	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)	2025-08-05	2030-08-04	1,406		member approved 2026-06-02
Appleton town	Town	Approved, expires 2030-08-04	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)	2025-08-05	2030-08-04	1,406		member approved 2025-10-15
Camden town	Town	Approved, expires 2030-08-04	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)	2025-08-05	2030-08-04	1,406		member approved 2025-11-18
Cushing town	Town	Approved, expires 2030-08-04	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)	2025-08-05	2030-08-04	1,406		member approved 2025-12-11
Friendship town	Town	Approved, expires 2030-08-04	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)	2025-08-05	2030-08-04	1,406		member approved 2026-02-04
Hope town	Town	Approved, expires 2030-08-04	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)	2025-08-05	2030-08-04	1,406		member approved 2025-09-08
Isle au Haut town	Town	Approved, expires 2030-08-04	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)	2025-08-05	2030-08-04	1,406		member approved 2025-08-18
Matinicus Isle plantation	Plantation	Approved, expires 2030-08-04	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)	2025-08-05	2030-08-04	1,406		member approved 2025-08-18
North Haven town	Town	Approved, expires 2030-08-04	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)	2025-08-05	2030-08-04	1,406		member approved 2025-08-18
Rockport town	Town	Approved, expires 2030-08-04	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)	2025-08-05	2030-08-04	1,406		
South Thomaston town	Town	Approved, expires 2030-08-04	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)	2025-08-05	2030-08-04	1,406		member approved 2025-10-15
St. George town	Town	Approved, expires 2030-08-04	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)	2025-08-05	2030-08-04	1,406		member approved 2025-10-15
Thomaston town	Town	Approved, expires 2030-08-04	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)	2025-08-05	2030-08-04	1,406		
Union town	Town	Approved, expires 2030-08-04	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)	2025-08-05	2030-08-04	1,406		member approved 2026-06-02

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry <i>negative = days since expiry</i>	Update underway	Notes
Vinalhaven town	Town	Approved, expires 2030-08-04	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)	2025-08-05	2030-08-04	1,406		
Warren town	Town	Approved, expires 2030-08-04	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)	2025-08-05	2030-08-04	1,406		member approved 2025-09-08
Washington town	Town	Approved, expires 2030-08-04	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)	2025-08-05	2030-08-04	1,406		member approved 2025-08-18
Owls Head, Town of	Town	Approved, expires 2030-08-04	Knox County Hazard Mitigation Plan – 2025 Update (FEMA plan 110816)	2025-08-05	2030-08-04	1,406		member approved 2026-04-09

SOURCE
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Supports B1-a: hazards

Hazards NRI does not cover: check locally

- dam failure (incl. upstream dams)
 - levee failure
 - flash flood as its own subtype
 - ice jams
- debris flows
 - erosion (riverine and coastal)
 - land subsidence and sinkholes
 - expansive soils

The 18 National Risk Index hazards, ranked by expected annual loss (EAL)

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records since 1996 <i>count</i>	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
1	Hurricane	Relatively Moderate	Relatively Moderate	\$3,636,757	\$54,837	\$60,193	\$3,751,787	4		
2	Inland Flooding	Very Low	Very Low	\$3,163,925	\$850	\$47,723	\$3,212,498	39		
3	Coastal Flooding	Relatively Moderate	Relatively Moderate	\$1,285,561		\$1,159	\$1,286,720	13		
4	Ice Storm	Relatively High	Relatively High	\$1,016,533		\$38,155	\$1,054,687	4		
5	Winter Weather	Relatively High	Relatively High	\$169,618	\$6	\$355,133	\$524,757	161		
6	Strong Wind	Relatively Low	Relatively Low	\$5,696	\$148	\$489,298	\$495,141	96		Includes 24 High Wind records and 39 Strong Wind records, event types the NRI definition of this hazard leaves out.
7	Cold Wave	Relatively Low	Relatively Low	\$189	\$1,628	\$463,809	\$465,626	22		

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records since 1996 <i>count</i>	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
8	Lightning	Relatively Low	Relatively Low	\$30,265		\$256,906	\$287,171	9		
9	Earthquake	Very Low	Very Low	\$244,382		\$34,302	\$278,684			Not in Storm Events. Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
10	Tornado	Very Low	Very Low	\$42,336	\$29	\$90,446	\$132,810	0		No recorded events in Storm Events since 1996 (data through 2026-06-30).
11	Hail	Very Low	Very Low	\$80,663	\$2,181	\$8,043	\$90,887	10		
12	Drought	Relatively Low	Relatively Low		\$55,822		\$55,822	21		
13	Landslide	Relatively Low	Relatively Low	\$41,106		\$213	\$41,319	1		
14	Heat Wave	Very Low	Very Low	under \$1	\$307	\$28,113	\$28,421	2		
15	Wildfire	Very Low	Very Low	\$6,802	\$1	\$562	\$7,365	0		No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
16	Avalanche	Very Low	Very Low	under \$1		\$135	\$135	0		No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Tsunami	Insufficient Data	Insufficient Data					0		No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
	Volcanic Activity	Not Applicable	Not Applicable					0	NRI rates volcanic activity Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Check your state hazard mitigation plan's hazard list for this county; explain any hazard you drop.

Supports B1-b: location

Where each hazard occurs

Hazard	Location	Census tracts rated <i>rated of all tracts</i>
Avalanche	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	2 of 12
Coastal Flooding	The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (https://msc.fema.gov) for this county.	10 of 12
Cold Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	12 of 12
Drought	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	7 of 12
Earthquake	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	12 of 12
Hail	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	12 of 12
Heat Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	12 of 12
Hurricane	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	12 of 12
Ice Storm	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	12 of 12
Inland Flooding	The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (https://msc.fema.gov) for this county.	12 of 12
Landslide	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	12 of 12
Lightning	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	12 of 12
Strong Wind	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	12 of 12
Tornado	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	12 of 12
Tsunami	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 12
Volcanic Activity	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 12
Wildfire	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	12 of 12
Winter Weather	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	12 of 12

SOURCE
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B1-c: extent

Extent: scale, observed range and worst recorded event per hazard

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Avalanche	none (count and damage)	0					Physical measure: in event narratives only; local data required.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Coastal Flood, Storm Surge/Tide	none in data (FIRM for depth)	13, 1996 to 2024 (11 zone-level)		Coastal Flood, 2024-01-10, \$7,000,000 property; \$0 crops, reported for the zone (2024 dollars); NWS zone MEZ027 (KNOX), zone-level: may include parts of neighboring counties		Event records naming member places: Rockland city (1 record). Zone-level records (11) apply countywide.	Flood depth: see the FEMA Flood Insurance Rate Map.
Cold/Wind Chill, Extreme Cold/Wind Chill	wind chill	22, 1998 to 2023 (22 zone-level)	1 day to 4 days (median 2 days); 20 with a recorded value	4 consecutive days, 2004-01-13 to 2004-01-16, zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Wind chill: in event narratives only; local data required.
Frost/Freeze (outside NRI Cold Wave definition)	crop damage	0					Temperature: in event narratives only; local data required.
Drought	US Drought Monitor D-scale	21, 1999 to 2026 (21 zone-level)	1 day to 212 days (median 67 days); 8 with a recorded value	212 days (7 months), 2025-11-01 to 2026-05-31, a run of 7 consecutive Storm Events drought records, zone-level	Drought, 2020-10-01, \$0 property; \$500,000 crops, reported for the zone (2020 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	Storm Events enters a drought at D2 or worse east of the Rockies and D3 or worse from the Rockies west (NWS Instruction 10-1605); NRI drought counts D3 and D4 only.
Earthquake	Modified Mercalli (local data)	0					No Storm Events record; local data required (e.g., USGS).
Hail	hail size (inches)	11, 1986 to 2019	0.75 in to 1.25 in (median 0.88 in); 11 with a recorded value	1.25 in hail, 2019-09-24	Hail, 1996-07-08, property not reported; \$130,000 crops (1996 dollars)	Event records naming member places: Hope town (2 records), Rockland city (1 record), St. George town (1 record), Thomaston town (1 record), Warren town (1 record), Washington town (1 record).	
Excessive Heat, Heat	heat index (narratives)	2, 1998 to 1998 (2 zone-level)		No in-season record among 2 records, so no run is shown (see the note).		Zone-level records: applies countywide; national data do not locate these events within the county.	Heat index: in event narratives only; local data required. Heat records from November to March (unseasonable warmth, not a heat wave) are counted but not used for the longest run.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Hurricane, Tropical Storm, Tropical Depression	Saffir-Simpson	4, 1996 to 2023 (4 zone- level)		Strongest recorded (records with damage, a wind speed or direct casualties first, then storm type, category and wind): Hurricane (Typhoon) record, 1996-09-02, damage not reported; NWS zone MEZ027 (KNOX), zone- level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Storm Events files every zone of a storm's episode under the storm's event type and category, so a Hurricane (Typhoon) record, especially an inland or remnant one, does not by itself mean hurricane-force winds here; read the damage and wind columns.
Ice Storm	Sperry-Piltz (local data)	4, 1996 to 2013 (4 zone- level)		Ice Storm, 1998-01-05, \$3,000,000 property; crops not reported, reported for the zone (1998 dollars); NWS zone MEZ027 (KNOX), zone- level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Ice thickness: in event narratives only; local data required.
Flash Flood, Flood, Lakeshore Flood	damage and flood days (FIRM for depth)	39, 1996 to 2024 (7 zone- level)		Flood, 2021-10-31, \$1,500,000 property; \$0 crops (2021 dollars)		Event records naming member places: Camden town (7 records), Appleton town (4 records), Hope town (3 records), Rockland city (3 records), Friendship town (2 records), Thomaston town (2 records), Union town (2 records), Warren town (2 records), Washington town (2 records), Rockport town (1 record); and 2 more member places (see the XLSX file). Zone-level records (7) apply countywide.	Flood depth: see the FEMA Flood Insurance Rate Map. Storm Events damage can be \$0 or blank even for a major flood, so the worst record here may not be the worst flood; compare FEMA Public Assistance by declaration in B1-d.
Debris Flow	none (count and damage)	1, 1996 to 1996 (1 zone- level)		Debris Flow, 1996-04-16, \$570,000 property; crops not reported, reported for the zone (1996 dollars); NWS zone MEZ027 (KNOX), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Physical measure: in event narratives only; local data required.
Lightning	annualized frequency (the measure FEMA's Local Mitigation Planning Handbook names)	9, 1996 to 2010		Lightning, 2009-07-03, \$300,000 property; \$0 crops (2009 dollars)		Event records naming member places: Rockland city (3 records), Isle au Haut town (1 record), Thomaston town (1 record), Warren town (1 record).	Storm Events lists lightning with damage or casualties; physical measure in event narratives only; local data required.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
High Wind and Strong Wind (outside NRI Strong Wind definition)	wind speed (kt and mph)	63, 1996 to 2024 (63 zone-level)	30 kt (35 mph) to 61 kt (70 mph) (median 50 kt (58 mph)); 26 with a recorded value	61 kt (70 mph) estimated gust, High Wind, 2017-10-30; NWS zone MEZ027 (KNOX), zone-level: may include parts of neighboring counties	High Wind, 2007-04-16, \$55,000 property; \$0 crops, reported for the zone (2007 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	
Thunderstorm Wind	wind speed (kt and mph)	38, 1987 to 2024	50 kt (58 mph) to 60 kt (69 mph) (median 50 kt (58 mph)); 34 with a recorded value	60 kt (69 mph), measurement type not recorded, Thunderstorm Wind, 1987-07-26		Event records naming member places: Camden town (7 records), Washington town (5 records), Union town (4 records), Hope town (2 records), Rockport town (2 records), St. George town (2 records), Appleton town (1 record), Rockland city (1 record), South Thomaston town (1 record), Thomaston town (1 record); and 1 more member place (see the XLSX file).	
Tornado	Enhanced Fujita (F before Feb 2007)	1, 1969 to 1969		no rating recorded tornado, 1969-08-08, 1 mi path length (records before 1996 may include the whole path; rating and listing come from the county where the tornado began), 50 yd wide, \$25,000 property; crops not recorded (1969 dollars)		No event record names a member place.	From 1996 on, tornado records are per-county segments and length is the path length within this county (NWS Instruction 10-1605); records before 1996 may give the whole path length, including the path outside this county, and before 1996 a tornado is listed once, under the county where it began, with the whole path's rating; counties farther along the path may not list it. Length is not used to rank tornadoes.
Tsunami	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Volcanic Ash, Volcanic Ashfall	Volcanic Explosivity Index (local data)	0					Physical measure: in event narratives only; local data required.
Wildfire	acres burned (local data)	0					Acres burned: in event narratives only; local data required.
Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet	none in data (snowfall local)	161, 1996 to 2026 (161 zone-level)		No damage reported in 161 records.		Zone-level records: applies countywide; national data do not locate these events within the county.	Snow depth: in event narratives only; local data required.

Where a hazard names more than 10 member places, the table lists the 10 with the most records; every place is in the XLSX file, sheet "B1-c Extent".

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Supports B1-d: previous occurrences

Declaration rows 31 Counted incidents 25

Federal disaster declarations for this county

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance <i>federal share obligated, nominal dollars</i>	Flags	Notes
2024-03-20	2024-01-09	DR-4764-ME	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	\$2,618,012.58	within last 5 years	
2023-09-14	2023-09-15	EM-3598-ME	Emergency	HURRICANE LEE	Hurricane	none found	within last 5 years	
2023-07-06	2023-04-30	DR-4719-ME	Major disaster	SEVERE STORM AND FLOODING	Inland Flooding	\$624,668.55	within last 5 years	
2023-03-22	2022-12-23	DR-4696-ME	Major disaster	SEVERE STORM AND FLOODING	Inland Flooding	\$426,211.80	within last 5 years	
2022-03-15	2021-10-30	DR-4647-ME	Major disaster	SEVERE STORM AND FLOODING	Coastal Flooding	\$1,301,396.50	within last 5 years	
2020-04-04	2020-01-20	DR-4522-ME	Major disaster	COVID-19 PANDEMIC	Non-natural, not counted	\$216,816.06		
2020-03-13	2020-01-20	EM-3444-ME	Emergency	COVID-19	Non-natural, not counted	none found		same incident as DR-4522
2018-01-02	2017-10-29	DR-4354-ME	Major disaster	SEVERE STORM AND FLOODING	Inland Flooding	\$164,075.10		
2013-03-25	2013-02-08	DR-4108-ME	Major disaster	SEVERE WINTER STORM, SNOWSTORM, AND FLOODING	Inland Flooding; Winter Weather	\$253,085.90		
2010-03-25	2010-02-23	DR-1891-ME	Major disaster	SEVERE WINTER STORM	Winter Weather	\$172,728.83		
2009-07-30	2009-06-18	DR-1852-ME	Major disaster	SEVERE STORMS, FLOODING, AND LANDSLIDES	Inland Flooding; Landslide	\$154,856.04		
2009-01-09	2008-12-11	DR-1815-ME	Major disaster	SEVERE WINTER STORM AND FLOODING	Inland Flooding; Winter Weather	\$494,870.22		
2008-12-15	2008-12-11	EM-3298-ME	Emergency	SEVERE WINTER STORM	Winter Weather	none found		same incident as DR-1815
2008-05-09	2008-04-28	DR-1755-ME	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	\$271,376.52		

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance		Flags	Notes
						federal share obligated,	nominal dollars		
2007-04-25	2007-04-15	DR-1693-ME	Major disaster	SEVERE STORMS AND INLAND AND COASTAL FLOODING	Coastal Flooding		\$281,284.55		
2007-04-20	2007-03-16	DR-1691-ME	Major disaster	FLOODING	Inland Flooding		\$442,049.36		
2005-09-19	2005-08-29	EM-3256-ME	Emergency	HURRICANE KATRINA EVACUATION	Hurricane: evacuation support, not a local hazard event; not counted		none found		
2005-06-29	2005-03-29	DR-1591-ME	Major disaster	SEVERE STORMS, FLOODING, SNOW MELT, AND ICE JAMS	Inland Flooding		\$313,127.22		
2005-03-14	2005-02-10	EM-3206-ME	Emergency	RECORD AND/OR NEAR RECORD SNOW	Winter Weather		\$126,438.33		
1998-01-13	1998-01-05	DR-1198-ME	Major disaster	SEVERE ICE STORMS, RAINS AND HIGH WINDS	Ice Storm; Strong Wind		none found		
1996-05-20	1996-04-16	DR-1114-ME	Major disaster	SEVERE STORMS, MUDSLIDES, FLOODING	Inland Flooding; Landslide		none found		
1993-03-15	1993-03-13	EM-3099-ME	Emergency	BLIZZARDS, SEVERE WINDS & SNOWFALL, COASTAL STORM	Winter Weather (primary); also designated: Coastal Flooding		none found		
1992-03-27	1992-03-10	DR-940-ME	Major disaster	HEAVY RAINS, ICE JAMS & FLOODING	Inland Flooding		none found		
1991-11-07	1991-10-30	DR-921-ME	Major disaster	COASTAL STORM	Coastal Flooding		PA not declared for this county		
1991-08-28	1991-08-18	DR-915-ME	Major disaster	HURRICANE BOB & FLOODING	Hurricane		PA not declared for this county		
1987-04-09	1987-03-30	DR-788-ME	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding		none found		
1980-09-20	1980-09-20	EM-3082-ME	Emergency	RED TIDE-TOXIC ALGAE	Fishing Losses: economic loss, not a physical hazard event; non-natural, not counted		PA not declared for this county		
1974-01-18	1974-01-18	DR-410-ME	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding		none found		
1972-09-28	1972-09-28	DR-356-ME	Major disaster	TOXIC ALGAE IN COASTAL WATERS	Fishing Losses: economic loss, not a physical hazard event; non-natural, not counted		PA not declared for this county		
1972-03-07	1972-03-07	DR-326-ME	Major disaster	SEVERE STORMS & FLOODING	Inland Flooding		none found		
1970-02-27	1970-02-27	DR-284-ME	Major disaster	SEVERE STORMS, ICE JAMS & FLOODING	Inland Flooding		none found		

School districts and special districts in this county: \$220,126.94 (included in the county total above). Public Assistance matched by applicant name to the school districts and special districts FEMA lists as plan members in this county. They are not shown as member blocks, so their total is listed here. These dollars are already included in the county PA column of the declarations table (the FEMA record places each applicant in this county); do not add this line to the county total.

County Public Assistance: applicants the FEMA record places in this county, including any state agencies FEMA files there; statewide rows are listed on the state page; federal share obligated, nominal dollars.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

Statewide declarations

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	Flags	Notes
1954-09-13	1954-09-13	DR-24-ME	Major disaster	HURRICANES	Hurricane (primary); also designated: Inland Flooding		

FEMA recorded these with designated area Statewide and no county. Listed on every county page in the state; not counted with county rows.

2 Fire Management declarations (1977-07-22 to 1992-05-22) FEMA filed as Statewide with no county; each names one local fire. Listed on the state page.

SOURCE

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

Previous occurrences by hazard, with explicit no-event rows

Hazard	Storm Events records <i>full period</i>	Since plan approval records	During plan review records	Last 5 years records	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Avalanche	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Coastal Flooding	13	0	0	3	4	0	1996 to 2026-06-30	
Cold Wave	22	0	0	1	0	0	1996 to 2026-06-30	
Drought	21	9	0	9	0	0	1996 to 2026-06-30	
Earthquake	0	0	0	0	0	0		No Storm Events record; local data required (e.g., USGS).
Hail	11	0	0	0	0	0	1955 to 2026-06-30	
Heat Wave	2	0	0	0	0	0	1996 to 2026-06-30	
Hurricane	4	0	0	1	2	0	1996 to 2026-06-30	
Ice Storm	4	0	0	0	1	0	1996 to 2026-06-30	
Inland Flooding	39	0	0	9	16	0	1996 to 2026-06-30	
Landslide	1	0	0	0	2	0	1996 to 2026-06-30	
Lightning	9	0	0	0	0	0	1996 to 2026-06-30	
Strong Wind	101	0	0	8	1	0	1955 to 2026-06-30	Includes 24 High Wind records and 39 Strong Wind records, event types the NRI definition of this hazard leaves out.
Tornado	1	0	0	0	0	0	1950 to 2026-06-30	
Tsunami	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events

Hazard	Storm Events records <i>full period</i>	Since plan approval <i>records</i>	During plan review <i>records</i>	Last 5 years <i>records</i>	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Volcanic Activity	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Wildfire	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Winter Weather	161	3	2	18	5	0	1996 to 2026-06-30	

SOURCES
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Notable Storm Events records

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Direct deaths, injuries <i>indirect not counted</i>	Location	Flags	Why listed
2024-01-10	Coastal Flood		\$7,000,000 property; \$0 crops, reported for the zone (2024 dollars)	0, 0	NWS zone MEZ027 (KNOX), zone-level: may include parts of neighboring counties	within last 5 years	B1-c worst recorded: Coastal Flood, Storm Surge/Tide
2021-10-31	Flood		\$1,500,000 property; \$0 crops (2021 dollars)	0, 0	(RKD)ROCKLAND ARPT to CAMDEN	within last 5 years	B1-c worst recorded: Flash Flood, Flood, Lakeshore Flood
2017-10-30	High Wind	61 kt (70 mph) estimated gust	property not reported; \$0 crops, reported for the zone (2017 dollars)	0, 0	NWS zone MEZ027 (KNOX), zone-level: may include parts of neighboring counties		B1-c worst recorded: High Wind and Strong Wind (outside NRI Strong Wind definition)
2009-07-03	Lightning		\$300,000 property; \$0 crops (2009 dollars)	0, 0	ISLE AU HAUT		B1-c worst recorded: Lightning
2004-01-13	Cold/Wind Chill		damage not reported	0, 0	NWS zone MEZ027 (KNOX), zone-level: may include parts of neighboring counties		B1-c worst recorded: Cold/Wind Chill, Extreme Cold/Wind Chill
2002-07-04	Lightning		damage not reported	0, 1	ROCKLAND		deaths or injuries recorded
2001-10-08	Strong Wind	speed not recorded	damage not reported	1, 0	NWS zone MEZ027 (KNOX), zone-level: may include parts of neighboring counties		deaths or injuries recorded
1998-01-05	Ice Storm		\$3,000,000 property; crops not reported, reported for the zone (1998 dollars)	0, 0	NWS zone MEZ027 (KNOX), zone-level: may include parts of neighboring counties		B1-c worst recorded: Ice Storm
1996-09-02	Hurricane (Typhoon)		damage not reported	0, 0	NWS zone MEZ027 (KNOX), zone-level: may include parts of neighboring counties		B1-c worst recorded: Hurricane, Tropical Storm, Tropical Depression
1996-07-13	Flash Flood		\$5,000 property; crops not reported (1996 dollars)	0, 2	CAMDEN		deaths or injuries recorded

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Direct deaths, injuries <i>indirect not counted</i>	Location	Flags	Why listed
1987-07-26	Thunderstorm Wind	60 kt (69 mph), measurement type not recorded	damage not recorded (pre-1996 record)	0, 0	location not recorded		B1-c worst recorded: Thunderstorm Wind
1969-08-08	Tornado	no rating recorded, 1 mi path length (records before 1996 may include the whole path; rating and listing come from the county where the tornado began), 50 yd wide	\$25,000 property; crops not recorded (1969 dollars)	0, 0	location not recorded		B1-c worst recorded: Tornado

The full list is in the XLSX file, sheet "B1-d Storm Events history" (389 rows).

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

State-declared emergencies are not in federal data. Add them from your state emergency management agency.

Tribal and special-area declarations in this state are listed on the state page.

Supports B1-e: probability

Probability: FEMA annualized frequency and descriptor per hazard

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Avalanche	0.01	events per year	about 1 in 100 years	Possible	FEMA annualized frequency (modeled)	0	1994 to 2023 (30 years)	see B1-f	0.01 is NRI's minimum avalanche frequency for a county in an avalanche susceptibility zone; NRI records no avalanche here, so the descriptor reflects the floor, not local events.
Coastal Flooding	8.38	events per year at a location (modeled)	about 8.4 per year at a given location in the county	Highly likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	Descriptor from NRI: the rate at a location is 1 or more a year, so the county rate is at least that.

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Cold Wave	1.69	event-days per year	about 1.69 days per year	Likely	event-days in 8 of 30 years, 1996 to 2025 (26.7%)	32	2005-11-12 to 2024-11-12 (19 years)	countywide	NRI gives about 1.69 cold wave event-days a year here (its annualized frequency over 19 years; not its event count divided by the years), but Storm Events has a record in only 8 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together. Frost/Freeze records are not counted in this descriptor: they record crop freezes, not cold waves.
Drought	2.16	event-days per year	about 2.16 days per year	Likely	event-days in 4 of 30 years, 1996 to 2025 (13.3%)	105	2000 to 2025 (25.25 years; D3 and D4 only)	countywide	NRI gives about 2.16 drought event-days a year here (its annualized frequency over 25.25 years; not its event count divided by the years), but Storm Events has a record in only 4 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.
Earthquake	0.00135	annual probability at a location	chance a given location in the county has at least minor- damage shaking in a year: 0.135%			not shown	modeled	see B1-f	Descriptor not assigned: the NRI value is the chance at a location in the county, not how often the hazard affects the county, and Storm Events does not record earthquakes.
Hail	0.672	events per year	about 0.67 per year	Likely	FEMA annualized frequency (modeled)	29.5 (modeled)	1986 to 2023 (38 years)	countywide	
Heat Wave	0.737	event-days per year	about 0.737 days per year	Possible	event-days in 1 of 30 years, 1996 to 2025 (3.33%)	14	2005-11-12 to 2024-11-12 (19 years)	countywide	
Hurricane	0.101	events per year	about 1 in 10 years	Likely	FEMA annualized frequency (modeled)	36	1851 to 2024 (Atlantic)	see B1-f	NRI counts hurricane and tropical storm tracks passing within storm-force wind range; federal declarations are counted separately in B1-d and need not match.
Ice Storm	1.26	event-days per year	about 1.26 days per year	Likely	event-days in 4 of 30 years, 1996 to 2025 (13.3%)	37	1946-12-31 to 2014-02-12 (67 years)	countywide	NRI gives about 1.26 ice storm event-days a year here (its annualized frequency over 67 years; not its event count divided by the years), but Storm Events has a record in only 4 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.
Inland Flooding	0.714	event-days per year	about 0.714 days per year	Likely	event-days in 12 of 30 years, 1996 to 2025 (40%)	20	1996 to 2023 (28 years)	see B1-f	

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Landslide	0.0855	events per year (modeled)	about 1 in 12 years	Possible	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Lightning	13.9	days per year with a strike	about 13.9 days per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1995 to 2023 (29 years; CONUS)	countywide	
Strong Wind	0.495	events per year	about 1 in 2 years	Likely	FEMA annualized frequency (modeled)	8	1986 to 2023 (38 years)	countywide	
Tornado	0.0243	events per year	about 1 in 41 years	Possible	FEMA annualized frequency (modeled)	not shown	1950 to 2023 (EF2+); 1986 to 2023 (EF0-1)	see B1-f	
Tsunami		annual probability at the most exposed location (used in place of a county value)			Storm Events records in 0 of 30 years, 1996 to 2025 (0%)	not shown	modeled	see B1-f	No Storm Events record of this hazard, 1996 to 2025; descriptor not assigned (the NRI value is the chance at a location in the county, not how often the hazard affects the county)
Volcanic Activity		annual probability				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Wildfire	0.0000119	annual probability at a location	chance a given location in the county burns in a year: 0.00119%		Storm Events records in 0 of 30 years, 1996 to 2025 (0%)	not shown	modeled	see B1-f	No Storm Events record of this hazard, 1996 to 2025; descriptor not assigned (the NRI value is the chance at a location in the county, not how often the hazard affects the county)
Winter Weather	16.2	event-days per year	about 16.2 days per year	Highly likely	event-days in 28 of 30 years, 1996 to 2025 (93.3%)	307	2005-11-12 to 2024-11-12 (19 years)	countywide	

FEMA annualized frequency (modeled) comes from the National Risk Index v1.20 (December 2025). It is not recorded events divided by years, and what it measures depends on the hazard. For most hazards it estimates how often the hazard affects this county each year: it counts events or event-days (drought, heat wave, cold wave, winter weather, ice storm and inland flooding are in days per year; lightning is the number of days per year with a recorded cloud-to-ground strike, from the NOAA Storm Prediction Center daily lightning climatology); it may count events in the surrounding area (hail, strong wind, tornado, hurricane and ice storm use a 49 km grid and buffers) and is averaged over the county's area; and some hazards use a minimum value for places with no recorded event. Earthquake, wildfire and coastal flooding are different: FEMA computes them for each census block and averages them over the county, so the value is the chance (for coastal flooding, the modeled number of floods per year) at a location in the county, which is lower than the chance that the hazard strikes somewhere in the county. Earthquake is the chance of at least minor-damage shaking (U.S. Geological Survey model); wildfire is the chance that a location burns in a large fire (U.S. Forest Service burn probability); coastal flooding comes from FEMA flood zones and NOAA high-tide flooding, so it can be above 1 where high-tide flooding is frequent. Tsunami is the value at the county's most exposed location, from recorded events and modeled return periods. For these four hazards the packet gives no "1 in N years" and takes the descriptor from Storm Events (none for earthquake) unless the value is 1 or more a year. Landslide is a U.S. Geological Survey modeled county rate spread by slope susceptibility. Volcanic activity is the chance that a volcano affecting the county erupts in a year. Drought counts only extreme and exceptional drought (D3 and D4). Source: FEMA, National Risk Index Technical Documentation v1.20, sections 5.2.2 (Table 5), 5.2.3, 7.4, 10.4, 16.5, 17.1, 17.3.1, 17.5, 20.3.1, 21.4, 22.4 and 6 to 23.

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Descriptor scale used in this packet (defined per unit)

Unit	Descriptor	Definition
events per year	Highly likely	1 or more per year
events per year	Likely	about once in 1 to 10 years
events per year	Possible	about once in 10 to 100 years
events per year	Unlikely	less than once in 100 years
annual probability	Likely	10% to under 100% chance in a given year
annual probability	Possible	1% to under 10% chance in a given year
annual probability	Unlikely	under 1% chance in a given year
event-days (share of years)	Highly likely	event-days recorded in 90% or more of years
event-days (share of years)	Likely	event-days recorded in 10% to under 90% of years
event-days (share of years)	Possible	event-days recorded in some years but under 10% of years
lightning strike-days	Highly likely	cloud-to-ground strikes on 1 or more days per year

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Intensity bands: historical frequency (Storm Events)

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Hail	1.00-1.99 in	1996 to 2025	5	30	0.167
Hail	2.00 in+	1996 to 2025	0	30	0
Strong Wind (Thunderstorm Wind records)	50-64 kt	1996 to 2025	33	30	1.1
Strong Wind (Thunderstorm Wind records)	65 kt+	1996 to 2025	0	30	0
Strong Wind (Thunderstorm Wind records)	unmeasured or below 50 kt	1996 to 2025	0	30	0
Tornado	EF0-1	1996 to 2025	0	30	0
Tornado	EF2-3	1996 to 2025	0	30	0
Tornado	EF4-5	1996 to 2025	0	30	0
Tornado	unrated (EFU)	1996 to 2025	0	30	0

Hail smaller than 1 inch is not counted: on 2010-01-05 the National Weather Service raised its severe-hail threshold from 3/4 inch to 1 inch, so smaller reports became less common after 2009 (NWS Service Change Notice 09-52). NRI hail frequency uses a 0.75 inch threshold.

SOURCE
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Optional: future conditions. Not a required item in the 2025 FEMA Local Mitigation Planning Policy Guide; some states ask for it. The federal Climate Mapping for Resilience and Adaptation (CMRA) site gives county exposure to future climate conditions.

Supports B1-f: variation across the planning area

Range of census tract risk within the county

Hazard	Tracts rated of all	Risk score min NRI score, 0 to 100	Median	Max	Tracts by rating	Note
Avalanche	2 of 12	16.6	18.2	19.9	Very Low 2, Not Applicable 10	
Coastal Flooding	10 of 12	89.9	94.8	98.2	Relatively High 4, Relatively Moderate 6, No Rating 2	
Cold Wave	12 of 12	31.6	40.0	55.7	Relatively Moderate 3, Relatively Low 9	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Drought	7 of 12	70.9	81.2	91.5	Relatively Low 4, Very Low 3, No Rating 5	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. Agriculture is all of NRI's expected annual loss for this hazard in the county, so the tract range above mostly reflects where crop and livestock value is, not where buildings and people are. Confirm locally.
Earthquake	12 of 12	29.7	39.9	53.7	Relatively Low 5, Very Low 7	
Hail	12 of 12	37.3	51.7	60.0	Relatively Low 12	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Heat Wave	12 of 12	2.5	3.2	4.7	Very Low 12	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Hurricane	12 of 12	84.3	85.3	90.1	Relatively High 1, Relatively Moderate 11	
Ice Storm	12 of 12	93.3	95.7	98.7	Very High 2, Relatively High 10	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Inland Flooding	12 of 12	3.5	12.5	42.9	Relatively Low 4, Very Low 8	
Landslide	12 of 12	64.9	94.4	97.8	Relatively Moderate 5, Relatively Low 6, Very Low 1	
Lightning	12 of 12	51.8	70.1	85.5	Relatively High 4, Relatively Moderate 8	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Strong Wind	12 of 12	43.9	70.4	87.1	Relatively High 2, Relatively Moderate 7, Relatively Low 3	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Tornado	12 of 12	7.2	22.9	32.6	Relatively Low 1, Very Low 11	
Tsunami	0 of 12				Insufficient Data 12	
Volcanic Activity	0 of 12				Not Applicable 12	
Wildfire	12 of 12	52.8	60.5	66.6	Very Low 12	

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>	Median	Max	Tracts by rating	Note
Winter Weather	12 of 12	95.3	97.2	99.3	Very High 10, Relatively High 2	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.

Rated tracts only: No Rating (score 0.0), Not Applicable and Insufficient Data tracts are counted but not used for the minimum, median and maximum.

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Per-member block (Starter, confirm locally)

Member	Type	Plan status	Repetitive loss <i>FMA RL and SRL (44 CFR 77.2); repeat- flood, any definition</i>	Public Assistance matched <i>federal share obligated, nominal dollars</i>	Event records naming this place <i>all years; since the member's plan</i>	Notes
Knox County	County	Approved, expires 2030-08-04	FMA RL 0, SRL 0; any 0	\$86,272.87	0; 0	Includes \$43,430.30 for declarations not counted as hazard incidents (DR-4522-ME).
Rockland city	City	Approved, expires 2030-08-04	FMA RL 0, SRL 0; any 0	\$1,042,962.79	9; 0	Includes \$27,440.40 for declarations not counted as hazard incidents (DR-4522-ME).
Appleton town	Town	Approved, expires 2030-08-04	FMA RL 0, SRL 0; any 0	\$233,338.16	5; 0	
Camden town	Town	Approved, expires 2030-08-04	FMA RL 0, SRL 0; any 1	\$1,553,192.34	14; 0	
Cushing town	Town	Approved, expires 2030-08-04	FMA RL 0, SRL 0; any 0	\$33,423.25	0; 0	
Friendship town	Town	Approved, expires 2030-08-04	FMA RL 0, SRL 0; any 0	\$84,478.21	2; 0	
Hope town	Town	Approved, expires 2030-08-04	FMA RL 0, SRL 0; any 0	\$495,105.35	7; 0	
Isle au Haut town	Town	Approved, expires 2030-08-04	FMA RL 0, SRL 0; any 0	\$18,930.96	1; 0	
Matinicus Isle plantation	Plantation	Approved, expires 2030-08-04	FMA RL 0, SRL 0; any 0	none found	0; 0	
North Haven town	Town	Approved, expires 2030-08-04	FMA RL 0, SRL 0; any 0	\$26,879.71	0; 0	
Rockport town	Town	Approved, expires 2030-08-04	FMA RL 0, SRL 0; any 0	\$1,337,693.45	3; 0	
South Thomaston town	Town	Approved, expires 2030-08-04	FMA RL 0, SRL 0; any 0	\$1,775.30	2; 0	
St. George town	Town	Approved, expires 2030-08-04	FMA RL 0, SRL 0; any 0	\$580,619.23	4; 0	Includes \$49,331.61 for declarations not counted as hazard incidents (DR-4522-ME).

Member	Type	Plan status	Repetitive loss	Public Assistance matched	Event records naming this place	Notes
			<i>FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition</i>	<i>federal share obligated, nominal dollars</i>	<i>all years; since the member's plan</i>	
Thomaston town	Town	Approved, expires 2030-08-04	FMA RL 0, SRL 0; any 0	\$160,283.13	5; 0	Includes \$58,112.57 for declarations not counted as hazard incidents (DR-4522-ME).
Union town	Town	Approved, expires 2030-08-04	FMA RL 0, SRL 0; any 0	\$465,409.43	6; 0	
Vinalhaven town	Town	Approved, expires 2030-08-04	FMA RL 0, SRL 0; any 0	\$167,965.52	0; 0	
Warren town	Town	Approved, expires 2030-08-04	FMA RL 0, SRL 0; any 0	\$182,814.91	5; 0	
Washington town	Town	Approved, expires 2030-08-04	FMA RL 0, SRL 0; any 0	none found	8; 0	

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

School districts and special districts get a plan clock row only.

SOURCES

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Supports B2-a and B2-b: assets and impacts

Local data required

County-level starter. The plan must describe impacts for each participant and its own assets.

- Critical facilities and lifelines per hazard
 - A problem statement per participant per hazard
- Changes in development in hazard-prone areas since the last approval, or a statement of none (E1-a)
 - Future assets

County-level starter: exposure, expected annual loss and damage since the plan

Hazard	Building exposure	Agriculture exposure	Population exposed	EAL buildings	EAL agriculture	EAL population equivalence	EAL as % of exposure	Storm Events damage since 2025-08-05	Zone-level damage since plan	Public Assistance since plan	Note
	<i>modeled dollars</i>	<i>modeled dollars</i>		<i>modeled dollars per year</i>	<i>modeled dollars per year</i>	<i>statistical value of life and injury, \$13.7M per life, not property damage</i>	<i>buildings; agriculture where noted</i>	<i>county-coded records, property plus crops, nominal dollars</i>	<i>property plus crops, reported for the zone</i>	<i>nominal dollars; see note</i>	
Avalanche	\$320,907		under 1	under \$1		\$135	under 0.0001%				
Coastal Flooding	\$415,402,493		1,094	\$1,285,561		\$1,159	0.309%				

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2025-08-05 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Cold Wave	\$10,444,902,691	\$11,738,602	40,597	\$189	\$1,628	\$463,809	under 0.0001%				
Drought		\$5,730,202			\$55,822		0.974% (agriculture)		\$0		NRI has no building exposure for this hazard; agriculture shown
Earthquake	\$18,092,981,501		40,607	\$244,382		\$34,302	0.00135%				
Hail	\$10,444,902,691	\$11,738,602	40,597	\$80,663	\$2,181	\$8,043	0.000772%				
Heat Wave	\$10,444,902,691	\$11,738,602	40,597	under \$1	\$307	\$28,113	under 0.0001%				
Hurricane	\$10,444,838,550	\$11,738,602	40,597	\$3,636,757	\$54,837	\$60,193	0.0348%				
Ice Storm	\$10,432,192,318		40,565	\$1,016,533		\$38,155	0.00974%				
Inland Flooding	\$10,373,449,585	\$132,955	1,010	\$3,163,925	\$850	\$47,723	n/a (see note)				NRI counts the full building value of any census block with some flood loss; this is not the value of buildings in the floodplain. Use local FIRM overlays for B2-a/B2-b. EAL as % of exposure: n/a.
Landslide	\$363,376,345		1,322	\$41,106		\$213	0.0113%				
Lightning	\$10,444,902,691		40,597	\$30,265		\$256,906	0.00029%				
Strong Wind	\$10,444,902,691	\$11,738,602	40,597	\$5,696	\$148	\$489,298	under 0.0001%				
Tornado	\$10,444,902,691	\$11,738,602	40,597	\$42,336	\$29	\$90,446	0.000405%				
Tsunami											NRI publishes no building exposure for this county
Volcanic Activity											Not Applicable in NRI for this county
Wildfire	\$6,233,617,737	\$10,667,821	25,374	\$6,802	\$1	\$562	0.000109%				
Winter Weather	\$10,444,902,691	\$11,738,602	40,597	\$169,618	\$6	\$355,133	0.00162%				

Totals since 2025-08-05 (Storm Events through 2026-06-30): 0 county-coded records, 0 with a damage value recorded (including \$0), \$0; 12 zone-level records, 9 with a damage value recorded (including \$0), \$0 reported for the zone; Public Assistance on counted declarations none found (0 declarations, 0 with PA).

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

FEMA does not split Public Assistance by hazard. A declaration mapped to several hazards is listed under each of them with its full amount, so the per-hazard column must not be added up; the unit total counts each declaration once.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Supports B2-a: context

County context

Measure	Value
Population	40,597
Building value (total, not at risk)	\$10,444,902,691
Agriculture value (total, not at risk)	\$11,738,602
NRI risk rating (all hazards)	Very Low
Expected annual loss, buildings and agriculture, all hazards	\$9,839,639
Expected annual loss, population equivalence, all hazards (NRI values each statistical life at \$13.7M; a modeled value of expected deaths and injuries, not property damage)	\$1,874,190
Social vulnerability rating	Very Low
Community resilience rating	Very High
NRI version	December 2025

FEMA's all-hazard expected annual loss total adds buildings, agriculture and population equivalence; the two parts are shown separately so the property figure is not read as including the statistical value of life.

SOURCE
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B2-c: repetitive loss

Repetitive loss in this county, both definitions

Definition	Properties	Severe repetitive loss	Properties
Repetitive loss, FMA definition (44 CFR 77.2)	0	Severe repetitive loss, FMA definition (44 CFR 77.2)	0
Repetitive loss, NFIP insurance definition	2	Severe repetitive loss, NFIP insurance definition	0

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

SOURCES
FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Repeat-flood properties: county and state-level rows

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
County total	0	0	2	0	2	0	1
CAMDEN, TOWN OF	0	0	1	0	1	0	1
OWLS HEAD, TOWN OF (community ID not in plan data)	0	0	1	0	1	0	0

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
State level, not in this county: county not reported	0	0	3	0	3	0	0

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Repeat-flood properties by plan member (NFIP community)

Member	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>	Note
Knox County	231044	0	0	0	0	0	0	0	
Rockland city	230076	0	0	0	0	0	0	0	
Appleton town	230073	0	0	0	0	0	0	0	
Camden town	230074	0	0	1	0	1	0	1	
Cushing town	230224	0	0	0	0	0	0	0	
Friendship town	230225	0	0	0	0	0	0	0	
Hope town	230226	0	0	0	0	0	0	0	
Isle au Haut town	230227	0	0	0	0	0	0	0	
Matinicus Isle plantation	230603	0	0	0	0	0	0	0	
North Haven town	230228	0	0	0	0	0	0	0	
Rockport town	230077	0	0	0	0	0	0	0	
South Thomaston town	230078	0	0	0	0	0	0	0	
St. George town	230229	0	0	0	0	0	0	0	
Thomaston town	230079	0	0	0	0	0	0	0	
Union town	230080	0	0	0	0	0	0	0	
Vinalhaven town	230230	0	0	0	0	0	0	0	
Warren town	230081	0	0	0	0	0	0	0	
Washington town	230082	0	0	0	0	0	0	0	

Per-member types: XLSX sheet 'B2-c Members'.

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

County repeat-flood properties by occupancy group

Occupancy group	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
single-family residential	0	0	2	0	2	0	1

Occupancy group	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
2 to 4 unit residential	0	0	0	0	0	0	0
other residential	0	0	0	0	0	0	0
non-residential	0	0	0	0	0	0	0
not reported	0	0	0	0	0	0	0

Institutional properties cannot be separated in this data: FEMA's occupancy groups have no institutional class, so they fall in non-residential or other residential in the table by occupancy group.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FMA RL and FMA SRL are the Flood Mitigation Assistance definitions (44 CFR 77.2), the ones the FEMA Local Mitigation Planning Policy Guide cites; OpenFEMA's fmaRI field description omits the Increased Cost of Compliance clause of 44 CFR 77.2(i). NFIP repetitive loss (FEMA insurance definition, nfipRI) is 2 or more claims over \$1,000 in 10 years and can drop to false when a property is mitigated. Also shown: NFIP severe repetitive loss, any category, mitigated and currently insured.

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

Counts are aggregates of FEMA's public NFIP Multiple Loss Properties file (as of 2026-08-02). No property is identified. County assignment is FEMA's geocode.

Counts may differ from your state NFIP coordinator's list, which is the source the Handbook names.

In this county 0 properties are FMA repetitive loss but not NFIP repetitive loss, and 2 properties are NFIP repetitive loss but not FMA repetitive loss.

Exact counts; no count suppression.

Sources

Every table above lists its own sources. The full list, for the plan's bibliography (FEMA review item A4-a):

1. FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
2. FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
3. FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
4. FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
5. FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
6. NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
7. NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
8. U.S. Census Bureau, Census 2024 Gazetteer, 2020 place by county, CT county-to-cousub crosswalk, version 2024-gazetteer, pulled 2026-09-28, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_counties_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_cousubs_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_place_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_unsd_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_elsd_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_scsd_national.zip, https://www2.census.gov/geo/docs/reference/codes2020/national_place_by_county2020.txt, https://www2.census.gov/geo/docs/reference/ct_change/ct_cou_to_cousub_crosswalk.xlsx

OpenFEMA disclaimer

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

Reuse, citation and corrections

Reuse and citation: Hazard Plain text and tables are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0, <https://creativecommons.org/licenses/by/4.0/>); credit Hazard Plain and the release. The underlying federal data are public domain; OpenFEMA data are also subject to the OpenFEMA terms and conditions.

Cite this: Hazard Plain (2026). Knox County, ME: risk-assessment baseline packet, release 2026-10 (data as of 2026-09-28; County area 23013). Preview: automated baseline. Built from FEMA OpenFEMA, the FEMA National Risk Index and NOAA NCEI Storm Events; source versions in the packet's Sources list.

Corrections: to report an error, name the packet, the table and what your records show. Contact: to be added

Hazard Plain release 2026-10. As of 2026-09-28; Storm Events data through 2026-06-30. File hazard-plain_2026-10_ME_23013. Preview: automated baseline.