

Bernalillo County, NM

Risk-assessment baseline packet

Unit **County area 35001** Release **2026-10** As of **2026-09-28** Storm Events data through **2026-06-30**

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

A starting point for the plan's risk assessment (FEMA Local Mitigation Plan Review Tool, Element B). It does not replace local data or FEMA review. Section headings say which FEMA review item each table supports; whether an item is satisfied is decided by the plan and its reviewers.

OPENFEMA DISCLAIMER

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Plan clock

Status	Approved, expires 2027-01-18	Plan	Albuquerque/Bernalillo County (FEMA plan 107690)
Approved	2022-01-19	Expires	2027-01-18
As of	2026-09-28	Days	112 days to expiry
Update underway	none in FEMA's plan tracker		

What changed since your last plan (approved 2022-01-19)

New federal declarations	none (0 declaration rows; 0 counted incidents)	Storm Events records since approval	216 (data through 2026-06-30)
Repetitive loss now	FMA RL 0, SRL 0 (44 CFR 77.2); any definition: 2	Repeat-flood change	First release: no prior release to compare.

SOURCES: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API); FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API); NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>; FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

Plan status for every jurisdiction listed in this county

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry <i>negative = days since expiry</i>	Update underway	Notes
Bernalillo County	County	Approved, expires 2027-01-18	Albuquerque/Bernalillo County (FEMA plan 107690)	2022-01-19	2027-01-18	112		
Albuquerque city	City	Approved, expires 2027-01-18	Albuquerque/Bernalillo County (FEMA plan 107690)	2022-01-19	2027-01-18	112		member approved 2022-01-22
Los Ranchos de Albuquerque village	Village	Approved, expires 2027-01-18	Albuquerque/Bernalillo County (FEMA plan 107690)	2022-01-19	2027-01-18	112		
Rio Rancho city	City	No approved plan on record	none	none	none		FEMA tracker shows a plan in review	
Tijeras village	Village	Approved, expires 2027-01-18	Albuquerque/Bernalillo County (FEMA plan 107690)	2022-01-19	2027-01-18	112		

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry	Update underway	Notes
						<i>negative = days since expiry</i>		
Albuquerque Bernalillo County Water Utility Authority (ABCWA)	Water/Sewer Authority	Approved, expires 2027-01-18	Albuquerque/ Bernalillo County (FEMA plan 107690)	2022-01-19	2027-01-18	112		
Albuquerque Metropolitan Arroyo Flood Control Authority	Flood Control District	Approved, expires 2027-01-18	Albuquerque/ Bernalillo County (FEMA plan 107690)	2022-01-19	2027-01-18	112		
Middle Rio Grande Conservancy District (MRGCD)	Conservation District	Approved, expires 2027-01-18	Albuquerque/ Bernalillo County (FEMA plan 107690)	2022-01-19	2027-01-18	112		
University of New Mexico	College/University	Approved, expires 2030-09-29	University of New Mexico (FEMA plan 110654)	2025-09-30	2030-09-29	1,462		

SOURCE: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

State plan status and tribal plans in this state: see the state page.

CONTENTS

1. Plan clock, page 1	7. Supports B1-e: probability, page 13
2. What changed since your last plan (approved 2022-01-19), page 1	8. Supports B1-f: variation across the planning area, page 16
3. Supports B1-a: hazards, page 3	9. Supports B2-a and B2-b: assets and impacts, page 18
4. Supports B1-b: location, page 5	10. Supports B2-a: context, page 19
5. Supports B1-c: extent, page 5	11. Supports B2-c: repetitive loss, page 20
6. Supports B1-d: previous occurrences, page 9	12. Sources and OpenFEMA disclaimer, page 21

Supports B1-a: hazards

Hazards NRI does not cover: check locally

- dam failure (incl. upstream dams)
 - levee failure
 - flash flood as its own subtype
 - ice jams
- debris flows
 - erosion (riverine and coastal)
 - land subsidence and sinkholes
 - expansive soils

The 18 National Risk Index hazards, ranked by expected annual loss (EAL)

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings modeled dollars per year	EAL agriculture modeled dollars per year	EAL population equivalence statistical value of life and injury, \$13.7M per life, not property damage	EAL total (see note) modeled dollars per year	Storm Events records since 1996 count	Evidence for an omission NRI Not Applicable, no declaration and no Storm Events record since 1996	Storm Events coverage note
1	Inland Flooding	Relatively High	Relatively High	\$88,893,636	\$524	\$4,302,691	\$93,196,850	97		
2	Earthquake	Relatively Moderate	Relatively High	\$24,688,812		\$15,320,462	\$40,009,274			Not in Storm Events. Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
3	Heat Wave	Relatively Moderate	Relatively Moderate	\$1,419	\$1,015	\$6,268,056	\$6,270,490	0		No recorded events in Storm Events since 1996 (data through 2026-06-30).
4	Wildfire	Relatively Moderate	Relatively Moderate	\$3,134,221	\$9	\$206,370	\$3,340,600	11		
5	Hail	Relatively High	Relatively Moderate	\$2,039,309	\$2,572	\$745,574	\$2,787,454	175		
6	Lightning	Very High	Relatively High	\$21,849		\$2,512,331	\$2,534,180	11		
7	Winter Weather	Very High	Very High	\$105,001	\$173	\$1,410,920	\$1,516,094	56		
8	Tornado	Relatively Low	Relatively Low	\$731,025	\$10	\$728,035	\$1,459,071	7		
9	Strong Wind	Relatively Moderate	Relatively Moderate	\$408,373	\$408	\$797,046	\$1,205,827	176		Includes 70 High Wind records and 7 Strong Wind records, event types the NRI definition of this hazard leaves out.

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records since 1996 <i>count</i>	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
10	Cold Wave	Relatively Low	Relatively Moderate	\$3,043	\$378	\$1,175,580	\$1,179,001	3		
11	Drought	Relatively Low	Relatively Low		\$233,962		\$233,962	58		
12	Ice Storm	Relatively Moderate	Relatively Moderate	\$153,195		\$14,905	\$168,101	0		No recorded events in Storm Events since 1996 (data through 2026-06-30).
13	Landslide	Very Low	Very Low	\$606		\$176	\$782	1		
14	Avalanche	Very Low	Very Low	under \$1		\$38	\$38	0		No recorded events in Storm Events since 1996 (data through 2026-06-30).
15	Volcanic Activity	Very Low	Very Low	under \$1		under \$1	under \$1	0		No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
	Coastal Flooding	Not Applicable	Not Applicable					0	NRI rates coastal flooding Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Hurricane	Not Applicable	Not Applicable					0	NRI rates hurricane Not Applicable for this county, and no counted federal declaration for this county names it (EM-3229-NM names it but is not counted as a local occurrence; see B1-d).	No recorded events in Storm Events since 1996 (data through 2026-06-30).
	Tsunami	Not Applicable	Not Applicable					0	NRI rates tsunami Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
 NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Check your state hazard mitigation plan's hazard list for this county; explain any hazard you drop.

Supports B1-b: location

Where each hazard occurs

Hazard	Location	Census tracts rated <i>rated of all tracts</i>
Avalanche	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	11 of 176
Coastal Flooding	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 176
Cold Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	176 of 176
Drought	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	8 of 176
Earthquake	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	176 of 176
Hail	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	176 of 176
Heat Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	176 of 176
Hurricane	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 176
Ice Storm	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	176 of 176
Inland Flooding	The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (https://msc.fema.gov) for this county.	176 of 176
Landslide	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	120 of 176
Lightning	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	176 of 176
Strong Wind	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	176 of 176
Tornado	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	176 of 176
Tsunami	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 176
Volcanic Activity	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	2 of 176
Wildfire	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	142 of 176
Winter Weather	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	176 of 176

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B1-c: extent

Extent: scale, observed range and worst recorded event per hazard

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Avalanche	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Coastal Flood, Storm Surge/ Tide	none in data (FIRM for depth)	0					Flood depth: see the FEMA Flood Insurance Rate Map.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Cold/Wind Chill, Extreme Cold/Wind Chill	wind chill	3, 2022 to 2025 (3 zone-level)	2 days; 2 with a recorded value	2 consecutive days, 2025-01-20 to 2025-01-21, zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Wind chill: in event narratives only; local data required.
Frost/Freeze (outside NRI Cold Wave definition)	crop damage	0					Temperature: in event narratives only; local data required.
Drought	US Drought Monitor D-scale	58, 2020 to 2026 (58 zone-level)	122 days to 973 days (median 334.5 days); 4 with a recorded value	973 days (32 months), 2020-07-01 to 2023-02-28, a run of 32 consecutive Storm Events drought records, zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Storm Events enters a drought at D2 or worse east of the Rockies and D3 or worse from the Rockies west (NWS Instruction 10-1605); NRI drought counts D3 and D4 only.
Earthquake	Modified Mercalli (local data)	0					No Storm Events record; local data required (e.g., USGS).
Hail	hail size (inches)	187, 1957 to 2026	0.75 in to 2.75 in (median 0.88 in); 187 with a recorded value	2.75 in hail, 2025-06-09	Hail, 2010-10-02, \$6,000,000 property; \$0 crops (2010 dollars)	Event records naming member places: Albuquerque city (59 records), Tijeras village (8 records).	
Excessive Heat, Heat	heat index (narratives)	0					Heat index: in event narratives only; local data required.
Hurricane, Tropical Storm, Tropical Depression	Saffir-Simpson	0					Storm Events files every zone of a storm's episode under the storm's event type and category, so a Hurricane (Typhoon) record, especially an inland or remnant one, does not by itself mean hurricane-force winds here; read the damage and wind columns.
Ice Storm	Sperry-Piltz (local data)	0					Ice thickness: in event narratives only; local data required.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Flash Flood, Flood, Lakeshore Flood	damage and flood days (FIRM for depth)	97, 1996 to 2025		Flash Flood, 2024-06-29, \$2,000,000 property; \$0 crops (2024 dollars)		Event records naming member places: Albuquerque city (49 records), Tijeras village (5 records).	Flood depth: see the FEMA Flood Insurance Rate Map. Storm Events damage can be \$0 or blank even for a major flood, so the worst record here may not be the worst flood; compare FEMA Public Assistance by declaration in B1-d.
Debris Flow	none (count and damage)	1, 2025 to 2025		Debris Flow, 2025-06-26, \$25,000 property; \$0 crops (2025 dollars)		No event record names a member place.	Physical measure: in event narratives only; local data required.
Lightning	annualized frequency (the measure FEMA's Local Mitigation Planning Handbook names)	11, 1996 to 2018		Lightning, 1996-08-14, damage not reported, 1 direct death	Lightning, 1996-09-17, \$70,000 property; crops not reported (1996 dollars)	Event records naming member places: Albuquerque city (6 records).	Storm Events lists lightning with damage or casualties; physical measure in event narratives only; local data required.
High Wind and Strong Wind (outside NRI Strong Wind definition)	wind speed (kt and mph)	77, 2019 to 2026 (77 zone-level)	30 kt (35 mph) to 77 kt (89 mph) (median 53 kt (61 mph)); 77 with a recorded value	77 kt (89 mph) measured gust, High Wind, 2025-03-18; same speed and measurement basis also recorded on 2020-09-08; NWS zone NMZ221 (SANDIA/ MANZANO MOUNTAINS INCLUDING EDGEWOOD), zone-level: may include parts of neighboring counties	High Wind, 2023-02-22, \$1,000,000 property; crops not reported, reported for the zone (2023 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	
Thunderstorm Wind	wind speed (kt and mph)	125, 1959 to 2026	43 kt (49 mph) to 78 kt (90 mph) (median 53 kt (61 mph)); 116 with a recorded value	78 kt (90 mph) measured gust, Thunderstorm Wind, 2006-06-26	Thunderstorm Wind, 2013-07-26, \$1,000,000 property; \$0 crops (2013 dollars)	Event records naming member places: Albuquerque city (35 records).	

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Tornado	Enhanced Fujita (F before Feb 2007)	17, 1957 to 2025	F/EF0 to F/EF1 (median F/EF0); 14 with a recorded value	F1 tornado, 1965-05-31, 33 yd wide, \$30 property; crops not recorded (1965 dollars)	Tornado, 1985-09-20, \$250,000 property; crops not recorded (1985 dollars)	No event record names a member place.	From 1996 on, tornado records are per-county segments and length is the path length within this county (NWS Instruction 10-1605); records before 1996 may give the whole path length, including the path outside this county, and before 1996 a tornado is listed once, under the county where it began, with the whole path's rating; counties farther along the path may not list it. Length is not used to rank tornadoes.
Tsunami	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Volcanic Ash, Volcanic Ashfall	Volcanic Explosivity Index (local data)	0					Physical measure: in event narratives only; local data required.
Wildfire	acres burned (local data)	11, 2021 to 2026 (11 zone-level)		Wildfire, 2025-06-21, \$4,000,000 property; \$0 crops, reported for the zone (2025 dollars); NWS zone NMZ219 (MIDDLE RIO GRANDE VALLEY/ ALBUQUERQUE METRO AREA), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Acres burned: in event narratives only; local data required.
Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet	none in data (snowfall local)	56, 1997 to 2026 (55 zone-level)		Winter Storm, 2021-03-23, \$700,000 property; \$0 crops, reported for the zone (2021 dollars), 11 direct injuries (reported for the zone); NWS zone NMZ222 (ESTANCIA VALLEY), zone-level: may include parts of neighboring counties		Event records naming member places: Tijeras village (1 record). Zone-level records (55) apply countywide.	Snow depth: in event narratives only; local data required.

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Supports B1-d: previous occurrences

Declaration rows 11 Counted incidents 7

Federal disaster declarations for this county

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance <i>federal share obligated, nominal dollars</i>	Flags	Notes
2020-04-05	2020-01-20	DR-4529-NM	Major disaster	COVID-19 PANDEMIC	Non-natural, not counted	\$152,387,265.14		
2020-03-13	2020-01-20	EM-3460-NM	Emergency	COVID-19	Non-natural, not counted	none found		same incident as DR-4529
2016-06-16	2016-06-14	FM-5127-NM	Fire management	DOG HEAD FIRE	Wildfire	none found		
2013-09-30	2013-07-23	DR-4148-NM	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	\$1,979,397.97		
2011-04-03	2011-04-03	FM-2880-NM	Fire management	WHITE FIRE	Wildfire	none found		
2006-06-16	2006-06-15	FM-2644-NM	Fire management	MALPAIS FIRE	Wildfire	none found		
2005-09-07	2005-08-29	EM-3229-NM	Emergency	HURRICANE KATRINA EVACUATION	Hurricane: evacuation support, not a local hazard event; not counted	\$877,851.37		
2004-04-29	2004-04-02	DR-1514-NM	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	\$3,129,300.07		
2003-06-25	2003-06-25	FM-2472-NM	Fire management	NM-BOSQUE FIRE-06-25-2003	Wildfire	none found		
2000-05-13	2000-05-05	DR-1329-NM	Major disaster	SEVERE FOREST FIRE	Wildfire	PA not declared for this county		
2000-05-10	2000-05-05	EM-3154-NM	Emergency	SEVERE FIRE THREATS	Wildfire	none found		same incident as DR-1329

County Public Assistance: applicants the FEMA record places in this county, including any state agencies FEMA files there; statewide rows are listed on the state page; federal share obligated, nominal dollars.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Statewide declarations

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	Flags	Notes
1998-07-02	1998-06-29	EM-3128-NM	Emergency	EXTREME FIRE HAZARDS	Wildfire		

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	Flags	Notes
1955-08-15	1955-08-15	DR-38-NM	Major disaster	FLOOD	Inland Flooding		
1954-10-13	1954-10-13	DR-27-NM	Major disaster	FLOOD	Inland Flooding		

FEMA recorded these with designated area Statewide and no county. Listed on every county page in the state; not counted with county rows.

5 Fire Management declarations (1974-05-21 to 2003-05-10) FEMA filed as Statewide with no county; each names one local fire. Listed on the state page.

SOURCE

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

Public Assistance filed under this county for declarations that do not list it: 1 row, \$53,833.31

FEMA number	Declared	Title	Applicant	PA obligated
				<i>federal share obligated, nominal dollars</i>
DR-1659-NM	2006-08-30	SEVERE STORMS AND FLOODING	CUBERO LAND GRANT COMMUNITY DITCH ASSOCIATION	\$53,833.31

FEMA's Public Assistance summaries file these applicants under this county, but FEMA's declaration rows for these disasters do not designate it (an electric cooperative or district serving several counties, for example). Not in any declaration row above and not counted.

SOURCES

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

Public Assistance not placed in a county in this state: 1 row, \$6,157.13

Disaster number	Declared	Applicant	County field in FEMA data	PA obligated	Why not placed
				<i>federal share obligated, nominal dollars</i>	
1301	1999-09-22	San Miguel Ditch	Pueblo County	\$6,157.13	county field is a county of another state and the applicant name does not identify a place in the declaring state

FEMA's Public Assistance summaries file these applicants under a county field that is not a county of this state (an Alaska school area, the former Valdez-Cordova Census Area, or another state's county), and the applicant name does not identify one place here. They are listed for the whole state and are not in any county total. Check whether any of them worked in your county.

SOURCE

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

Previous occurrences by hazard, with explicit no-event rows

Hazard	Storm Events records <i>full period</i>	Since plan approval <i>records</i>	During plan review <i>records</i>	Last 5 years <i>records</i>	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Avalanche	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Coastal Flooding	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Cold Wave	3	3	0	3	0	0	1996 to 2026-06-30	
Drought	58	39	12	43	0	0	1996 to 2026-06-30	
Earthquake	0	0	0	0	0	0		No Storm Events record; local data required (e.g., USGS).

Hazard	Storm Events records <i>full period</i>	Since plan approval <i>records</i>	During plan review <i>records</i>	Last 5 years <i>records</i>	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Hail	187	36	3	36	0	0	1955 to 2026-06-30	
Heat Wave	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Hurricane	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Ice Storm	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Inland Flooding	97	20	4	20	2	0	1996 to 2026-06-30	
Landslide	1	1	0	1	0	0	1996 to 2026-06-30	
Lightning	11	0	0	0	0	0	1996 to 2026-06-30	
Strong Wind	202	72	16	78	0	0	1955 to 2026-06-30	Includes 70 High Wind records and 7 Strong Wind records, event types the NRI definition of this hazard leaves out.
Tornado	17	3	0	3	0	0	1950 to 2026-06-30	
Tsunami	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Volcanic Activity	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Wildfire	11	10	1	10	5	0	1996 to 2026-06-30	
Winter Weather	56	32	11	34	0	0	1996 to 2026-06-30	

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Notable Storm Events records

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Direct deaths, injuries <i>indirect not counted</i>	Location	Flags	Why listed
2025-06-21	Wildfire		\$4,000,000 property; \$0 crops, reported for the zone (2025 dollars)	0, 0	NWS zone NMZ219 (MIDDLE RIO GRANDE VALLEY/ ALBUQUERQUE METRO AREA), zone-level: may include parts of neighboring counties	new since last plan; within last 5 years	B1-c worst recorded: Wildfire
2025-06-09	Hail	2.75 in	\$5,000 property; \$500 crops (2025 dollars)	0, 0	ESCABOSA	new since last plan; within last 5 years	B1-c worst recorded: Hail

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Direct deaths, injuries <i>indirect not counted</i>	Location	Flags	Why listed
2025-03-18	High Wind	77 kt (89 mph) measured gust	\$0 property; \$0 crops, reported for the zone (2025 dollars)	0, 0	NWS zone NMZ221 (SANDIA/MANZANO MOUNTAINS INCLUDING EDGEWOOD), zone-level: may include parts of neighboring counties	new since last plan; within last 5 years	B1-c worst recorded: High Wind and Strong Wind (outside NRI Strong Wind definition)
2025-01-20	Extreme Cold/Wind Chill		damage not reported	0, 0	NWS zone NMZ218 (SANTA FE METRO AREA), zone-level: may include parts of neighboring counties	new since last plan; within last 5 years	B1-c worst recorded: Cold/Wind Chill, Extreme Cold/Wind Chill
2024-11-07	Winter Weather		\$0 property; \$0 crops, reported for the zone (2024 dollars)	2, 0	NWS zone NMZ218 (SANTA FE METRO AREA), zone-level: may include parts of neighboring counties	new since last plan; within last 5 years	deaths or injuries recorded
2024-08-09	Flash Flood		\$0 property; \$0 crops (2024 dollars)	1, 1	KIRTLAND AFB	new since last plan; within last 5 years	deaths or injuries recorded
2024-06-29	Flash Flood		\$2,000,000 property; \$0 crops (2024 dollars)	0, 0	(AEG)DOUBLE EAGLE II AIRPORT to (ABQ)ALBUQUERQUE INTL AIRPORT	new since last plan; within last 5 years	B1-c worst recorded: Flash Flood, Flood, Lakeshore Flood
2021-07-20	Flash Flood		\$0 property; \$0 crops (2021 dollars)	3, 0	ALBUQUERQUE	during plan review, check whether your last plan included it	deaths or injuries recorded
2021-03-23	Winter Storm		\$700,000 property; \$0 crops, reported for the zone (2021 dollars)	0, 11	NWS zone NMZ222 (ESTANCIA VALLEY), zone-level: may include parts of neighboring counties	during plan review, check whether your last plan included it	B1-c worst recorded: Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet
2006-06-26	Thunderstorm Wind	78 kt (90 mph) measured gust	damage not reported	0, 0	ALBUQUERQUE INTL ARPT		B1-c worst recorded: Thunderstorm Wind
1996-08-14	Lightning		damage not reported	1, 0	ALBUQUERQUE		B1-c worst recorded: Lightning
1965-05-31	Tornado	F1, 33 yd wide	\$30 property; crops not recorded (1965 dollars)	0, 0	location not recorded		B1-c worst recorded: Tornado

The full list is in the **XLSX** file, sheet "**B1-d Storm Events history**" (643 rows).

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
 NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
 FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

State-declared emergencies are not in federal data. Add them from your state emergency management agency.

Tribal and special-area declarations in this state are listed on the state page.

Supports B1-e: probability

Probability: FEMA annualized frequency and descriptor per hazard

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Avalanche	0.01	events per year	about 1 in 100 years	Possible	FEMA annualized frequency (modeled)	0	1994 to 2023 (30 years)	see B1-f	0.01 is NRI's minimum avalanche frequency for a county in an avalanche susceptibility zone; NRI records no avalanche here, so the descriptor reflects the floor, not local events.
Coastal Flooding		events per year at a location (modeled)				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Cold Wave	0.0676	event-days per year	about 0.0676 days per year	Possible	event-days in 2 of 30 years, 1996 to 2025 (6.67%)	1.28	2005-11-12 to 2024-11-12 (19 years)	countywide	Frost/Freeze records are not counted in this descriptor: they record crop freezes, not cold waves.
Drought	65.6	event-days per year	about 65.6 days per year	Likely	event-days in 6 of 30 years, 1996 to 2025 (20%)	2,310	2000 to 2025 (25.25 years; D3 and D4 only)	countywide	NRI gives about 65.6 drought event-days a year here (its annualized frequency over 25.25 years; not its event count divided by the years), but Storm Events has a record in only 6 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.
Earthquake	0.00428	annual probability at a location	chance a given location in the county has at least minor- damage shaking in a year: 0.428%			not shown	modeled	see B1-f	Descriptor not assigned: the NRI value is the chance at a location in the county, not how often the hazard affects the county, and Storm Events does not record earthquakes.
Hail	0.673	events per year	about 0.67 per year	Likely	FEMA annualized frequency (modeled)	25.6 (modeled)	1986 to 2023 (38 years)	countywide	
Heat Wave	1.97	event-days per year	about 1.97 days per year		event-days in 0 of 30 years, 1996 to 2025 (0%)	34	2005-11-12 to 2024-11-12 (19 years)	countywide	No recorded event-days, 1996 to 2025; descriptor not assigned
Hurricane		events per year					1851 to 2024 (Atlantic)	see B1-f	Not Applicable in NRI for this county; no descriptor.
Ice Storm	0.0245	event-days per year	about 0.0245 days per year		event-days in 0 of 30 years, 1996 to 2025 (0%)	1	1946-12-31 to 2014-02-12 (67 years)	countywide	No recorded event-days, 1996 to 2025; descriptor not assigned

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)	NRI period	Location	Note
Inland Flooding	2.14	event-days per year	about 2.14 days per year	Likely	event-days in 24 of 30 years, 1996 to 2025 (80%)	60	1996 to 2023 (28 years)	see B1-f	
Landslide	0.274	events per year (modeled)	about 1 in 4 years	Likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Lightning	59.8	days per year with a strike	about 59.8 days per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1995 to 2023 (29 years; CONUS)	countywide	
Strong Wind	0.279	events per year	about 1 in 4 years	Likely	FEMA annualized frequency (modeled)	11	1986 to 2023 (38 years)	countywide	
Tornado	0.0826	events per year	about 1 in 12 years	Possible	FEMA annualized frequency (modeled)	not shown	1950 to 2023 (EF2+); 1986 to 2023 (EF0-1)	see B1-f	
Tsunami		annual probability at the most exposed location (used in place of a county value)				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Volcanic Activity	0.0001	annual probability	about 1 in 10,000 years	Unlikely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Wildfire	0.00183	annual probability at a location	chance a given location in the county burns in a year: 0.183%	Likely	Storm Events records in 5 of 30 years, 1996 to 2025 (16.7%)	not shown	modeled	see B1-f	Descriptor from Storm Events, not NRI: the NRI value is the chance at a location in the county, not how often the hazard affects the county.
Winter Weather	9.53	event-days per year	about 9.53 days per year	Likely	event-days in 8 of 30 years, 1996 to 2025 (26.7%)	181	2005-11-12 to 2024-11-12 (19 years)	countywide	NRI gives about 9.53 winter weather event-days a year here (its annualized frequency over 19 years; not its event count divided by the years), but Storm Events has a record in only 8 of 30 years. NRI counts from a different source that records far more events than Storm Events, so this descriptor reads much lower than NRI's frequency; read the two together.

FEMA annualized frequency (modeled) comes from the National Risk Index v1.20 (December 2025). It is not recorded events divided by years, and what it measures depends on the hazard. For most hazards it estimates how often the hazard affects this county each year: it counts events or event-days (drought, heat wave, cold wave, winter weather, ice storm and inland flooding are in days per year; lightning is the number of days per year with a recorded cloud-to-ground strike, from the NOAA Storm Prediction Center daily lightning climatology); it may count events in the surrounding area (hail, strong wind, tornado, hurricane and ice storm use a 49 km grid and buffers) and is averaged over the county's area; and some hazards use a minimum value for places with no recorded event. Earthquake, wildfire and coastal flooding are different: FEMA computes them for each census block and averages them over the county, so the value is the chance (for coastal flooding, the modeled number of floods per year) at a location in the county,

which is lower than the chance that the hazard strikes somewhere in the county. Earthquake is the chance of at least minor-damage shaking (U.S. Geological Survey model); wildfire is the chance that a location burns in a large fire (U.S. Forest Service burn probability); coastal flooding comes from FEMA flood zones and NOAA high-tide flooding, so it can be above 1 where high-tide flooding is frequent. Tsunami is the value at the county's most exposed location, from recorded events and modeled return periods. For these four hazards the packet gives no "1 in N years" and takes the descriptor from Storm Events (none for earthquake) unless the value is 1 or more a year. Landslide is a U.S. Geological Survey modeled county rate spread by slope susceptibility. Volcanic activity is the chance that a volcano affecting the county erupts in a year. Drought counts only extreme and exceptional drought (D3 and D4). Source: FEMA, National Risk Index Technical Documentation v1.20, sections 5.2.2 (Table 5), 5.2.3, 7.4, 10.4, 16.5, 17.1, 17.3.1, 17.5, 20.3.1, 21.4, 22.4 and 6 to 23.

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Descriptor scale used in this packet (defined per unit)

Unit	Descriptor	Definition
events per year	Highly likely	1 or more per year
events per year	Likely	about once in 1 to 10 years
events per year	Possible	about once in 10 to 100 years
events per year	Unlikely	less than once in 100 years
annual probability	Likely	10% to under 100% chance in a given year
annual probability	Possible	1% to under 10% chance in a given year
annual probability	Unlikely	under 1% chance in a given year
event-days (share of years)	Highly likely	event-days recorded in 90% or more of years
event-days (share of years)	Likely	event-days recorded in 10% to under 90% of years
event-days (share of years)	Possible	event-days recorded in some years but under 10% of years
lightning strike-days	Highly likely	cloud-to-ground strikes on 1 or more days per year

SOURCES
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Intensity bands: historical frequency (Storm Events)

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Hail	1.00-1.99 in	1996 to 2025	77	30	2.57
Hail	2.00 in+	1996 to 2025	4	30	0.133
Strong Wind (Thunderstorm Wind records)	50-64 kt	1996 to 2025	84	30	2.8
Strong Wind (Thunderstorm Wind records)	65 kt+	1996 to 2025	4	30	0.133
Strong Wind (Thunderstorm Wind records)	unmeasured or below 50 kt	1996 to 2025	8	30	0.267
Tornado	EF0-1	1996 to 2025	4	30	0.133
Tornado	EF2-3	1996 to 2025	0	30	0
Tornado	EF4-5	1996 to 2025	0	30	0
Tornado	unrated (EFU)	1996 to 2025	3	30	0.1

Hail smaller than 1 inch is not counted: on 2010-01-05 the National Weather Service raised its severe-hail threshold from 3/4 inch to 1 inch, so smaller reports became less common after 2009 (NWS Service Change Notice 09-52). NRI hail frequency uses a 0.75 inch threshold.

SOURCE

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Optional: future conditions. Not a required item in the 2025 FEMA Local Mitigation Planning Policy Guide; some states ask for it. The federal Climate Mapping for Resilience and Adaptation (CMRA) site gives county exposure to future climate conditions.

Supports B1-f: variation across the planning area

Range of census tract risk within the county

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>	Median	Max	Tracts by rating	Note
Avalanche	11 of 176	8.0	9.2	11.5	Very Low 11, Not Applicable 165	
Coastal Flooding	0 of 176				Not Applicable 176	
Cold Wave	176 of 176	15.7	22.0	29.6	Relatively Low 161, Very Low 15	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Drought	8 of 176	68.1	92.1	96.3	Relatively Moderate 4, Relatively Low 3, Very Low 1, No Rating 168	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. Agriculture is all of NRI's expected annual loss for this hazard in the county, so the tract range above mostly reflects where crop and livestock value is, not where buildings and people are. Confirm locally.
Earthquake	176 of 176	12.5	76.2	97.5	Very High 1, Relatively High 12, Relatively Moderate 68, Relatively Low 90, Very Low 5	
Hail	176 of 176	4.7	63.2	87.9	Relatively Moderate 49, Relatively Low 123, Very Low 4	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Heat Wave	176 of 176	1.7	48.4	77.7	Relatively Moderate 53, Relatively Low 113, Very Low 10	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Hurricane	0 of 176				Not Applicable 176	
Ice Storm	176 of 176	0.2	9.9	53.1	Relatively Low 5, Very Low 171	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Inland Flooding	176 of 176	0.2	36.0	97.3	Very High 3, Relatively High 14, Relatively Moderate 50, Relatively Low 77, Very Low 32	
Landslide	120 of 176	8.6	11.6	87.9	Relatively Low 3, Very Low 117, No Rating 56	
Lightning	176 of 176	0.3	56.6	84.1	Relatively High 6, Relatively Moderate 124, Relatively Low 42, Very Low 4	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Strong Wind	176 of 176	0.5	28.2	52.8	Relatively Low 152, Very Low 24	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Tornado	176 of 176	0.7	19.4	36.5	Relatively Low 5, Very Low 171	

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>	Median	Max	Tracts by rating	Note
Tsunami	0 of 176				Not Applicable 176	
Volcanic Activity	2 of 176	40.5	44.4	48.2	Very Low 2, No Rating 174	
Wildfire	142 of 176	18.5	46.7	99.1	Very High 1, Relatively High 4, Relatively Moderate 8, Relatively Low 33, Very Low 96, No Rating 34	
Winter Weather	176 of 176	13.2	78.8	94.7	Relatively High 88, Relatively Moderate 83, Relatively Low 2, Very Low 3	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.

Rated tracts only: No Rating (score 0.0), Not Applicable and Insufficient Data tracts are counted but not used for the minimum, median and maximum.

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Per-member block (Starter, confirm locally)

Member	Type	Plan status	Repetitive loss <i>FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition</i>	Public Assistance matched <i>federal share obligated, nominal dollars</i>	Event records naming this place <i>all years; since the member's plan</i>	Notes
Bernalillo County	County	Approved, expires 2027-01-18	FMA RL 0, SRL 0; any 1	\$1,096,272.88	0; 0	Includes \$619,955.49 for declarations not counted as hazard incidents (DR-4529-NM).
Albuquerque city	City	Approved, expires 2027-01-18	FMA RL 0, SRL 0; any 1	\$11,666,241.16	149; 15	Includes \$7,206,132.95 for declarations not counted as hazard incidents (DR-4529-NM, EM-3229-NM).
Los Ranchos de Albuquerque village	Village	Approved, expires 2027-01-18	FMA RL 0, SRL 0; any 0	none found	0; 0	
Rio Rancho city	City	No approved plan on record	FMA RL 0, SRL 0; any 0	none found	0; no approved plan	
Tijeras village	Village	Approved, expires 2027-01-18	FMA RL 0, SRL 0; any 0	none found	14; 2	

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

School districts and special districts get a plan clock row only.

SOURCES

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Supports B2-a and B2-b: assets and impacts

Local data required

County-level starter. The plan must describe impacts for each participant and its own assets.

- Critical facilities and lifelines per hazard
- A problem statement per participant per hazard
- Changes in development in hazard-prone areas since the last approval, or a statement of none (E1-a)
- Future assets

County-level starter: exposure, expected annual loss and damage since the plan

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2022-01-19 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Avalanche	\$155,308		under 1	under \$1		\$38	under 0.0001%				
Coastal Flooding											Not Applicable in NRI for this county
Cold Wave	\$128,983,609,906	\$11,998,902	675,849	\$3,043	\$378	\$1,175,580	under 0.0001%		\$0		
Drought		\$5,195,375			\$233,962		4.5% (agriculture)		\$0		NRI has no building exposure for this hazard; agriculture shown
Earthquake	\$225,055,662,647		676,444	\$24,688,812		\$15,320,462	0.011%				
Hail	\$128,985,563,620	\$11,998,902	675,855	\$2,039,309	\$2,572	\$745,574	0.00158%	\$26,500			
Heat Wave	\$128,985,563,620	\$11,998,902	675,855	\$1,419	\$1,015	\$6,268,056	under 0.0001%				
Hurricane											Not Applicable in NRI for this county
Ice Storm	\$128,985,563,620		675,855	\$153,195		\$14,905	0.000119%				
Inland Flooding	\$128,956,666,065	\$4,836,651	10,538	\$88,893,636	\$524	\$4,302,691	n/a (see note)	\$3,145,000			NRI counts the full building value of any census block with some flood loss; this is not the value of buildings in the floodplain. Use local FIRM overlays for B2-a/B2-b. EAL as % of exposure: n/a.
Landslide	\$749,589,669		3,269	\$606		\$176	under 0.0001%	\$25,000			
Lightning	\$128,985,563,620		675,855	\$21,849		\$2,512,331	under 0.0001%				

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2022-01-19 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Strong Wind	\$128,985,563,620	\$11,998,902	675,855	\$408,373	\$408	\$797,046	0.000317%	\$10,000	\$1,325,500		Storm Events damage since the plan includes 13 zone-level High Wind records (\$1,274,500) and 2 zone-level Strong Wind records (\$51,000), event types the NRI definition of this hazard leaves out.
Tornado	\$128,985,563,620	\$11,998,902	675,855	\$731,025	\$10	\$728,035	0.000567%	\$0			
Tsunami											Not Applicable in NRI for this county
Volcanic Activity	\$128,985,563,620		675,855	under \$1		under \$1	under 0.0001%				
Wildfire	\$7,378,522,927	\$4,475,380	57,743	\$3,134,221	\$9	\$206,370	0.0425%		\$8,400,000		
Winter Weather	\$128,985,563,620	\$11,998,902	675,855	\$105,001	\$173	\$1,410,920	under 0.0001%		\$0		

Totals since 2022-01-19 (Storm Events through 2026-06-30): 77 county-coded records, 58 with a damage value recorded (including \$0), \$3,206,500; 139 zone-level records, 78 with a damage value recorded (including \$0), \$9,725,500 reported for the zone; Public Assistance on counted declarations none found (0 declarations, 0 with PA).

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

FEMA does not split Public Assistance by hazard. A declaration mapped to several hazards is listed under each of them with its full amount, so the per-hazard column must not be added up; the unit total counts each declaration once.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Supports B2-a: context

County context

Measure	Value
Population	675,855
Building value (total, not at risk)	\$128,985,563,620
Agriculture value (total, not at risk)	\$11,998,902
NRI risk rating (all hazards)	Relatively High

Measure	Value
Expected annual loss, buildings and agriculture, all hazards	\$120,419,539
Expected annual loss, population equivalence, all hazards (NRI values each statistical life at \$13.7M; a modeled value of expected deaths and injuries, not property damage)	\$33,482,184
Social vulnerability rating	Relatively Moderate
Community resilience rating	Relatively Moderate
NRI version	December 2025

FEMA's all-hazard expected annual loss total adds buildings, agriculture and population equivalence; the two parts are shown separately so the property figure is not read as including the statistical value of life.

SOURCE
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B2-c: repetitive loss

Repetitive loss in this county, both definitions

Definition	Properties	Severe repetitive loss	Properties
Repetitive loss, FMA definition (44 CFR 77.2)	0	Severe repetitive loss, FMA definition (44 CFR 77.2)	0
Repetitive loss, NFIP insurance definition	2	Severe repetitive loss, NFIP insurance definition	0

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

SOURCES
FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Repeat-flood properties: county total and NFIP communities

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
County total	0	0	2	0	2	0	0
BERNALILLO COUNTY *	0	0	1	0	1	0	0
ALBUQUERQUE, CITY OF	0	0	1	0	1	0	0

SOURCES
FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Repeat-flood properties by plan member (NFIP community)

Member	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>	Note
Bernalillo County	350001	0	0	1	0	1	0	0	
Albuquerque city	350002	0	0	1	0	1	0	0	
Los Ranchos de Albuquerque village	350123	0	0	0	0	0	0	0	
Rio Rancho city	350146	0	0	0	0	0	0	0	

Member	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>	Note
Tijeras village	350135	0	0	0	0	0	0	0	

Per-member types: XLSX sheet 'B2-c Members'.

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

County repeat-flood properties by occupancy group

Occupancy group	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
single-family residential	0	0	2	0	2	0	0
2 to 4 unit residential	0	0	0	0	0	0	0
other residential	0	0	0	0	0	0	0
non-residential	0	0	0	0	0	0	0
not reported	0	0	0	0	0	0	0

Institutional properties cannot be separated in this data: FEMA's occupancy groups have no institutional class, so they fall in non-residential or other residential in the table by occupancy group.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FMA RL and FMA SRL are the Flood Mitigation Assistance definitions (44 CFR 77.2), the ones the FEMA Local Mitigation Planning Policy Guide cites; OpenFEMA's fmaRl field description omits the Increased Cost of Compliance clause of 44 CFR 77.2(i). NFIP repetitive loss (FEMA insurance definition, nfipRl) is 2 or more claims over \$1,000 in 10 years and can drop to false when a property is mitigated. Also shown: NFIP severe repetitive loss, any category, mitigated and currently insured.

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

Counts are aggregates of FEMA's public NFIP Multiple Loss Properties file (as of 2026-08-02). No property is identified. County assignment is FEMA's geocode.

Counts may differ from your state NFIP coordinator's list, which is the source the Handbook names.

In this county 0 properties are FMA repetitive loss but not NFIP repetitive loss, and 2 properties are NFIP repetitive loss but not FMA repetitive loss.

Exact counts; no count suppression.

Sources

Every table above lists its own sources. The full list, for the plan's bibliography (FEMA review item A4-a):

1. FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
2. FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
3. FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
4. FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

5. FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
6. NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
7. NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
8. U.S. Census Bureau, Census 2024 Gazetteer, 2020 place by county, CT county-to-cousub crosswalk, version 2024-gazetteer, pulled 2026-09-28, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_counties_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_cousubs_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_place_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_unsd_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_elsd_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gaz_scsd_national.zip, https://www2.census.gov/geo/docs/reference/codes2020/national_place_by_county2020.txt, https://www2.census.gov/geo/docs/reference/ct_change/ct_cou_to_cousub_crosswalk.xlsx

OpenFEMA disclaimer

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

Reuse, citation and corrections

Reuse and citation: Hazard Plain text and tables are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0, <https://creativecommons.org/licenses/by/4.0/>); credit Hazard Plain and the release. The underlying federal data are public domain; OpenFEMA data are also subject to the OpenFEMA terms and conditions.

Cite this: Hazard Plain (2026). Bernalillo County, NM: risk-assessment baseline packet, release 2026-10 (data as of 2026-09-28; County area 35001). Preview: automated baseline. Built from FEMA OpenFEMA, the FEMA National Risk Index and NOAA NCEI Storm Events; source versions in the packet's Sources list.

Corrections: to report an error, name the packet, the table and what your records show. Contact: to be added

Hazard Plain release 2026-10. As of 2026-09-28; Storm Events data through 2026-06-30. File hazard-plain_2026-10_NM_35001. Preview: automated baseline.