

Albany County, NY

Risk-assessment baseline packet

Unit **County area 36001** Release **2026-10** As of **2026-09-28** Storm Events data through **2026-06-30**

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

A starting point for the plan's risk assessment (FEMA Local Mitigation Plan Review Tool, Element B). It does not replace local data or FEMA review. Section headings say which FEMA review item each table supports; whether an item is satisfied is decided by the plan and its reviewers.

OPENFEMA DISCLAIMER

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Plan clock

Status	Approved, expires 2030-05-06	Plan	Albany County 2025 (FEMA plan 109920)
Approved	2025-05-07	Expires	2030-05-06
As of	2026-09-28	Days	1,316 days to expiry

What changed since your last plan (approved 2025-05-07)

New federal declarations	none (0 declaration rows; 0 counted incidents)	Storm Events records since approval	55 (data through 2026-06-30)
Repetitive loss now	FMA RL 2, SRL 5 (44 CFR 77.2); any definition: 36	Repeat-flood change	First release: no prior release to compare.

SOURCES: FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API); FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API); NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>; FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)

Plan status for every jurisdiction listed in this county: 19 rows, in the section "Plan clock: Plan status for every jurisdiction listed in this county" after these cover pages.

State plan status and tribal plans in this state: see the state page.

CONTENTS

1. Plan clock, page 1

2. What changed since your last plan (approved 2025-05-07), page 1

3. Supports B1-a: hazards, page 3

4. Supports B1-b: location, page 5

5. Supports B1-c: extent, page 5

6. Supports B1-d: previous occurrences, page 9
7. Supports B1-e: probability, page 13

8. Supports B1-f: variation across the planning area, page 17

9. Supports B2-a and B2-b: assets and impacts, page 19

10. Supports B2-a: context, page 21

11. Supports B2-c: repetitive loss, page 21

12. Sources and OpenFEMA disclaimer, page 23

Plan clock

Plan status for every jurisdiction listed in this county

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry negative = days since expiry	Update underway	Notes
Albany County	County	Approved, expires 2030-05-06	Albany County 2025 (FEMA plan 109920)	2025-05-07	2030-05-06	1,316		member approved 2025-09-24
Albany city	City	Approved, expires 2030-05-06	Albany County 2025 (FEMA plan 109920)	2025-05-07	2030-05-06	1,316		member approved 2025-08-25
Altamont village	Village	Approved, expires 2030-05-06	Albany County 2025 (FEMA plan 109920)	2025-05-07	2030-05-06	1,316		
Cohoes city	City	Approved, expires 2030-05-06	Albany County 2025 (FEMA plan 109920)	2025-05-07	2030-05-06	1,316		member approved 2025-06-20
Colonie village	Village	Approved, expires 2030-05-06	Albany County 2025 (FEMA plan 109920)	2025-05-07	2030-05-06	1,316		member approved 2025-06-11
Green Island village	Village	Approved, expires 2030-05-06	Albany County 2025 (FEMA plan 109920)	2025-05-07	2030-05-06	1,316		member approved 2025-06-20
Menands village	Village	Approved, expires 2030-05-06	Albany County 2025 (FEMA plan 109920)	2025-05-07	2030-05-06	1,316		member approved 2025-05-28
Ravena village	Village	Approved, expires 2030-05-06	Albany County 2025 (FEMA plan 109920)	2025-05-07	2030-05-06	1,316		
Voorheesville village	Village	Approved, expires 2030-05-06	Albany County 2025 (FEMA plan 109920)	2025-05-07	2030-05-06	1,316		member approved 2025-05-28
Watervliet city	City	Approved, expires 2030-05-06	Albany County 2025 (FEMA plan 109920)	2025-05-07	2030-05-06	1,316		member approved 2025-05-28
Berne town	Town	Approved, expires 2030-05-06	Albany County 2025 (FEMA plan 109920)	2025-05-07	2030-05-06	1,316		member approved 2025-05-08
Bethlehem town	Town	Approved, expires 2030-05-06	Albany County 2025 (FEMA plan 109920)	2025-05-07	2030-05-06	1,316		member approved 2025-07-18
Coeymans town	Town	Approved, expires 2030-05-06	Albany County 2025 (FEMA plan 109920)	2025-05-07	2030-05-06	1,316		member approved 2025-05-27
Colonie town	Town	Approved, expires 2030-05-06	Albany County 2025 (FEMA plan 109920)	2025-05-07	2030-05-06	1,316		member approved 2025-07-24
Guilderland town	Town	Approved, expires 2030-05-06	Albany County 2025 (FEMA plan 109920)	2025-05-07	2030-05-06	1,316		member approved 2025-07-18
Knox town	Town	Approved, expires 2030-05-06	Albany County 2025 (FEMA plan 109920)	2025-05-07	2030-05-06	1,316		member approved 2025-06-06

Jurisdiction	Type	Status	Plan	Approved	Expires	Days to expiry <i>negative = days since expiry</i>	Update underway	Notes
New Scotland town	Town	Approved, expires 2030-05-06	Albany County 2025 (FEMA plan 109920)	2025-05-07	2030-05-06	1,316		member approved 2025-05-28
Rensselaerville town	Town	Approved, expires 2030-05-06	Albany County 2025 (FEMA plan 109920)	2025-05-07	2030-05-06	1,316		member approved 2025-05-27
Westerlo town	Town	Approved, expires 2030-05-06	Albany County 2025 (FEMA plan 109920)	2025-05-07	2030-05-06	1,316		member approved 2025-07-21

SOURCE
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Supports B1-a: hazards

Hazards NRI does not cover: check locally

- dam failure (incl. upstream dams)
 - levee failure
 - flash flood as its own subtype
 - ice jams
- debris flows
 - erosion (riverine and coastal)
 - land subsidence and sinkholes
 - expansive soils

The 18 National Risk Index hazards, ranked by expected annual loss (EAL)

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records since 1996 <i>count</i>	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
1	Inland Flooding	Relatively Moderate	Relatively Moderate	\$41,774,636	\$57,278	\$1,556,533	\$43,388,447	203		
2	Tornado	Relatively Moderate	Relatively Moderate	\$1,791,651	\$807	\$5,096,940	\$6,889,398	2		
3	Hurricane	Relatively Moderate	Relatively Moderate	\$3,548,461	\$87,134	\$161,463	\$3,797,059	1		
4	Earthquake	Relatively Low	Relatively Low	\$2,136,508		\$490,064	\$2,626,572			Not in Storm Events. Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
5	Cold Wave	Relatively Moderate	Relatively Moderate	\$1,034	\$32,457	\$2,128,663	\$2,162,153	80		Includes 32 Frost/Freeze records, event types the NRI definition of this hazard leaves out.
6	Strong Wind	Relatively Moderate	Relatively Moderate	\$519,835	\$6,294	\$1,089,114	\$1,615,243	532		Includes 37 High Wind records and 66 Strong Wind records, event types the NRI definition of this hazard leaves out.
7	Lightning	Relatively High	Relatively High	\$61,643		\$1,149,595	\$1,211,238	21		

Rank by EAL	Hazard	NRI risk rating	EAL rating	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL total (see note) <i>modeled dollars per year</i>	Storm Events records since 1996 <i>count</i>	Evidence for an omission <i>NRI Not Applicable, no declaration and no Storm Events record since 1996</i>	Storm Events coverage note
8	Heat Wave	Relatively Low	Relatively Low	\$2	\$5,951	\$1,150,296	\$1,156,249	73		
9	Ice Storm	Relatively High	Relatively High	\$652,090		\$47,472	\$699,562	4		
10	Hail	Relatively Low	Relatively Low	\$34,094	\$42,999	\$473,322	\$550,415	149		
11	Winter Weather	Relatively Moderate	Relatively Moderate	\$52,546	\$8	\$50,613	\$103,166	228		
12	Landslide	Relatively Moderate	Relatively Low	\$65,724		\$1,817	\$67,540	1		
13	Wildfire	Very Low	Very Low	\$20,341	\$4	\$2,094	\$22,439	1		
14	Avalanche	Very Low	Very Low	under \$1		\$191	\$191	0		No recorded events in Storm Events since 1996 (data through 2026-06-30).
15	Coastal Flooding	No Rating	No Expected Annual Losses	\$0		\$0	\$0	1		
16	Drought	No Rating	No Expected Annual Losses		\$0		\$0	3		
	Tsunami	Not Applicable	Not Applicable					0	NRI rates tsunami Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.
	Volcanic Activity	Not Applicable	Not Applicable					0	NRI rates volcanic activity Not Applicable for this county, and no federal declaration for this county names it.	No recorded events in Storm Events since 1996 (data through 2026-06-30). Storm Events coverage of this hazard is limited; absence is not evidence of low risk.

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Check your state hazard mitigation plan's hazard list for this county; explain any hazard you drop.

Supports B1-b: location

Where each hazard occurs

Hazard	Location	Census tracts rated <i>rated of all tracts</i>
Avalanche	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	5 of 85
Coastal Flooding	The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (https://msc.fema.gov) for this county.	0 of 85
Cold Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	85 of 85
Drought	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	0 of 85
Earthquake	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	85 of 85
Hail	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	85 of 85
Heat Wave	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	85 of 85
Hurricane	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	85 of 85
Ice Storm	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	85 of 85
Inland Flooding	The FEMA Flood Insurance Rate Map (FIRM) is the required location source for flooding. See the FEMA Flood Map Service Center (https://msc.fema.gov) for this county.	85 of 85
Landslide	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	85 of 85
Lightning	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	85 of 85
Strong Wind	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	85 of 85
Tornado	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	85 of 85
Tsunami	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 85
Volcanic Activity	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	0 of 85
Wildfire	Census tract rating counts from the National Risk Index tract table (see B1-f). Tract maps and place names are not in this packet.	81 of 85
Winter Weather	Affects the whole planning area; national data do not distinguish locations within the county. Confirm locally.	85 of 85

SOURCE
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B1-c: extent

Extent: scale, observed range and worst recorded event per hazard

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Avalanche	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Coastal Flood, Storm Surge/ Tide	none in data (FIRM for depth)	1, 2012 to 2012 (1 zone-level)		No damage reported in 1 records.		Zone-level records: applies countywide; national data do not locate these events within the county.	Flood depth: see the FEMA Flood Insurance Rate Map.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Cold/Wind Chill, Extreme Cold/Wind Chill	wind chill	48, 1996 to 2026 (48 zone-level)	1 day to 5 days (median 2 days); 36 with a recorded value	5 consecutive days, 2026-01-29 to 2026-02-02, zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Wind chill: in event narratives only; local data required. Cold/Wind Chill records from May to September (a frost night, not a cold wave) are counted but not used for the longest run.
Frost/Freeze (outside NRI Cold Wave definition)	crop damage	32, 2002 to 2023 (32 zone-level)		Frost/Freeze, 2008-05-01, \$600,000 crop damage, reported for the zone (2008 dollars); NWS zone NYZ052 (EASTERN ALBANY), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Temperature: in event narratives only; local data required.
Drought	US Drought Monitor D-scale	3, 1999 to 2001 (3 zone-level)	12 days to 31 days (median 30 days); 3 with a recorded value	31 days (1 month), 1999-08-01 to 1999-08-31, zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Storm Events enters a drought at D2 or worse east of the Rockies and D3 or worse from the Rockies west (NWS Instruction 10-1605); NRI drought counts D3 and D4 only.
Earthquake	Modified Mercalli (local data)	0					No Storm Events record; local data required (e.g., USGS).
Hail	hail size (inches)	185, 1958 to 2024	0.75 in to 2.75 in (median 1 in); 184 with a recorded value	2.75 in hail, 1991-05-30	Hail, 2001-05-28, property not reported; \$600,000 crops (2001 dollars)	Event records naming member places: Albany city (18 records), Colonie town (10 records), Colonie village (10 records), Cohoes city (9 records), Voorheesville village (6 records), Altamont village (5 records), Watervliet city (4 records), Berne town (3 records), Bethlehem town (1 record), Coeymans town (1 record); and 5 more member places (see the XLSX file).	
Excessive Heat, Heat	heat index (narratives)	73, 1996 to 2026 (73 zone-level)	1 day to 6 days (median 2 days); 46 with a recorded value	6 consecutive days, 2018-06-30 to 2018-07-05, zone-level		Zone-level records: applies countywide; national data do not locate these events within the county.	Heat index: in event narratives only; local data required. Heat records from November to March (unseasonable warmth, not a heat wave) are counted but not used for the longest run.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Hurricane, Tropical Storm, Tropical Depression	Saffir-Simpson	1, 2011 to 2011 (1 zone- level)		Strongest recorded (records with damage, a wind speed or direct casualties first, then storm type, category and wind): Tropical Storm record, 2011-08-28, \$0 property; \$0 crops, reported for the zone (2011 dollars); NWS zone NYZ051 (WESTERN ALBANY), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Storm Events files every zone of a storm's episode under the storm's event type and category, so a Hurricane (Typhoon) record, especially an inland or remnant one, does not by itself mean hurricane-force winds here; read the damage and wind columns.
Ice Storm	Sperry-Piltz (local data)	4, 2007 to 2019 (4 zone- level)		No damage reported in 4 records.		Zone-level records: applies countywide; national data do not locate these events within the county.	Ice thickness: in event narratives only; local data required.
Flash Flood, Flood, Lakeshore Flood	damage and flood days (FIRM for depth)	203, 1996 to 2025 (14 zone- level)		Flash Flood, 1999-09-16, \$2,200,000 property; crops not reported (1999 dollars)		Event records naming member places: Albany city (30 records), Cohoes city (7 records), Watervliet city (6 records), Colonie town (5 records), Colonie village (5 records), Coeymans town (4 records), Knox town (4 records), Menands village (4 records), Guilderland town (3 records), Ravena village (3 records); and 4 more member places (see the XLSX file). Zone-level records (14) apply countywide.	Flood depth: see the FEMA Flood Insurance Rate Map. Storm Events damage can be \$0 or blank even for a major flood, so the worst record here may not be the worst flood; compare FEMA Public Assistance by declaration in B1-d.
Debris Flow	none (count and damage)	1, 2000 to 2000		Debris Flow, 2000-05-16, \$500,000 property; crops not reported (2000 dollars)		No event record names a member place.	Physical measure: in event narratives only; local data required.
Lightning	annualized frequency (the measure FEMA's Local Mitigation Planning Handbook names)	21, 1996 to 2021		Lightning, 2007-07-09, \$200,000 property; \$0 crops (2007 dollars)		Event records naming member places: Albany city (5 records), Colonie town (4 records), Colonie village (4 records), Altamont village (1 record), Guilderland town (1 record), Ravena village (1 record).	Storm Events lists lightning with damage or casualties; physical measure in event narratives only; local data required.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
High Wind and Strong Wind (outside NRI Strong Wind definition)	wind speed (kt and mph)	103, 1996 to 2026 (103 zone-level)	35 kt (40 mph) to 60 kt (69 mph) (median 45 kt (52 mph)); 93 with a recorded value	60 kt (69 mph) estimated gust, High Wind, 2006-02-17; same speed and measurement basis also recorded on 2003-11-13, 2003-11-14, 2003-12-01, 2004-12-23, 2005-10-16, 2006-01-21, 2006-02-17; NWS zone NYZ052 (EASTERN ALBANY), zone-level: may include parts of neighboring counties	High Wind, 1999-09-16, \$275,000 property; crops not reported, reported for the zone (1999 dollars)	Zone-level records: applies countywide; national data do not locate these events within the county.	
Thunderstorm Wind	wind speed (kt and mph)	519, 1956 to 2026	40 kt (46 mph) to 87 kt (100 mph) (median 50 kt (58 mph)); 384 with a recorded value	87 kt (100 mph) estimated gust, Thunderstorm Wind, 2011-07-26	Thunderstorm Wind, 2020-08-23, \$7,500,000 property; crops not reported (2020 dollars)	Event records naming member places: Albany city (51 records), Colonie town (28 records), Colonie village (28 records), Cohoes city (17 records), Ravena village (13 records), New Scotland town (12 records), Menands village (11 records), Westerlo town (11 records), Berne town (10 records), Guilderland town (10 records); and 6 more member places (see the XLSX file).	
Tornado	Enhanced Fujita (F before Feb 2007)	7, 1973 to 2014	F/EF0 to F/EF4 (median F/EF1); 7 with a recorded value	F4 tornado, 1989-07-10, 13 mi path length (records before 1996 may include the whole path; rating and listing come from the county where the tornado began), 1,320 yd wide, \$25,000,000 property; crops not recorded (1989 dollars)		Event records naming member places: Colonie town (1 record), Colonie village (1 record), Knox town (1 record).	From 1996 on, tornado records are per-county segments and length is the path length within this county (NWS Instruction 10-1605); records before 1996 may give the whole path length, including the path outside this county, and before 1996 a tornado is listed once, under the county where it began, with the whole path's rating; counties farther along the path may not list it. Length is not used to rank tornadoes.
Tsunami	none (count and damage)	0					Physical measure: in event narratives only; local data required.
Volcanic Ash, Volcanic Ashfall	Volcanic Explosivity Index (local data)	0					Physical measure: in event narratives only; local data required.
Wildfire	acres burned (local data)	1, 2002 to 2002 (1 zone-level)		No damage reported in 1 records.		Zone-level records: applies countywide; national data do not locate these events within the county.	Acres burned: in event narratives only; local data required.

Hazard	Scale	Records <i>count, years</i>	Observed range	Worst recorded event	Most damaging (when different)	How it applies to members	Note
Winter Storm, Heavy Snow, Blizzard, Lake-Effect Snow, Winter Weather, Sleet	none in data (snowfall local)	228, 1996 to 2026 (228 zone-level)		Winter Storm, 1997-03-31, \$250,000 property; crops not reported, reported for the zone (1997 dollars); NWS zone NYZ051 (WESTERN ALBANY), zone-level: may include parts of neighboring counties		Zone-level records: applies countywide; national data do not locate these events within the county.	Snow depth: in event narratives only; local data required.

Where a hazard names more than 10 member places, the table lists the 10 with the most records; every place is in the XLSX file, sheet "B1-c Extent".

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Supports B1-d: previous occurrences

Declaration rows 23 Counted incidents 15

Federal disaster declarations for this county

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance <i>federal share obligated, nominal dollars</i>	Flags	Notes
2021-08-22	2021-08-21	EM-3565-NY	Emergency	HURRICANE HENRI	Hurricane	none found		
2020-03-20	2020-01-20	DR-4480-NY	Major disaster	COVID-19 PANDEMIC	Non-natural, not counted	\$25,690,799.11		
2020-03-13	2020-01-20	EM-3434-NY	Emergency	COVID-19	Non-natural, not counted	none found		same incident as DR-4480
2017-07-12	2017-03-14	DR-4322-NY	Major disaster	SEVERE WINTER STORM AND SNOWSTORM	Winter Weather	\$1,392,249.16		
2012-10-28	2012-10-27	EM-3351-NY	Emergency	HURRICANE SANDY	Hurricane	none found		
2011-09-08	2011-09-07	EM-3341-NY	Emergency	REMNANTS OF TROPICAL STORM LEE	Hurricane	\$3,194.36		
2011-08-31	2011-08-26	DR-4020-NY	Major disaster	HURRICANE IRENE	Hurricane	\$9,008,600.72		
2009-03-04	2008-12-11	DR-1827-NY	Major disaster	SEVERE WINTER STORM	Winter Weather	\$1,824,076.20		
2008-12-18	2008-12-11	EM-3299-NY	Emergency	SEVERE WINTER STORM	Winter Weather	\$1,627,421.85		same incident as DR-1827

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	County Public Assistance	Flags	Notes
						<i>federal share obligated, nominal dollars</i>		
2007-04-24	2007-04-14	DR-1692-NY	Major disaster	SEVERE STORMS AND INLAND AND COASTAL FLOODING	Coastal Flooding	\$1,977,460.98		
2005-09-30	2005-08-29	EM-3262-NY	Emergency	HURRICANE KATRINA EVACUATION	Hurricane: evacuation support, not a local hazard event; not counted	\$37,768.67		
2004-08-03	2004-05-13	DR-1534-NY	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding: designated for Hazard Mitigation only (no Public or Individual Assistance for this county); not counted	\$15,580.48		FEMA's declaration record does not list Public Assistance, but FEMA's PA project summaries show obligations for this county
2003-08-23	2003-08-14	EM-3186-NY	Emergency	POWER OUTAGE	Non-natural, not counted	\$13,657.82		
2003-03-27	2003-02-17	EM-3184-NY	Emergency	SNOW	Winter Weather	\$485,493.39		
2003-02-25	2002-12-25	EM-3173-NY	Emergency	SNOWSTORMS	Winter Weather	\$1,555,665.07		
2001-09-11	2001-09-11	DR-1391-NY	Major disaster	FIRES AND EXPLOSIONS	Non-natural, not counted	\$67,435.87		
2000-10-11	2000-05-22	EM-3155-NY	Emergency	WEST NILE VIRUS	Non-natural, not counted	none found		
2000-07-21	2000-05-03	DR-1335-NY	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	\$543,882.82		
1999-09-19	1999-09-16	DR-1296-NY	Major disaster	HURRICANE FLOYD MAJOR DISASTER DECLARATIONS	Hurricane	\$2,440,096.59		
1996-01-24	1996-01-19	DR-1095-NY	Major disaster	SEVERE STORMS AND FLOODING	Inland Flooding	none found		
1996-01-12	1996-01-06	DR-1083-NY	Major disaster	BLIZZARD OF 96 (SEVERE SNOW STORM)	Winter Weather	none found		
1993-03-17	1993-03-13	EM-3107-NY	Emergency	SEVERE BLIZZARD	Winter Weather	none found		
1987-11-10	1987-10-04	DR-801-NY	Major disaster	SEVERE WINTER STORM	Winter Weather	none found		

County Public Assistance: applicants the FEMA record places in this county, including any state agencies FEMA files there; statewide rows are listed on the state page; federal share obligated, nominal dollars.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Statewide declarations

Declared	Incident began	FEMA number	Type	Title	Mapped hazard	Flags	Notes
1963-08-23	1963-08-23	DR-158-NY	Major disaster	HEAVY RAINS & FLOODING	Inland Flooding		
1962-03-16	1962-03-16	DR-129-NY	Major disaster	SEVERE STORM, HIGH TIDES & FLOODING	Inland Flooding (primary); also designated: Coastal Flooding		
1956-03-29	1956-03-29	DR-52-NY	Major disaster	FLOOD	Inland Flooding		
1955-08-22	1955-08-22	DR-45-NY	Major disaster	HURRICANE & FLOODS	Hurricane (primary); also designated: Inland Flooding		
1954-10-07	1954-10-07	DR-26-NY	Major disaster	HURRICANES	Hurricane (primary); also designated: Inland Flooding		

FEMA recorded these with designated area Statewide and no county. Listed on every county page in the state; not counted with county rows.

1 Fire Management declaration (1995-08-25 to 1995-08-25) FEMA filed as Statewide with no county; each names one local fire. Listed on the state page.

SOURCE

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

Public Assistance filed under this county for declarations that do not list it: 3 rows, \$86,016.80

FEMA number	Declared	Title	Applicant	PA obligated <i>federal share obligated, nominal dollars</i>
DR-1899-NY	2010-04-16	SEVERE STORMS AND FLOODING	Middleburgh, Town of	\$23,959.10
DR-1589-NY	2005-04-19	SEVERE STORMS AND FLOODING	Middleburgh, Town of	\$38,102.57
DR-1565-NY	2004-10-01	TROPICAL DEPRESSION IVAN	Middleburgh, Town of	\$23,955.13

FEMA's Public Assistance summaries file these applicants under this county, but FEMA's declaration rows for these disasters do not designate it (an electric cooperative or district serving several counties, for example). Not in any declaration row above and not counted.

SOURCES

FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

Previous occurrences by hazard, with explicit no-event rows

Hazard	Storm Events records <i>full period</i>	Since plan approval records	During plan review records	Last 5 years records	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Avalanche	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Coastal Flooding	1	0	0	0	1	0	1996 to 2026-06-30	
Cold Wave	80	7	1	14	0	0	1996 to 2026-06-30	Includes 32 Frost/Freeze records, event types the NRI definition of this hazard leaves out.
Drought	3	0	0	0	0	0	1996 to 2026-06-30	
Earthquake	0	0	0	0	0	0		No Storm Events record; local data required (e.g., USGS).
Hail	185	0	2	4	0	0	1955 to 2026-06-30	
Heat Wave	73	13	6	27	0	0	1996 to 2026-06-30	
Hurricane	1	0	0	0	5	0	1996 to 2026-06-30	
Ice Storm	4	0	0	0	0	0	1996 to 2026-06-30	
Inland Flooding	203	6	14	48	2	0	1996 to 2026-06-30	
Landslide	1	0	0	0	0	0	1996 to 2026-06-30	

Hazard	Storm Events records <i>full period</i>	Since plan approval <i>records</i>	During plan review <i>records</i>	Last 5 years <i>records</i>	Declared incidents <i>distinct incidents</i>	Declared since approval <i>distinct incidents</i>	Period	Statement
Lightning	21	0	0	0	0	0	1996 to 2026-06-30	
Strong Wind	622	18	41	107	0	0	1955 to 2026-06-30	Includes 37 High Wind records and 66 Strong Wind records, event types the NRI definition of this hazard leaves out.
Tornado	7	0	0	0	0	0	1950 to 2026-06-30	
Tsunami	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Volcanic Activity	0	0	0	0	0	0	1996 to 2026-06-30	No recorded events, 1996 to 2026-06-30, NOAA NCEI Storm Events
Wildfire	1	0	0	0	0	0	1996 to 2026-06-30	
Winter Weather	228	11	12	55	7	0	1996 to 2026-06-30	

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)

NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

Notable Storm Events records

Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>	Direct deaths, injuries <i>indirect not counted</i>	Location	Flags	Why listed
2026-01-29	Cold/Wind Chill		damage not reported	0, 0	NWS zone NYZ052 (EASTERN ALBANY), zone-level: may include parts of neighboring counties	new since last plan; within last 5 years	B1-c worst recorded: Cold/Wind Chill, Extreme Cold/Wind Chill
2018-06-30	Heat		damage not reported	0, 0	NWS zone NYZ052 (EASTERN ALBANY), zone-level: may include parts of neighboring counties		B1-c worst recorded: Excessive Heat, Heat
2011-08-28	Flash Flood		\$0 property; \$0 crops (2011 dollars)	1, 0	CLARKSVILLE		deaths or injuries recorded
2011-08-28	Tropical Storm		\$0 property; \$0 crops, reported for the zone (2011 dollars)	0, 0	NWS zone NYZ051 (WESTERN ALBANY), zone-level: may include parts of neighboring counties		B1-c worst recorded: Hurricane, Tropical Storm, Tropical Depression
2011-07-26	Thunderstorm Wind	87 kt (100 mph) estimated gust	property not reported; \$0 crops (2011 dollars)	0, 0	WEST ALBANY		B1-c worst recorded: Thunderstorm Wind
2008-05-01	Frost/Freeze		\$0 property; \$600,000 crops, reported for the zone (2008 dollars)	0, 0	NWS zone NYZ052 (EASTERN ALBANY), zone-level: may include parts of neighboring counties		B1-c worst recorded: Frost/Freeze (outside NRI Cold Wave definition)
2007-07-09	Lightning		\$200,000 property; \$0 crops (2007 dollars)	0, 0	ALBANY		B1-c worst recorded: Lightning

				Direct deaths, injuries <i>indirect not counted</i>			
Date	Event type	Magnitude or extent	Damage <i>nominal dollars</i>		Location	Flags	Why listed
2007-04-16	Flood		\$0 property; \$0 crops (2007 dollars)	1, 1	COEYMANS		deaths or injuries recorded
2006-02-17	High Wind	60 kt (69 mph) estimated gust	damage not reported	0, 0	NWS zone NYZ052 (EASTERN ALBANY), zone-level: may include parts of neighboring counties		B1-c worst recorded: High Wind and Strong Wind (outside NRI Strong Wind definition)
1999-09-16	Flash Flood		\$2,200,000 property; crops not reported (1999 dollars)	0, 0	COUNTYWIDE		B1-c worst recorded: Flash Flood, Flood, Lakeshore Flood
1995-07-15	Thunderstorm Wind	speed not recorded	\$1,000 property; crops not recorded (1995 dollars)	1, 0	Westerlo		deaths or injuries recorded
1989-07-10	Tornado	F4, 13 mi path length (records before 1996 may include the whole path; rating and listing come from the county where the tornado began), 1,320 yd wide	\$25,000,000 property; crops not recorded (1989 dollars)	0, 0	location not recorded		B1-c worst recorded: Tornado

The full list is in the XLSX file, sheet "B1-d Storm Events history" (1,430 rows).

Storm Events records are more complete after 1996; before 1996 only Tornado (from 1950), Hail and Thunderstorm Wind (from 1955) exist. Zone-level records are placed with NWS zone-county files, which exist from 2020 on; an earlier record is placed by its zone number in the nearest later file only when its zone name matches that file, records from zones NWS renumbered are placed by name or left out, and a record whose zone is in no known file is left out of every count, so counts before 2020 can be low. Some current zones are also missing from the NWS files, so recent counts can be low too.

SOURCES

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

State-declared emergencies are not in federal data. Add them from your state emergency management agency.

Tribal and special-area declarations in this state are listed on the state page.

Supports B1-e: probability

Probability: FEMA annualized frequency and descriptor per hazard

						NRI events or days in its record period (hail, wind and tornado are area-weighted, so can be fractional)			
Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis		NRI period	Location	Note
Avalanche	0.01	events per year	about 1 in 100 years	Possible	FEMA annualized frequency (modeled)	0	1994 to 2023 (30 years)	see B1-f	0.01 is NRI's minimum avalanche frequency for a county in an avalanche susceptibility zone; NRI records no avalanche here, so the descriptor reflects the floor, not local events.

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area- weighted, so can be fractional)	NRI period	Location	Note
Coastal Flooding	0	events per year at a location (modeled)	none modeled	Possible	Storm Events records in 1 of 30 years, 1996 to 2025 (3.33%)	not shown	modeled	see B1-f	Descriptor from Storm Events, not NRI: the NRI value is the chance at a location in the county, not how often the hazard affects the county. NRI models no coastal flooding event-days here (modeled), but Storm Events has a record in 1 of 30 years. The descriptor comes from Storm Events, which records events NRI's definition leaves out, so the two use different thresholds; read them together.
Cold Wave	2.47	event-days per year	about 2.47 days per year	Likely	event-days in 16 of 30 years, 1996 to 2025 (53.3%)	46.9	2005-11-12 to 2024-11-12 (19 years)	countywide	Frost/Freeze records are not counted in this descriptor: they record crop freezes, not cold waves.
Drought	0	event-days per year	none modeled	Possible	event-days in 2 of 30 years, 1996 to 2025 (6.67%)	0	2000 to 2025 (25.25 years; D3 and D4 only)	countywide	NRI models no drought event-days here (2000 to 2025, 25.25 years; D3 and D4 only), but Storm Events has a record in 2 of 30 years. The descriptor comes from Storm Events, which records events NRI's definition leaves out, so the two use different thresholds; read them together.
Earthquake	0.00137	annual probability at a location	chance a given location in the county has at least minor-damage shaking in a year: 0.136%			not shown	modeled	see B1-f	Descriptor not assigned: the NRI value is the chance at a location in the county, not how often the hazard affects the county, and Storm Events does not record earthquakes.
Hail	2.89	events per year	about 2.89 per year	Highly likely	FEMA annualized frequency (modeled)	109.9 (modeled)	1986 to 2023 (38 years)	countywide	
Heat Wave	3.25	event-days per year	about 3.25 days per year	Likely	event-days in 20 of 30 years, 1996 to 2025 (66.7%)	55.5	2005-11-12 to 2024-11-12 (19 years)	countywide	
Hurricane	0.0502	events per year	about 1 in 20 years	Possible	FEMA annualized frequency (modeled)	12	1851 to 2024 (Atlantic)	see B1-f	NRI counts hurricane and tropical storm tracks passing within storm-force wind range; federal declarations are counted separately in B1-d and need not match.
Ice Storm	0.683	event-days per year	about 0.683 days per year	Likely	event-days in 3 of 30 years, 1996 to 2025 (10%)	46	1946-12-31 to 2014-02-12 (67 years)	countywide	
Inland Flooding	2.75	event-days per year	about 2.75 days per year	Likely	event-days in 26 of 30 years, 1996 to 2025 (86.7%)	77	1996 to 2023 (28 years)	see B1-f	

Hazard	FEMA annualized frequency (modeled) <i>unit per row</i>	Unit	In plain terms	Descriptor	Descriptor basis	NRI events or days in its record period (hail, wind and tornado are area- weighted, so can be fractional)	NRI period	Location	Note
Landslide	0.356	events per year (modeled)	about 1 in 3 years	Likely	FEMA annualized frequency (modeled)	not shown	modeled	see B1-f	
Lightning	27.6	days per year with a strike	about 27.6 days per year	Highly likely	FEMA annualized frequency (modeled)	not shown	1995 to 2023 (29 years; CONUS)	countywide	
Strong Wind	1.4	events per year	about 1.4 per year	Highly likely	FEMA annualized frequency (modeled)	54	1986 to 2023 (38 years)	countywide	
Tornado	0.124	events per year	about 1 in 8 years	Likely	FEMA annualized frequency (modeled)	not shown	1950 to 2023 (EF2+); 1986 to 2023 (EF0-1)	see B1-f	
Tsunami		annual probability at the most exposed location (used in place of a county value)				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Volcanic Activity		annual probability				not shown	modeled	see B1-f	Not Applicable in NRI for this county; no descriptor.
Wildfire	0.0000234	annual probability at a location	chance a given location in the county burns in a year: 0.00234%	Possible	Storm Events records in 1 of 30 years, 1996 to 2025 (3.33%)	not shown	modeled	see B1-f	Descriptor from Storm Events, not NRI: the NRI value is the chance at a location in the county, not how often the hazard affects the county.
Winter Weather	16.9	event-days per year	about 16.9 days per year	Highly likely	event-days in 29 of 30 years, 1996 to 2025 (96.7%)	320	2005-11-12 to 2024-11-12 (19 years)	countywide	

FEMA annualized frequency (modeled) comes from the National Risk Index v1.20 (December 2025). It is not recorded events divided by years, and what it measures depends on the hazard. For most hazards it estimates how often the hazard affects this county each year: it counts events or event-days (drought, heat wave, cold wave, winter weather, ice storm and inland flooding are in days per year; lightning is the number of days per year with a recorded cloud-to-ground strike, from the NOAA Storm Prediction Center daily lightning climatology); it may count events in the surrounding area (hail, strong wind, tornado, hurricane and ice storm use a 49 km grid and buffers) and is averaged over the county's area; and some hazards use a minimum value for places with no recorded event. Earthquake, wildfire and coastal flooding are different: FEMA computes them for each census block and averages them over the county, so the value is the chance (for coastal flooding, the modeled number of floods per year) at a location in the county, which is lower than the chance that the hazard strikes somewhere in the county. Earthquake is the chance of at least minor-damage shaking (U.S. Geological Survey model); wildfire is the chance that a location burns in a large fire (U.S. Forest Service burn probability); coastal flooding comes from FEMA flood zones and NOAA high-tide flooding, so it can be above 1 where high-tide flooding is frequent. Tsunami is the value at the county's most exposed location, from recorded events and modeled return periods. For these four hazards the packet gives no "1 in N years" and takes the descriptor from Storm Events (none for earthquake) unless the value is 1 or more a year. Landslide is a U.S. Geological Survey modeled county rate spread by slope susceptibility. Volcanic activity is the chance that a volcano affecting the county erupts in a year. Drought counts only extreme and exceptional drought (D3 and D4). Source: FEMA, National Risk Index Technical Documentation v1.20, sections 5.2.2 (Table 5), 5.2.3, 7.4, 10.4, 16.5, 17.1, 17.3.1, 17.5, 20.3.1, 21.4, 22.4 and 6 to 23.

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Descriptor scale used in this packet (defined per unit)

Unit	Descriptor	Definition
events per year	Highly likely	1 or more per year
events per year	Likely	about once in 1 to 10 years
events per year	Possible	about once in 10 to 100 years
events per year	Unlikely	less than once in 100 years
annual probability	Likely	10% to under 100% chance in a given year
annual probability	Possible	1% to under 10% chance in a given year
annual probability	Unlikely	under 1% chance in a given year
event-days (share of years)	Highly likely	event-days recorded in 90% or more of years
event-days (share of years)	Likely	event-days recorded in 10% to under 90% of years
event-days (share of years)	Possible	event-days recorded in some years but under 10% of years
lightning strike-days	Highly likely	cloud-to-ground strikes on 1 or more days per year

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Intensity bands: historical frequency (Storm Events)

Hazard	Band	Years	Events <i>county-coded records</i>	Years in period	Events per year <i>events / years</i>
Hail	1.00-1.99 in	1996 to 2025	80	30	2.67
Hail	2.00 in+	1996 to 2025	5	30	0.167
Strong Wind (Thunderstorm Wind records)	50-64 kt	1996 to 2025	357	30	11.9
Strong Wind (Thunderstorm Wind records)	65 kt+	1996 to 2025	7	30	0.233
Strong Wind (Thunderstorm Wind records)	unmeasured or below 50 kt	1996 to 2025	60	30	2
Tornado	EF0-1	1996 to 2025	2	30	0.0667
Tornado	EF2-3	1996 to 2025	0	30	0
Tornado	EF4-5	1996 to 2025	0	30	0
Tornado	unrated (EFU)	1996 to 2025	0	30	0

Hail smaller than 1 inch is not counted: on 2010-01-05 the National Weather Service raised its severe-hail threshold from 3/4 inch to 1 inch, so smaller reports became less common after 2009 (NWS Service Change Notice 09-52). NRI hail frequency uses a 0.75 inch threshold.

SOURCE

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Optional: future conditions. Not a required item in the 2025 FEMA Local Mitigation Planning Policy Guide; some states ask for it. The federal Climate Mapping for Resilience and Adaptation (CMRA) site gives county exposure to future climate conditions.

Supports B1-f: variation across the planning area

Range of census tract risk within the county

Hazard	Tracts <i>rated of all</i>	Risk score min <i>NRI score, 0 to 100</i>	Median	Max	Tracts by rating	Note
Avalanche	5 of 85	17.2	22.5	24.5	Very Low 5, Not Applicable 80	
Coastal Flooding	0 of 85				No Rating 85	
Cold Wave	85 of 85	23.0	32.8	46.7	Relatively Low 85	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Drought	0 of 85				No Rating 85	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Earthquake	85 of 85	18.1	41.5	80.6	Relatively Moderate 1, Relatively Low 43, Very Low 41	
Hail	85 of 85	31.1	47.0	59.4	Relatively Low 77, Very Low 8	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Heat Wave	85 of 85	2.9	16.5	36.2	Relatively Low 40, Very Low 45	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Hurricane	85 of 85	54.7	63.6	85.0	Relatively Moderate 1, Relatively Low 84	
Ice Storm	85 of 85	33.8	58.9	92.5	Relatively High 1, Relatively Moderate 15, Relatively Low 69	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Inland Flooding	85 of 85	2.9	29.6	97.1	Very High 1, Relatively High 3, Relatively Moderate 21, Relatively Low 40, Very Low 20	
Landslide	85 of 85	17.7	69.5	98.3	Relatively Moderate 4, Relatively Low 19, Very Low 62	
Lightning	85 of 85	27.8	52.9	75.9	Relatively Moderate 50, Relatively Low 35	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Strong Wind	85 of 85	28.5	50.6	77.8	Relatively Moderate 32, Relatively Low 53	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.
Tornado	85 of 85	37.3	53.3	72.2	Relatively Moderate 42, Relatively Low 43	
Tsunami	0 of 85				Not Applicable 85	
Volcanic Activity	0 of 85				Not Applicable 85	
Wildfire	81 of 85	20.4	48.2	72.8	Relatively Low 1, Very Low 80, No Rating 4	

Hazard	Tracts	Risk	Median	Max	Tracts by rating	Note
	rated of all	score min NRI score, 0 to 100				
Winter Weather	85 of 85	23.3	32.6	60.5	Relatively Moderate 1, Relatively Low 84	National data give a county-wide or coarse (49 km grid or NWS zone) frequency for this hazard, so they cannot show members' hazard differing. The tract range above mostly reflects where buildings and people are. Confirm locally.

Rated tracts only: No Rating (score 0.0), Not Applicable and Insufficient Data tracts are counted but not used for the minimum, median and maximum.

SOURCE

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Per-member block (Starter, confirm locally)

Member	Type	Plan status	Repetitive loss <i>FMA RL and SRL (44 CFR 77.2); repeat- flood, any definition</i>	Public Assistance matched <i>federal share obligated, nominal dollars</i>	Event records naming this place <i>all years; since the member's plan</i>	Notes
Albany County	County	Approved, expires 2030-05-06		\$4,771,929.10	0; 0	No NFIP community ID on this member's plan row. Includes \$3,466,514.23 for declarations not counted as hazard incidents (DR-1391-NY, DR-4480-NY, EM-3186-NY, EM-3262-NY).
Albany city	City	Approved, expires 2030-05-06	FMA RL 0, SRL 0; any 7	\$2,041,712.75	104; 1	Includes \$307,984.51 for declarations not counted as hazard incidents (DR-4480-NY).
Altamont village	Village	Approved, expires 2030-05-06	FMA RL 0, SRL 0; any 1	\$295,387.15	13; 1	
Cohoes city	City	Approved, expires 2030-05-06	FMA RL 0, SRL 0; any 0	\$768,337.40	33; 1	Includes \$23,689.74 for declarations not counted as hazard incidents (DR-4480-NY).
Colonie village	Village	Approved, expires 2030-05-06	FMA RL 0, SRL 0; any 0	\$273,513.86	48; 0	Includes \$4,565.27 for declarations not counted as hazard incidents (DR-4480-NY).
Green Island village	Village	Approved, expires 2030-05-06	FMA RL 0, SRL 0; any 0	none found	0; 0	
Menands village	Village	Approved, expires 2030-05-06	FMA RL 0, SRL 0; any 1	\$84,226.56	16; 0	Includes \$41,325 for declarations not counted as hazard incidents (DR-4480-NY).
Ravena village	Village	Approved, expires 2030-05-06	FMA RL 0, SRL 0; any 0	\$98,704.13	18; 0	
Voorheesville village	Village	Approved, expires 2030-05-06	FMA RL 0, SRL 0; any 2	\$301,044.82	14; 0	
Watervliet city	City	Approved, expires 2030-05-06	FMA RL 0, SRL 0; any 0	\$587,974.13	20; 0	Includes \$26,153.67 for declarations not counted as hazard incidents (DR-4480-NY).
Berne town	Town	Approved, expires 2030-05-06	FMA RL 0, SRL 0; any 0	\$885,166.03	15; 0	
Bethlehem town	Town	Approved, expires 2030-05-06	FMA RL 0, SRL 0; any 4	\$4,301,795.19	1; 0	Includes \$48,654.07 for declarations not counted as hazard incidents (DR-4480-NY).
Coeymans town	Town	Approved, expires 2030-05-06	FMA RL 1, SRL 0; any 1	\$384,035.20	13; 0	Includes \$7,474 for declarations not counted as hazard incidents (DR-4480-NY).

Member	Type	Plan status	Repetitive loss	Public Assistance matched	Event records naming this place	Notes
			<i>FMA RL and SRL (44 CFR 77.2); repeat-flood, any definition</i>	<i>federal share obligated, nominal dollars</i>	<i>all years; since the member's plan</i>	
Colonie town	Town	Approved, expires 2030-05-06	FMA RL 1, SRL 4; any 16	\$2,217,996.10	48; 0	Includes \$76,712.11 for declarations not counted as hazard incidents (DR-4480-NY).
Guilderland town	Town	Approved, expires 2030-05-06	FMA RL 0, SRL 0; any 2	\$1,163,974.47	15; 0	Includes \$43,484.11 for declarations not counted as hazard incidents (DR-4480-NY).
Knox town	Town	Approved, expires 2030-05-06	FMA RL 0, SRL 0; any 0	\$839,777.60	11; 1	
New Scotland town	Town	Approved, expires 2030-05-06	FMA RL 0, SRL 1; any 1	\$1,005,506.56	13; 0	
Rensselaerville town	Town	Approved, expires 2030-05-06	FMA RL 0, SRL 0; any 1	\$1,480,202.97	7; 0	
Westerlo town	Town	Approved, expires 2030-05-06	FMA RL 0, SRL 0; any 0	\$895,787.90	13; 0	

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

School districts and special districts get a plan clock row only.

SOURCES

FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

Supports B2-a and B2-b: assets and impacts

Local data required

County-level starter. The plan must describe impacts for each participant and its own assets.

- Critical facilities and lifelines per hazard
 - A problem statement per participant per hazard
- Changes in development in hazard-prone areas since the last approval, or a statement of none (E1-a)
 - Future assets

County-level starter: exposure, expected annual loss and damage since the plan

Hazard	Building exposure	Agriculture exposure	Population exposed	EAL buildings	EAL agriculture	EAL population equivalence	EAL as % of exposure	Storm Events damage since 2025-05-07	Zone-level damage since plan	Public Assistance since plan	Note
	<i>modeled dollars</i>	<i>modeled dollars</i>	<i>people</i>	<i>modeled dollars per year</i>	<i>modeled dollars per year</i>	<i>statistical value of life and injury, \$13.7M per life, not property damage</i>	<i>buildings; agriculture where noted</i>	<i>county-coded records, property plus crops, nominal dollars</i>	<i>property plus crops, reported for the zone</i>	<i>nominal dollars; see note</i>	
Avalanche	\$764,713		under 1	under \$1		\$191	under 0.0001%				

Hazard	Building exposure <i>modeled dollars</i>	Agriculture exposure <i>modeled dollars</i>	Population exposed <i>people</i>	EAL buildings <i>modeled dollars per year</i>	EAL agriculture <i>modeled dollars per year</i>	EAL population equivalence <i>statistical value of life and injury, \$13.7M per life, not property damage</i>	EAL as % of exposure <i>buildings; agriculture where noted</i>	Storm Events damage since 2025-05-07 <i>county-coded records, property plus crops, nominal dollars</i>	Zone-level damage since plan <i>property plus crops, reported for the zone</i>	Public Assistance since plan <i>nominal dollars; see note</i>	Note
Coastal Flooding	\$0		0	\$0		\$0					building exposure is 0 in NRI
Cold Wave	\$70,294,953,995	\$60,928,248	314,684	\$1,034	\$32,457	\$2,128,663	under 0.0001%				
Drought		\$0			\$0						agriculture exposure is 0 in NRI
Earthquake	\$125,467,314,711		314,848	\$2,136,508		\$490,064	0.0017%				
Hail	\$70,294,953,995	\$60,928,248	314,684	\$34,094	\$42,999	\$473,322	under 0.0001%				
Heat Wave	\$70,294,953,995	\$60,928,248	314,684	\$2	\$5,951	\$1,150,296	under 0.0001%				
Hurricane	\$70,289,372,758	\$60,925,246	314,648	\$3,548,461	\$87,134	\$161,463	0.00505%				
Ice Storm	\$70,294,878,027		314,684	\$652,090		\$47,472	0.000928%				
Inland Flooding	\$70,254,863,814	\$4,699,422	6,372	\$41,774,636	\$57,278	\$1,556,533	n/a (see note)	\$245,000			NRI counts the full building value of any census block with some flood loss; this is not the value of buildings in the floodplain. Use local FIRM overlays for B2-a/B2-b. EAL as % of exposure: n/a.
Landslide	\$1,259,040,885		5,715	\$65,724		\$1,817	0.00522%				
Lightning	\$70,294,953,995		314,684	\$61,643		\$1,149,595	under 0.0001%				
Strong Wind	\$70,294,953,995	\$60,928,248	314,684	\$519,835	\$6,294	\$1,089,114	0.00074%				
Tornado	\$70,294,953,995	\$60,928,248	314,684	\$1,791,651	\$807	\$5,096,940	0.00255%				
Tsunami											Not Applicable in NRI for this county
Volcanic Activity											Not Applicable in NRI for this county
Wildfire	\$17,237,364,825	\$17,584,180	76,441	\$20,341	\$4	\$2,094	0.000118%				
Winter Weather	\$70,294,953,995	\$60,928,248	314,684	\$52,546	\$8	\$50,613	under 0.0001%				

Totals since 2025-05-07 (Storm Events through 2026-06-30): 14 county-coded records, 6 with a damage value recorded (including \$0), \$245,000; 41 zone-level records, 0 with a damage value recorded (including \$0), \$0 reported for the zone; Public Assistance on counted declarations none found (0 declarations, 0 with PA).

Total = buildings + agriculture + population equivalence; FEMA values each expected death (or 10 injuries) at \$13.7 million (2024 dollars).

FEMA does not split Public Assistance by hazard. A declaration mapped to several hazards is listed under each of them with its full amount, so the per-hazard column must not be added up; the unit total counts each declaration once.

Dollars are nominal (as reported), labeled with the year; not adjusted for inflation.

SOURCES

FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>

NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>
FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Supports B2-a: context

County context

Measure	Value
Population	314,684
Building value (total, not at risk)	\$70,294,953,995
Agriculture value (total, not at risk)	\$60,928,248
NRI risk rating (all hazards)	Relatively Moderate
Expected annual loss, buildings and agriculture, all hazards	\$50,891,496
Expected annual loss, population equivalence, all hazards (NRI values each statistical life at \$13.7M; a modeled value of expected deaths and injuries, not property damage)	\$13,398,178
Social vulnerability rating	Relatively Low
Community resilience rating	Very High
NRI version	December 2025

FEMA's all-hazard expected annual loss total adds buildings, agriculture and population equivalence; the two parts are shown separately so the property figure is not read as including the statistical value of life.

SOURCE
FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)

Supports B2-c: repetitive loss

Repetitive loss in this county, both definitions

Definition	Properties	Severe repetitive loss	Properties
Repetitive loss, FMA definition (44 CFR 77.2)	2	Severe repetitive loss, FMA definition (44 CFR 77.2)	5
Repetitive loss, NFIP insurance definition	35	Severe repetitive loss, NFIP insurance definition	5

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

SOURCES
FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

Repeat-flood properties: county and state-level rows

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
County total	2	5	35	5	36	0	17
ALBANY, CITY OF	0	0	7	0	7	0	3

Scope	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
ALTAMONT, VILLAGE OF	0	0	1	0	1	0	0
COEYMANS, TOWN OF	1	0	0	0	1	0	0
COLONIE, TOWN OF	1	4	16	4	16	0	11
GUILDERLAND, TOWN OF	0	0	2	0	2	0	0
MENANDS, VILLAGE OF	0	0	1	0	1	0	1
NEW SCOTLAND, TOWN OF	0	1	1	1	1	0	0
RENSSELAERVILLE, TOWN OF	0	0	1	0	1	0	0
VOORHEESVILLE, VILLAGE OF	0	0	2	0	2	0	1
BETHLEHEM, TOWN OF	0	0	4	0	4	0	1
State level, not in this county: county not reported	0	0	19	0	19	0	3

SOURCESFEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)**Repeat-flood properties by plan member (NFIP community)**

Member	NFIP community ID	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>	Note
Albany city	360001	0	0	7	0	7	0	3	
Altamont village	360002	0	0	1	0	1	0	0	
Cohoes city	360006	0	0	0	0	0	0	0	
Colonie village	365377	0	0	0	0	0	0	0	
Green Island village	360009	0	0	0	0	0	0	0	
Menands village	360012	0	0	1	0	1	0	1	
Ravena village	361346	0	0	0	0	0	0	0	
Voorheesville village	360015	0	0	2	0	2	0	1	
Watervliet city	360016	0	0	0	0	0	0	0	
Berne town	360003	0	0	0	0	0	0	0	
Bethlehem town	361540	0	0	4	0	4	0	1	
Coeymans town	360005	1	0	0	0	1	0	0	
Colonie town	360007	1	4	16	4	16	0	11	
Guilderland town	360010	0	0	2	0	2	0	0	
Knox town	360011	0	0	0	0	0	0	0	
New Scotland town	360013	0	1	1	1	1	0	0	
Rensselaerville town	360014	0	0	1	0	1	0	0	
Westerlo town	360017	0	0	0	0	0	0	0	

Per-member types: XLSX sheet 'B2-c Members'.

Member rows are whole NFIP communities and need not add up to the county total: a community that extends into another county is counted in full on each member row, while the county table counts only its part in this county.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

County repeat-flood properties by occupancy group

Occupancy group	RL, FMA <i>properties</i>	SRL, FMA <i>properties</i>	RL, NFIP <i>properties</i>	SRL, NFIP <i>properties</i>	Any category <i>properties</i>	Mitigated <i>properties</i>	Currently insured <i>properties</i>
single-family residential	2	4	26	4	27	0	15
2 to 4 unit residential	0	0	5	0	5	0	1
other residential	0	0	0	0	0	0	0
non-residential	0	1	4	1	4	0	1
not reported	0	0	0	0	0	0	0

Institutional properties cannot be separated in this data: FEMA's occupancy groups have no institutional class, so they fall in non-residential or other residential in the table by occupancy group.

SOURCES

FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)

FMA RL and FMA SRL are the Flood Mitigation Assistance definitions (44 CFR 77.2), the ones the FEMA Local Mitigation Planning Policy Guide cites; OpenFEMA's fmaRI field description omits the Increased Cost of Compliance clause of 44 CFR 77.2(i). NFIP repetitive loss (FEMA insurance definition, nfipRI) is 2 or more claims over \$1,000 in 10 years and can drop to false when a property is mitigated. Also shown: NFIP severe repetitive loss, any category, mitigated and currently insured.

Your state NFIP coordinator's list may use the NFIP insurance definition, so its counts can be higher.

Counts are aggregates of FEMA's public NFIP Multiple Loss Properties file (as of 2026-08-02). No property is identified. County assignment is FEMA's geocode.

Counts may differ from your state NFIP coordinator's list, which is the source the Handbook names.

In this county 1 property is FMA repetitive loss but not NFIP repetitive loss, and 34 properties are NFIP repetitive loss but not FMA repetitive loss.

Exact counts; no count suppression.

Sources

Every table above lists its own sources. The full list, for the plan's bibliography (FEMA review item A4-a):

1. FEMA, OpenFEMA HazardMitigationPlanStatuses v1, version 2026-09-26T121003Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/HazardMitigationPlanStatuses> (API)
2. FEMA, OpenFEMA DisasterDeclarationsSummaries v2, version 2026-09-27T010817Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v2/DisasterDeclarationsSummaries> (API)
3. FEMA, OpenFEMA PublicAssistanceFundedProjectsSummaries v1, version 2026-09-26T151157Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/PublicAssistanceFundedProjectsSummaries> (API)
4. FEMA, OpenFEMA NfipMultipleLossProperties v1, version 2026-08-04T164045Z, pulled 2026-09-28, <https://www.fema.gov/api/open/v1/NfipMultipleLossProperties> (API)
5. FEMA, FEMA National Risk Index 1.20.0 (December 2025), county and census tract tables, version 1.20.0, pulled 2026-09-28, https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_Counties.zip (download, 25 MB), https://www.fema.gov/about/reports-and-data/openfema/nri/v120/NRI_Table_CensusTracts.zip (download, 635 MB)
6. NOAA NCEI, NOAA NCEI Storm Events Database, details files (csvfiles v1.0), version c20260918, pulled 2026-09-28, <https://www.ncei.noaa.gov/pub/data/swdi/stormevents/csvfiles/>
7. NOAA National Weather Service, NWS county-public forecast zones correlation file, version bp03mr20 to bp16ap26 (11 files; newest bp16ap26), pulled 2026-09-28, <https://www.weather.gov/gis/ZoneCounty>

8. U.S. Census Bureau, Census 2024 Gazetteer, 2020 place by county, CT county-to-cousub crosswalk, version 2024-gazetteer, pulled 2026-09-28, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_counties_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_cousubs_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_place_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_unsd_national.zip, https://www2.census.gov/geo/docs/maps-data/data/gazetteer/2024_Gazetteer/2024_Gaz_elsd_national.zip, https://www2.census.gov/geo/docs/reference/codes2020/national_place_by_county2020.txt, https://www2.census.gov/geo/docs/reference/ct_change/ct_cou_to_cousub_crosswalk.xlsx

OpenFEMA disclaimer

This product uses the Federal Emergency Management Agency's OpenFEMA API, but is not endorsed by FEMA. The Federal Government or FEMA cannot vouch for the data or analyses derived from these data after the data have been retrieved from the Agency's website(s).

Hazard Plain is an independent product built from public federal data. It is not a FEMA document and is not reviewed or endorsed by FEMA or any state agency.

Reuse, citation and corrections

Reuse and citation: Hazard Plain text and tables are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0, <https://creativecommons.org/licenses/by/4.0/>); credit Hazard Plain and the release. The underlying federal data are public domain; OpenFEMA data are also subject to the OpenFEMA terms and conditions.

Cite this: Hazard Plain (2026). Albany County, NY: risk-assessment baseline packet, release 2026-10 (data as of 2026-09-28; County area 36001). Preview: automated baseline. Built from FEMA OpenFEMA, the FEMA National Risk Index and NOAA NCEI Storm Events; source versions in the packet's Sources list.

Corrections: to report an error, name the packet, the table and what your records show. Contact: to be added

Hazard Plain release 2026-10. As of 2026-09-28; Storm Events data through 2026-06-30. File hazard-plain_2026-10_NY_36001. Preview: automated baseline.